SOVIET PHYSICS JETP

Vol 39

J. George Adashko, Editor

American Institute of Physics Translations Advisory Board
Robert T. Beyer, Chairman
J. George Adashko, Freeman J. Dyson, Morton Hamermesh
David Harker, Francois Kertesz, Robert H. Marks, Secretary
A.W.K. Metzner, Clark S. Robinson

a translation of
ЖУРНАЛ ЭКСПЕРИМЕНТАЛЬНОЙ И ТЕОРЕТИЧЕСКОЙ ФИЗИКИ
Zhurnal Eksperimental'noi i Teoreticheskoi Fiziki (Journal of Experimental and Theoretical Physics) of the Academy of Sciences of the USSR
Russian original Vol. 67

Editorial Board
P. L. Kapitza, Editor in Chief
I. E. Dzyaloshinskii, M. A. Leontovich
E. M. Lifshitz, S. Yu. Luk'yanov, Associate Editors
G. F. Zharkov, Secretary
É. L. Andronikashvili, K. P. Belov, S. T. Belyaev, A. S. Borovik-Romanov
V. P. Dzhelepov, V. A. Fock, R. V. Khokhlov, V. V. Eremenko
Yu. A. Osip'yan, A. M. Prokhorov, I. S. Shapiro
I. I. Sobel'man, O. I. Sumbaev

published by the American Institute of Physics

SUBJECT INDEX TO VOLUMES 39-40

Papers are arranged in ascending page number order.

3. CLASSICAL AND QUANTUM PHYSICS; MECHANICS AND FIELDS

3.40.– Classical mechanics of continuous media, general mathematical problems

The propagation of a nonlinear wave in a stochastic medium —G. M. Zaslavskiĭ. 39(5), 802–4; CPM-7507X0740

Oscillations of the elastic parameters of compressed matter —D. A. Kirzhnits and G. V. Shpatakovskaya. 39(5), 899–906; CPM-7507X0837

Dispersion equation for electromagnetic waves in a metal in a magnetic field —E. P. Vol'skiĭ. 40(3), 546–51; CPM-7510X0626

Stability of stationary waves in nonlinear weakly dispersive media — E. A. Kuznetsov and A. V. Mikhaĭlov. 40(5), 855–9; CPM-7511X0453

Theory of nonlinear interaction between monochromatic and noise waves in weakly dispersive media —O. V. Rudenko and A. S. Chirkin. 40(5), 945–9; CPM-7511X0543

3.50.– Classical electrodynamics and classical field theory

Bremsstrahlung from an electron passing by a nucleus situated in a constant external field —V. Ch. Zhukovskiĭ. 39(1), 4–6; CPM-7504X0722

Effect of the medium on the bremsstrahlung of an electron in the optical frequency range —V. A. Bazylev, A. A. Varfolomeev, and N. K. Zhevago. 39(2), 222–7; CPM-7505X0390

Exact theory of propagation of ultrashort optical pulses in two-level media —L. A. Takhtadzhyan. 39(2), 228–33; CPM-7505X0396

Changes in Cerenkov radiation caused by an external field —V. V. Mysakhanyan and A. I. Nikishov. 39(4), 615–9; CPM-7506X0963

A modified Korteweg-de Vries equation in electrohydrodynamics —T. L. Perel'man, A. Kh. Fridman, and M. M. El'yashevich. 39(4), 643–6; CPM-7506X0991

The correspondence principle in the problem of the self-energy of the electron —A. V. Vilenkin and P. I. Fomin. 40(1), 6–7; CPM-7509X1496

Theory of spontaneous and stimulated emission of electromagnetic waves in unidimensionally inhomogeneous media and resonators — V. S. Pekar. 40(2), 233–7; CPM-7510X0183

Nonlinear theory of excitation of electromagnetic waves in a dielectric medium by a nonrelativistic electron beam —Ts. D. Loladze, A. A. Rukhadze, and M. E. Chogovadze. 40(3), 433–5; CPM-7510X0513

3.60.+ Quantum theory: foundations, theory of measurement, miscellaneous theories

The correspondence principle in the problem of the self-energy of the electron —A. V. Vilenkin and P. I. Fomin. 40(1), 6–7; CPM-7509X1496

Wave fields outside a collapsing charged star —N. R. Sibgatullin and G. A. Alekseev. 40(4), 613–20; CPM-7510X0805

3.65.– Quantum mechanics

Transitions between the degenerate states of an excited hydrogenlike ion during distant collisions with a charged particle —Yu. N. Demkov, V. N. Ostrovskiĭ, and E. A. Solov'ev. 39(1), 57–61; CPM-7504X0775

Resonance of discrete states against the background of a continuous spectrum —V. S. Lisitsa and S. I. Yakovlenko. 39(6), 975–80; CPM-7507X1203

Self-localization of vibrations in a one-dimensional anharmonic chain —A. M. Kosevich and A. S. Kovalev. 40(5), 891–6; CPM-7511X0489

Periodic and conditionally periodic analogs of the many-soliton solutions of the Korteweg-de Vries equation —B. A. Dubrovin and S. P. Novikov. 40(6), 1058–63; CPM-7512X0060

3.70.+ Theory of quantized fields

Operator approach to quantum electrodynamics in an external field: The mass operator —V. N. Baĭer, V. M. Katkov, and V. M. Strakhovenko. 40(2), 225–32; CPM-7510X0175

Theory of spontaneous and stimulated emission of electromagnetic waves in unidimensionally inhomogeneous media and resonators — V. S. Pekar. 40(2), 233–7; CPM-7510X0183

Quantum electromagnetic waves in cylindrical conductors —É. N. Bogachek and G. A. Gogadze. 40(2), 308–10; CPM-7510X0258

4. RELATIVITY AND GRAVITATION

4.20.– General relativity

Microgeons with spin —A. Ya. Burinskiĭ. 39(2), 193–5; CPM-7505X0361

The motion of charged radiating shells in the general theory of relativity and "friedmon" states —V. P. Frolov. 39(3), 393–8; CPM-7505X1389

Self-similar motions in general relativity for a spherically symmetric reference system in special coordinates —K. P. Stanyukovich. 39 (3), 399–401; CPM-7505X1395

An investigation of a class of gravitational fields for a charged dustlike medium —I. S. Shikin. 40(2), 215–8; CPM-7510X0165

4.30.+ Gravitational waves and radiation

The gravitational radiation emitted by an ultrarelativistic charged particle in an external electromagnetic field —O. P. Sushkov and I. B. Khriplovich. 39(1), 1–3; CPM-7504X0719

An upper limit on the density of gravitational radiation of extraterrestrial origin —V. B. Braginskiĭ, A. B. Manukin, E. I. Popov, V. N. Rudenko, and A. A. Khorev. 39(3), 387–92; CPM-7505X1383

Drift of particles in the field of a gravitational wave —L. P. Grishchuk. 39(3), 402–4; CPM-7505X1398

Amplification of gravitational waves in an isotropic universe —L. P. Grishchuk. 40(3), 409–15; CPM-7510X0489

An acoustic heterodyne detector of gravitational radiation —V. E. Lyamov and V. N. Rudenko. 40(5), 787–91; CPM-7511X0385

Gravitational waves that conserve the homogeneity of space —V. N. Lukash. 40(5), 792–9; CPM-7511X0390

4.40.+ Continuous media; electromagnetic and other mixed gravitational systems

The gravitational radiation emitted by an ultrarelativistic charged particle in an external electromagnetic field —O. P. Sushkov and I. B. Khriplovich. 39(1), 1–3; CPM-7504X0719

Damping law for the external fields of a collapsing body —A. Z. Patashinskiĭ, V. K. Pinus, and A. A. Khar'kov. 39(2), 187–92; CPM-7505X0355

The interaction of short gravitational waves with electromagnetic waves in arbitrary external electromagnetic fields —N. R. Sibgatullin. 39(4), 579–85; CPM-7506X0927

External fields in the gravitational collapse of rotating masses —A. A. Khar'kov. 39(5), 737–41; CPM-7507X0675

An investigation of a class of gravitational fields for a charged dustlike medium —I. S. Shikin. 40(2), 215–8; CPM-7510X0165

4.90.+ Other topics in relativity and gravitation (including gravitational experiments and observations)

On the gravitational field of a massless particle —N. A. Voronov and I. Yu. Kobzarev. 39(4), 575–8; CPM-7506X0923

Graviton emission in collisions of high-energy hadrons —I. Yu. Kobzarev and P. I. Peshkov. 40(2), 213–4; CPM-7510X0163

Wave fields outside a collapsing charged star —N. R. Sibgatullin and G. A. Alekseev. 40(4), 613–20; CPM-7510X0805

5. STATISTICAL PHYSICS AND THERMODYNAMICS

5.30.– Quantum statistical mechanics

Determination of allowed states of a multiparticle specified for given states of the subsystems —I. G. Kaplan and O. B. Rodimova. 39 (5), 764–8; CPM-7507X0702

A general method for integration of many-point ring diagrams for Fermi systems —E. G. Brovman and A. Kholas. 39(5), 924–31; CPM-7507X0862

Energy of a Fermi system in an external field with radiation corrections taken into account —M. A. Braun and T. N. Sibirkina. 39(6), 1017–22; CPM-7507X1245

Theory of a two-component Fermi liquid —I. A. Akhiezer and E. M. Chudnovskiĭ. 39(6), 1135–9; CPM-7507X1363

Strong EPR saturation under phonon-bottleneck conditions —L. L. Buishvili, N. P. Giorgadze, M. Z. Zviadadze, and A. I. Ugulava. 40 (2), 330–4; CPM-7510X0280

One-dimensional Fermi gas with attraction between the electrons —V. Ya. Krivnov and A. A. Ovchinnikov. 40(4), 781–6; CPM-7510X0973

5.50.+ Lattice theory and statistics; Ising problems

Ising model in transverse magnetic field and the properties of singlet ferromagnets of the praseodymium type —E. F. Shender. 39(6), 1083–9; CPM-7507X1311

Effect of impurities on the phase-transition temperature in a two-dimensional Ising lattice with nearest-neighbor and non-nearest-neighbor interaction —K. I. Grozdev and A. M. Kosevich. 39(6), 1119–23; CPM-7507X1347

5.70.– Thermodynamics

Vertex functions and Green functions in the $(4-\epsilon)$ -dimensional theory of phase transitions —S. L. Ginzburg. 39(2), 312–5; CPM-7505X0480

Phase transitions in two-component systems —E. E. Gorodetskiĭ and M. A. Mikulinskiĭ. 39(3), 480–4; CPM-7505X1476

Effect of impurities on the phase-transition temperature in a two-dimensional Ising lattice with nearest-neighbor and non-nearest-neighbor interaction —K. I. Grozdev and A. M. Kosevich. 39(6), 1119–23; CPM-7507X1347

Effect of fluctuations on the transition temperature in quasi-one-dimensional superconductors —K. B. Efetov and A. I. Larkin. 39(6), 1129–34; CPM-7507X1357

7. SPECIFIC INSTRUMENTATION OF GENERAL USE IN PHYSICS

Spectroscopy within the radiative linewidth —V. A. Alekseev, N. G. Basov, E. M. Belenov, M. I. Vol'nov, M. A. Gubin, V. V. Nikitin, and A. N. Nikolaenko. 39(3), 429–32; CPM-7505X1425

X-ray interferometer with narrow beam —V. L. Indenbom, I. Sh. Slobodetskiĭ, and K. G. Truni. 39(3), 542–6; CPM-7505X1538

Two-photon correlations in synchrotron radiation as a method of studying the beam —É. V. Shuryak. 40(1), 30–1; CPM-7509X1520

Quantum oscillations of magnetostriction and magnetic moment of tin under magnetic interaction conditions —V. M. Pudalov and M. S. Khaĭkin. 40(6), 1121–30; CPM-7512X0123

11. GENERAL THEORY OF FIELDS AND PARTICLES

Non-Hamiltonian approach to conformal quantum field theory —A. M. Polyakov. 39(1), 10–8; CPM-7504X0728

Graviton emission in collisions of high-energy hadrons —I. Yu. Kobzarev and P. I. Peshkov. 40(2), 213–4; CPM-7510X0163

Description of high energy π N–scattering data by the complex Regge pole model —M. I. Dzhgarkava, Yu. M. Kazarinov, I. K. Potashnikova, and I. N. Silin. 40(3), 416–9; CPM-7510X0496

12. SPECIFIC THEORIES AND INTERACTION MODELS; PARTICLE SYSTEMATICS

12.20.– Electromagnetic and unified gauge fields

The kinetics and integral characteristics of synchrotron radiation at high energies —V. N. Baier, V. M. Katkov, and V. M. Strakhovenko. 39(1), 36–42; CPM-7504X0754

The connection between various inclusive processes in quantum electrodynamics —É. A. Kuraev, L. N. Lipatov, and M. I. Strikman. 39(3), 405–9; CPM-7505X1401

12.40.– Models of strong interactions

Description of high energy π N–scattering data by the complex Regge pole model —M. I. Dzhgarkava, Yu. M. Kazarinov, I. K. Potashnikova, and I. N. Silin. 40(3), 416–9; CPM-7510X0496

A theory of interacting pomerons and hadronic reactions at high energies —A. A. Migdal, A. M. Polyakov, and K. A. Ter-Martirosyan. 40(3), 420–9; CPM-7510X0500

Multiple production of particles and s-channel unitarity in the pomeron strong-coupling region —A. A. Migdal, A. M. Polyakov, and K. A. Ter-Martirosyan. 40(6), 999–1004; CPM-7512X0001

13. SPECIFIC REACTIONS AND PHENOMENOLOGY

13.60.– Photon and lepton interactions with hadrons

Polarization of secondary protons from the reaction $\gamma+p\to\pi^0+p$ in the region of the third resonance —A. I. Derebchinskiĭ, S. G. Tonapetyan, O. G. Konovalov, V. P. Nazyrov, and A. E. Tenishev. 39(1), 30–2; CPM-7504X0748

13.80.– Hadron-induced high- and super-high-energy interactions, energy≥1 GeV

The connection between various inclusive processes in quantum electrodynamics —É. A. Kuraev, L. N. Lipatov, and M. I. Strikman. 39(3), 405–9; CPM-7505X1401

Description of high energy π N–scattering data by the complex Regge pole model —M. I. Dzhgarkava, Yu. M. Kazarinov, I. K. Potashnikova, and I. N. Silin. 40(3), 416–9; CPM-7510X0496

A theory of interacting pomerons and hadronic reactions at high energies —A. A. Migdal, A. M. Polyakov, and K. A. Ter-Martirosyan. 40(3), 420–9; CPM-7510X0500

14. PROPERTIES OF SPECIFIC PARTICLES AND RESONANCES

Measurement of the lifetime of the positive muon —M. P. Balandin, V. M. Grebenyuk, V. G. Zinov, A. D. Konin, and A. N. Ponomarev. 40(5), 811–4; CPM-7511X0409

21. NUCLEAR STRUCTURE

The pion spectrum in nuclear matter and pion condensation —A. B. Migdal, O. A. Markin, and I. I. Mishustin. 39(2), 212–21; CPM-7505X0380

23. NUCLEAR DECAY AND RADIOACTIVITY

23.20.– Electromagnetic transitions

Theory of the radiative width of a highly excited nucleus —V. G. Nosov and A. M. Kamchatnov. **40**(2), 219–24; CPM-7510X0169

Effect of laser radiation on nuclear decay processes —V. I. Gol'danskiĭ and V. S. Letokhov. **40**(2), 254–5; CPM-7510X0204

Interference of hyperfine components in the emission spectrum of Mössbauer nuclei —A. S. Ivanov, A. V. Kolpakov, and R. N. Kuz'min. **40**(2), 328–9; CPM-7510X0278

23.40.– β decay and electron and muon capture

Measurement of the muon capture rate in gaseous hydrogen —V. M. Bystritskiĭ, V. P. Dzhelepov, P. F. Ermolov, K. O. Oganesyan, M. N. Omel'yanenko, S. Yu. Porokhovoĭ, V. S. Roganov, A. I. Rudenko, and V. V. Fil'chenkov. **39**(1), 19–26; CPM-7504X0737

Effect of laser radiation on nuclear decay processes —V. I. Gol'danskiĭ and V. S. Letokhov. **40**(2), 254–5; CPM-7510X0204

Nonequilibrium beta processes and the role of excited states of nuclei —G. S. Bisnovatyĭ-Kogan, M. A. Rudzskiĭ, and Z. F. Seidov. **40** (5), 806–10; CPM-7511X0404

24. NUCLEAR REACTIONS AND SCATTERING, GENERAL

An alternate version of the WKB method and a calculation of the critical nuclear charge —M. S. Marinov and V. S. Popov. **40**(4), 621–7; CPM-7510X0813

25. NUCLEAR REACTIONS AND SCATTERING, SPECIFIC REACTIONS

Bremsstrahlung from an electron passing by a nucleus situated in a constant external field —V. Ch. Zhukovskiĭ. **39**(1), 4–6; CPM-7504X0722

Photodisintegration of C^{12} with 345-MeV bremsstrahlung —G. L. Bochek, I. A. Grishaev, N. L. Emets, N. I. Lapin, G. D. Pugachev, and Yu. N. Ranyuk. **39**(1), 7–9; CPM-7504X0725

Study of the fusion reaction $d\mu+d\rightarrow He^3+n+\mu$ in gaseous deuterium —V. M. Bystritskiĭ, V. P. Dzhelepov, K. O. Oganesyan, M. N. Omel'yanenko, S. Yu. Porokhovoĭ, A. I. Rudenko, and V. V. Fil'chenkov. **39**(1), 27–9; CPM-7504X0745

Radiative corrections to e^+e^- pair production by a high-energy photon in the field of an electron or a nucleus —E. A. Vinokurov, É. A. Kuraev, and N. P. Merenkov. **39**(6), 942–5; CPM-7507X1170

28. NUCLEAR ENGINEERING AND NUCLEAR POWER STUDIES

Convection of plasma in the tokamak —B. B. Kadomstev and O. P. Pogutse. **39**(6), 1012–6; CPM-7507X1240

29. EXPERIMENTAL METHODS AND INSTRUMENTATION FOR ELEMENTARY-PARTICLE AND NUCLEAR PHYSICS

The stability of the polarization of colliding beams —A. M. Kondratenko. **39**(4), 592–5; CPM-7506X0940

Two-photon correlations in synchrotron radiation as a method of studying the beam —É. V. Shuryak. **40**(1), 30–1; CPM-7509X1520

31. ELECTRONIC STRUCTURE OF ATOMS AND MOLECULES, THEORY

31.10.– General theory, calculations

Model of intersecting bands for interaction of closely approaching atomic particles —V. V. Afrosimov, Yu. S. Gordeev, and A. N. Zinov'ev. **39**(6), 950–5; CPM-7507X1178

Stationary states of an atom in a quantized electromagnetic field —V. P. Yakovlev. **40**(3), 457–9; CPM-7510X0537

Resonance multiphoton excitation of atomic levels in a strong electromagnetic field —D. F. Zaretskiĭ and V. P. Krainov. **40**(4), 647–9; CPM-7510X0839

31.90.+ Other topics in the theory of the electronic structure of atoms and molecules (including properties other than the energy)

Relaxation of the vibrational energy of the $(00^0 1)$ level of the CO_2 molecule —A. S. Biryukov, V. K. Konyukhov, A. I. Lukovnikov, and R. I. Serikov. **39**(4), 610–4; CPM-7506X0958

Perturbation-theory calculations of two-quantum relaxation processes —L. K. Aminov. **40**(1), 41–2; CPM-7509X1531

The classical S matrix of a linear triatomic system —M. Ya. Ovchinnikova. **40**(4), 635–9; CPM-7510X0827

32. ATOMIC AND MOLECULAR INTERACTIONS WITH RADIATION, SPECTROSCOPY

32.10.– Atomic spectroscopy

Resonance excitation of atomic levels in a strong electromagnetic field —D. F. Zaretskiĭ and V. P. Krainov. **39**(2), 257–9; CPM-7505X0425

The acceleration of atoms by light —A. P. Kazantsev. **39**(5), 784–90; CPM-7507X0722

Nonlinear processes in a system of resonantly interacting atoms —A. A. Varfolomeev. **39**(6), 985–8; CPM-7507X1213

32.10.D Absorption and emission spectroscopy

Investigation of resonance polarization phenomena during the passage of laser radiation through potassium vapor —V. M. Arutyunyan, T. A. Papazyan, Yu. S. Chilingaryan, A. V. Karmenyan, and S. M. Sarkisyan. **39**(2), 243–8; CPM-7505X0411

Excitation function for the spectral lines of Na, K, Rb, and Cs ions in the vacuum ultraviolet —I. S. Aleksakhin, V. S. Vukstich, and I. P. Zapesochnyĭ. **39**(6), 971–4; CPM-7507X1199

Incoherent photon scattering by hydrogen forbidden in the dipole approximation —V. G. Gorshkov, A. I. Mikhaĭlov, and S. G. Sherman. **39**(6), 995–8; CPM-7507X1223

Some parity-nonconservation effects in emission by hydrogenlike atoms —Ya. I. Azimov, A. A. Ansel'm, A. N. Moskalev, and R. M. Ryndin. **40**(1), 8–13; CPM-7509X1498

Polarization effects of the self-action of a light beam in a resonant medium —A. M. Khachatryan and N. V. Shakhnazaryan. **40**(1), 27–9; CPM-7509X1517

Stationary states of an atom in a quantized electromagnetic field —V. P. Yakovlev. **40**(3), 457–9; CPM-7510X0537

Changes in the absorption spectrum and of dispersion of a two-level system in a rotating monochromatic radiation field —A. M. Bonch-Bruevich, V. A. Khodovoĭ, and N. A. Chigir'. **40**(6), 1027–31; CPM-7512X0029

32.10.F X-ray spectroscopy

X-ray transition radiation produced in an irregular medium —G. M. Garibyan, L. A. Gevorgyan, and C. Yang. **39**(2), 265–70; CPM-7505X0433

32.10.H Fluorescence and quenching

Radiation from an atom located in an external electromagnetic field —A. P. Kazantsev. **39**(4), 601–4; CPM-7506X0949

32.10.K Level crossing and optical pumping

Nonadiabatic transitions in triatomic systems —A. I. Voronin and V. I. Osherov. 39(1), 62–6; CPM-7504X0780

Parametric relaxation resonance of optically oriented atoms in a transverse magnetic field —A. I. Okunevich. 39(5), 773–4; CPM-7507X0711

Resonance multiphoton excitation of atomic levels in a strong electromagnetic field —D. F. Zaretskiĭ and V. P. Krainov. 40(4), 647–9; CPM-7510X0839

Quasicrossing of levels and transformation of waves with diffuse states and dissipative factors —V. I. Karas', S. S. Moiseev, and V. E. Novikov. 40(5), 847–50; CPM-7511X0445

32.10.M Other excitation and energy transfer processes

Multiphoton transitions in a hydrogenlike atom —V. P. Oličnik and M. M. Chumachkova. 40(3), 460–1; CPM-7510X0540

Investigation of short-wave radiation emitted in slow collisions between Na^+ ions and Ne atoms —V. P. Belik, S. V. Bobashev, and S. P. Dmitriev. 40(5), 833–6; CPM-7511X0431

32.10.Q Photoionization and photodetachment; Auger effect and inner-shell ionization

Intershell and intersubshell effects in photoionization of atoms —M. Ya. Amus'ya, V. K. Ivanov, N. A. Cherepkov, and L. V. Chernysheva. 39(5), 752–8; CPM-7507X0690

Excitation function for the spectral lines of Na, K, Rb, and Cs ions in the vacuum ultraviolet —I. S. Aleksakhin, V. S. Vukstich, and I. P. Zapesochnyĭ. 39(6), 971–4; CPM-7507X1199

Effect of laser radiation on nuclear decay processes —V. I. Gol'danskiĭ and V. S. Letokhov. 40(2), 254–5; CPM-7510X0204

32.20.– Molecular spectroscopy (measurement and phenomenology)

Nutation effect in the molecular gases BCl_3 and SF_6 —S. S. Alimpiev and N. V. Karlov. 39(2), 260–4; CPM-7505X0428

The dynamical Stark effect in diatomic molecules —P. A. Braun and A. N. Petelin. 39(5), 775–8; CPM-7507X0713

On the theory of the luminescence of isolated molecules —G. G. Konoplev, A. A. Ovchinnikov, and V. G. Plotnikov. 39(6), 962–8; CPM-7507X1190

Possibility of observing the rotational spectra of nonpolar molecules —A. V. Burenin and A. F. Krupnov. 40(2), 252–3; CPM-7510X0202

Vibrational kinetics of anharmonic oscillators under essentially nonequilibrium conditions —B. F. Gordiets, Sh. S. Mamedov, and L. A. Shelepin. 40(4), 640–6; CPM-7510X0832

33. MAGNETIC RESONANCES AND RELAXATION IN MOLECULES; NQR, MÖSSBAUER EFFECT

NMR in $Nb_3Al_{1-x}Ge_x$ compounds —N. E. Alekseevskiĭ, R. A. Dautov, E. P. Krasnoperov, and K. S. Saĭkin. 39(1), 149–52; CPM-7504X0867

34. ATOMIC AND MOLECULAR COLLISION PROCESSES AND INTERACTIONS

34.50.– Inelastic scattering of atoms and molecules

Velocity distribution relaxation due to inelastic collisions —A. P. Kol'chenko, S. I. Rautian, Yu. V. Troitskiĭ, and A. M. Shalagin. 39 (3), 414–8; CPM-7505X1410

Spectral exchange in collision broadening of rotational structure —A. I. Burshtein, M. L. Strekalov, and S. I. Temkin. 39(3), 433–9; CPM-7505X1429

Incoherent photon scattering by hydrogen forbidden in the dipole approximation —V. G. Gorshkov, A. I. Mikhaĭlov, and S. G. Sherman. 39(6), 995–8; CPM-7507X1223

Excitation of the resonance level of He^+ in electron–atom, electron–ion, and ion–atom collisions —A. I. Dashchenko, I. P. Zapesochnyĭ, A. I. Imre, V. S. Bukstich, F. F. Danch, and V. A. Kel'man. 40(2), 249–51; CPM-7510X0199

A simple model for the acceleration of ions by high-current relativistic electron beams —K. Alexander, E. Hantzsche, and P. Siemroth. 40(2), 280–5; CPM-7510X0230

Elementary processes of variation of particle charge states in He^{2+}–He interaction —V. V. Afrosimov, G. A. Leĭko, Yu. A. Mamaev, and M. N. Panov. 40(4), 661–6; CPM-7510X0853

Investigation of short-wave radiation emitted in slow collisions between Na^+ ions and Ne atoms —V. P. Belik, S. V. Bobashev, and S. P. Dmitriev. 40(5), 833–6; CPM-7511X0431

Experimental study of the loss and capture of electrons by fast unexcited and metastable heliumlike ions in ion-atomic collisions —I. S. Dmitriev, V. S. Nikolaev, Yu. A. Tashaev, and Ya. A. Teplova. 40(6), 1017–24; CPM-7512X0019

34.60.+ Charge transfer

Detachment of weakly bound electrons in slow collisions between atomic systems —F. I. Dalidchik. 39(3), 410–3; CPM-7505X1406

Resonant charge exchange of alkali-earth ions —G. S. Panev, A. N. Zavilopulo, I. P. Zapesochnyĭ, and O. B. Shpenik. 40(1), 23–6; CPM-7509X1513

Nonresonant charge transfer in the field of an intense light wave —R. Z. Vitlina, A. V. Chaplik, and M. V. Éntin. 40(5), 829–32; CPM-7511X0427

34.70.– Electron scattering

Scattering of electrons by long linear molecules. The effect of approximate translational symmetry —Yu. N. Demkov, V. N. Ostrovskiĭ, and E. A. Solov'ev. 39(2), 239–42; CPM-7505X0407

Application of zero range potentials in the theory of collisions of electrons with molecules —G. F. Drukarev. 40(1), 18–22; CPM-7509X1508

Role of exchange in the excitation of ions by electrons —L. A. Vaĭnshteĭn. 40(1), 32–5; CPM-7509X1522

Excitation of the resonance level of He^+ in electron–atom, electron–ion, and ion–atom collisions —A. I. Dashchenko, I. P. Zapesochnyĭ, A. I. Imre, V. S. Bukstich, F. F. Danch, and V. A. Kel'man. 40(2), 249–51; CPM-7510X0199

A simple model for the acceleration of ions by high-current relativistic electron beams —K. Alexander, E. Hantzsche, and P. Siemroth. 40(2), 280–5; CPM-7510X0230

34.90.+ Other topics in atomic and molecular collision processes and interactions

Transitions between the degenerate states of an excited hydrogenlike ion during distant collisions with a charged particle —Yu. N. Demkov, V. N. Ostrovskiĭ, and E. A. Solov'ev. 39(1), 57–61; CPM-7504X0775

Detachment of weakly bound electrons in slow collisions between atomic systems —F. I. Dalidchik. 39(3), 410–3; CPM-7505X1406

Optical and radiative collisions —V. S. Lisitsa and S. I. Yakovlenko. 39(5), 759–63; CPM-7507X0697

Mixing of degenerate states of an excited hydrogen atom in long-range collisions with a charged particle —V. N. Ostrovskiĭ and E. A. Solov'ev. 39(5), 779–83; CPM-7507X0717

35. EXPERIMENTALLY DERIVED INFORMATION ON ATOMS AND MOLECULES

35.10.– Atoms

Investigation of resonance polarization phenomena during the passage of laser radiation through potassium vapor —V. M. Arutyunyan, T. A. Papazyan, Yu. S. Chilingaryan, A. V. Karmenyan, and S. M. Sarkisyan. 39(2), 243–8; CPM-7505X0411

On the theory of precession of the polarization vector of μ^- mesons in mu-nucleonic atoms —V. N. Gorelkin and V. P. Smilga. 39(4), 586–91; CPM-7506X0934

Calculations of the Stark effect in hydrogen atoms by using the dynamical symmetry O(2, 2) ×O(2) —S. P. Alliluev and I. A. Malkin. 39(4), 627–32; CPM-7506X0975

Loss of polarization by a deuteron beam in hydrogen —B. P. Ad'yasevich and V. G. Antonenko. 39(6), 940–1; CPM-7507X1168

36. STUDIES OF SPECIAL ATOMS AND MOLECULES

On the theory of precession of the polarization vector of μ- mesons in mu-nucleonic atoms —V. N. Gorelkin and V. P. Smilga. 39(4), 586–91; CPM-7506X0934

The knot problem in statistical mechanics of polymer chains —A. V. Vologodskiĭ, A. V. Lukashin, M. D. Frank-Kamenetskiĭ, and V. V. Anshelevich. 39(6), 1059–63; CPM-7507X1287

Topological interaction between polymer chains —A. V. Vologodskiĭ, A. V. Lukashin, and M. D. Frank-Kamenetskiĭ. 40(5), 932–6; CPM-7511X0530

42. OPTICS

42.10.– Propagation and transmission in homogeneous media

Properties of electromagnetic radiation emitted by an electron diffracted in a single crystal —V. V. Fedorov and A. I. Smirnov. 39(2), 271–4; CPM-7505X0439

Weakly damped electromagnetic waves in thin conductors under conditions of strong spatial dispersion —M. A. Lur'e and A. S. Rozhavskiĭ. 39(2), 319–21; CPM-7505X0487

Self-action of a bounded wave beam in nonlinear geometric optics (two-dimensional problem) —A. B. Shvartsburg. 39(3), 447–51; CPM-7505X1443

Two-photon absorption in the microwave band —N. G. Kutovoĭ, A. L. Lutsenko, and G. A. Melkov. 39(4), 638–40; CPM-7506X0986

Propagation of laser-radiation absorption waves in a transparent solid dielectric —P. S. Kondratenko and B. I. Makshantsev. 39(5), 851–3; CPM-7507X0789

Polarization effects of the self-action of a light beam in a resonant medium —A. M. Khachatryan and N. V. Shakhnazaryan. 40(1), 27–9; CPM-7509X1517

42.20.– Propagation and transmission in inhomogeneous media

Saturated fluctuations in the laser radiation intensity in a turbulent medium —K. S. Gochelashvili and V. I. Shishov. 39(4), 605–9; CPM-7506X0953

The propagation of a nonlinear wave in a stochastic medium —G. M. Zaslavskiĭ. 39(5), 802–4; CPM-7507X0740

Wave transmittance for a thick layer of a randomly inhomogeneous medium —L. A. Pastur and É. P. Fel'dman. 40(2), 241–3; CPM-7510X0191

Multiple scattering of light in an inhomogeneous medium near the critical point —E. L. Lakoza and A. V. Chalyĭ. 40(3), 521–5; CPM-7510X0601

Similarity relations for strong fluctuations of the intensity of light propagating in a turbulent medium —M. E. Gracheva, A. S. Gurvich, S. S. Kashkarov, and V. V. Pokasov. 40(6), 1011–6; CPM-7512X0013

Kinetic equation for a light wave: intensity fluctuations —A. N. Malakhov and A. I. Saichev. 40(6), 1032–5; CPM-7512X0034

42.50.+ Quantum optics

Heterodyne reception of light by an injection laser —R. F. Kazarinov and R. A. Suris. 39(3), 522–7; CPM-7505X1518

On the theory of polarization phenomena in the spectroscopy of two-quantum transitions —A. I. Burshtein, É. G. Saprykin, and G. I. Smirnov. 39(5), 769–72; CPM-7507X0707

Quantum effects in an intense electromagnetic field —V. A. Lyul'ka. 40(5), 815–8; CPM-7511X0413

42.60.– Lasers

Heterodyne reception of light by an injection laser —R. F. Kazarinov and R. A. Suris. 39(3), 522–7; CPM-7505X1518

The possibilities of producing a γ layer —V. F. Dmitriev and É. V. Shuryak. 40(2), 244–8; CPM-7510X0194

Plasma lasers involving molecules with a dissociative ground state — L. I. Gudzenko, I. S. Lakoba, and S. I. Yakovlenko. 40(6), 1005–10; CPM-7512X0007

42.60.C Gas lasers

Linewidth of a traveling-wave Raman laser excited by nonmonochromatic radiation —G. A. Pasmanik and M. S. Sandler. 39(1), 33–5; CPM-7504X0751

Nonlinear interaction between differently polarized waves traveling in opposite directions in a ring laser —V. A. Zborovskiĭ and É. E. Fradkin. 39(4), 596–600; CPM-7506X0944

As discharge laser operating on the iodine 1315-nm transition —V. Yu. Zalesskiĭ. 40(1), 14–7; CPM-7509X1504

A recombination laser based on electron transitions in diatomic molecules —A. S. Biryukov, A. M. Prokhorov, L. A. Shelepin, and N. N. Shirokov. 40(6), 1025–6; CPM-7512X0027

42.60.N Laser beam interactions and properties

Effects of inhomogeneity of optical pumping in lasers and in stimulated scattering: Self-excitation due to distributed feedback — S. A. Akhmanov and G. A. Lyakhov. 39(1), 43–8; CPM-7504X0761

Breakdown of gases through laser radiation with high-energy quanta —É. M. Belenov, S. Yu. Gus'kov, V. A. Isakov, and A. N. Lobanov. 39(2), 278–81; CPM-7505X0446

Changes in the absorption spectrum and of dispersion of a two-level system in a rotating monochromatic radiation field —A. M. Bonch-Bruevich, V. A. Khodovoĭ, and N. A. Chigir'. 40(6), 1027–31; CPM-7512X0029

42.60.Q Laser beam applications

Ruby breakdown by pulse trains and single ultrashort pulses —V. M. Baev, A. N. Savchenko, and E. A. Sviridenkov. 39(3), 443–6; CPM-7505X1439

Investigation of low-threshold gas breakdown near solid targets by CO_2 laser radiation —A. I. Barchukov, F. V. Bunkin, V. I. Konov, and A. A. Lyubin. 39(3), 469–77; CPM-7505X1465

42.65.– Nonlinear optics

Invariants of the nonlinear oscillation equation —N. A. Tikhonov. 39 (1), 49–51; CPM-7504X0767

Variation in the time structure of ultrashort pulses during propagation through a stable two-component medium —A. N. Zherikhin, P. G. Kryukov, E. V. Kurganova, Yu. A. Matveets, S. V. Chekalin, S. A. Churilova, and O. B. Shatberashvili. 39(1), 52–6; CPM-7504X0770

Self-interaction of incoherent light beams —G. A. Pasmanik. 39(2), 234–8; CPM-7505X0402

Influence of elastic collisions on nonlinear interference effects —V. I. Barantsov, L. T. Bolotskikh, and A. K. Popov. 39(3), 419–22; CPM-7505X1415

Difference-frequency excitation in nonlinear optics and the conditions for Cerenkov-radiation emission —U. A. Abdullin, G. A. Lyakhov, O. V. Rudenko, and A. S. Chirkin. 39(4), 633–7; CPM-7506X0981

Parametric pairs in antiferromagnet with easy plane anisotropy —V. I. Ozhogin and A. Yu. Yakubovskiĭ. 40(1), 144–53; CPM-7509X1634

Possibility of four-photon parametric generation of light in gases —V. I. Barantsov, A. K. Popov, and G. Kh. Tartakovskiĭ. 40(3), 449–56; CPM-7510X0529

Resonance scattering of a powerful electromagnetic pulse by a quantum system —B. A. Zon and B. G. Katsnel'son. 40(3), 462–6; CPM-7510X0542

Self-induced transparency of a semiconductor —F. Brückner, Ya. T. Vasilev, V. S. Dneprovskiĭ, D. G. Koshchug, E. K. Silina, and V. U. Khattatov. 40(6), 1101–4; CPM-7512X0103

42.90.+ Other topics in optics

Investigation of photocounting statistics without the use of perturbation theory —V. I. Tatarskiĭ. 39(3), 423–8; CPM-7505X1419

Heterodyne reception of light by an injection laser —R. F. Kazarinov and R. A. Suris. 39(3), 522–7; CPM-7505X1518

Explosion of water drop bombarded by a series of optical-radiation pulses —V. V. Kostin, V. A. Pogodaev, S. S. Khmelevtsov, and L. K. Chistyakova. 39(6), 969–70; CPM-7507X1197

Angular correlation of photons in superradiance —I. V. Sokolov and E. D. Trifonov. 40(2), 238–40; CPM-7510X0188

A recombination laser based on electron transitions in diatomic molecules —A. S. Biryukov, A. M. Prokhorov, L. A. Shelepin, and N. N. Shirokov. 40(6), 1025–6; CPM-7512X0027

43. ACOUSTICS

Fine structure of the Rayleigh line wing and the propagation of transverse hypersound in liquids —V. S. Starunov and I. L. Fabelinskiĭ. 39(5), 854–61; CPM-7507X0792

Sound absorption in an antiferromagnet in the vicinity of a spin–flop field —V. G. Bar'yakhtar and B. A. Ivanov. 39(5), 907–8; CPM-7507X0845

Role of exchange in the excitation of ions by electrons —L. A. Vaĭnshteĭn. 40(1), 32–5; CPM-7509X1522

Sound absorption in metals at high temperatures —M. B. Gitis. 40(1), 181–7; CPM-7509X1671

Theory of nonlinear interaction between monochromatic and noise waves in weakly dispersive media —O. V. Rudenko and A. S. Chirkin. 40(5), 945–9; CPM-7511X0543

44. MECHANICS, ELASTICITY, RHEOLOGY

Shock compression and magnetic effects in a magnetodielectric based on iron —V. V. Novikov and V. N. Mineev. 40(4), 717–9; CPM-7510X0909

Properties of rotating helium —V. K. Tkachenko. 40(5), 985–7; CPM-7511X0583

45. FLUID DYNAMICS

Concerning one gyromagnetic effect in a liquid paramagnet —M. I. Shliomis. 39(4), 701–4; CPM-7506X1049

A model of turbulence —S. V. Kiyashko and M. I. Rabinovich. 39(5), 798–801; CPM-7507X0736

Explosion of water drop bombarded by a series of optical-radiation pulses —V. V. Kostin, V. A. Pogodaev, S. S. Khmelevtsov, and L. K. Chistyakova. 39(6), 969–70; CPM-7507X1197

Probabilistic description of random fields satisfying simplest equations of the hydrodynamic type —A. N. Malakhov and A. I. Saichev. 40 (3), 467–71; CPM-7510X0547

Instability of Poiseuille flow of a nematic fluid —S. A. Pikin and V. G. Chigrinov. 40(6), 1131–3; CPM-7512X0133

51. THE PHYSICS OF FLUIDS

51.30.+ Thermal properties of gases

Viscosity of nitrogen near the liquid–vapor critical point —V. N. Zozulya and Yu. P. Blagoĭ. 39(1), 99–105; CPM-7504X0817

Scaling theory and the equation of state of argon in a wide region around the critical point —M. A. Anisimov, A. T. Berestov, L. S. Veksler, B. A. Koval'chuk, and V. A. Smirnov. 39(2), 359–65; CPM-7505X0527

Effect of a magnetic field on heat transport in tenuous molecular gases —V. D. Borman, V. S. Laz'ko, and B. I. Nikolaev. 39(4), 657–60; CPM-7506X1005

Compressibility of SF_6 along the critical isochore (on the value of the critical exponent γ) —L. A. Makarevich, O. N. Sokolova, and A. M. Rozen. 40(2), 305–7; CPM-7510X0255

Investigation of the thermal conductivity of oxygen in parallel stationary and alternating magnetic fields at low pressure —V. D. Borman, B. I. Nikolaev, and V. A. Ryabov. 40(4), 684–8; CPM-7510X0876

On the theory of the thermomagnetic effect in a Knudsen gas —S. Yu. Krylov, V. D. Borman, B. I. Nikolaev, and V. I. Troyan. 40(6), 1053–7; CPM-7512X0055

51.50.+ Electrical phenomena in gases

Nutation effect in the molecular gases BCl_3 and SF_6 —S. S. Alimpiev and N. V. Karlov. 39(2), 260–4; CPM-7505X0428

Breakdown of gases through laser radiation with high-energy quanta —É. M. Belenov, S. Yu. Gus'kov, V. A. Isakov, and A. N. Lobanov. 39(2), 278–81; CPM-7505X0446

Laser-induced breakdown in air in a constant electric field —V. I. Fisher. 39(5), 819–21; CPM-7507X0757

Gain of a CO_2 N_2 He atmospheric-pressure gas mixture excited by a quasistationary non-self-sustaining discharge —E. P. Velikhov, Yu. K. Zemtsov, A. S. Kovalev, I. G. Persantsev, V. D. Pis'mennyĭ, and A. T. Rakhimov. 40(5), 837–40; CPM-7511X0435

51.70.+ Optical phenomena in gases

Nutation effect in the molecular gases BCl_3 and SF_6 —S. S. Alimpiev and N. V. Karlov. 39(2), 260–4; CPM-7505X0428

Noise spectrum of spontaneous emission —E. B. Aleksandrov, V. P. Kozlov, and V. N. Kulyasov. 39(4), 620–6; CPM-7506X0968

Investigation of the four-photon resonance scattering of light —Yu. M. Kirin, S. G. Rautian, V. P. Safonov, and B. M. Chernobrod. 39 (6), 956–61; CPM-7507X1184

Laser-induced gas breakdown in a constant magnetic field —V. I. Fisher. 40(2), 298–300; CPM-7510X0248

Observation of optical inhomogeneities induced in xenon by shock-wave radiation —L. I. Zykov, G. A. Kirillov, S. B. Kormer, S. M. Kulikov, and S. A. Sukharev. 40(3), 447–8; CPM-7510X0527

Possibility of four-photon parametric generation of light in gases —V. I. Barantsov, A. K. Popov, and G. Kh. Tartakovskiĭ. 40(3), 449–56; CPM-7510X0529

51.90.+ Other topics in the physics of fluids

Effect of a magnetic field on heat transport in tenuous molecular gases —V. D. Borman, V. S. Laz'ko, and B. I. Nikolaev. 39(4), 657–60; CPM-7506X1005

Laser-induced gas breakdown in a constant magnetic field —V. I. Fisher. 40(2), 298–300; CPM-7510X0248

Quasiclassical kinetic equation for gases with rotational degrees of freedom —V. D. Borman, A. S. Bruev, and L. A. Maksimov. 40 (3), 472–9; CPM-7510X0552

Theory of nonlinear interaction between monochromatic and noise waves in weakly dispersive media —O. V. Rudenko and A. S. Chirkin. 40(5), 945–9; CPM-7511X0543

On the theory of the thermomagnetic effect in a Knudsen gas —S. Yu. Krylov, V. D. Borman, B. I. Nikolaev, and V. I. Troyan. 40(6), 1053–7; CPM-7512X0055

52. THE PHYSICS OF PLASMAS AND ELECTRIC DISCHARGES

52.20.– Elementary processes in plasma

Possible generation of a magnetic field by Langmuir oscillations —S. I. Vainshtein. 40(2), 256–9; CPM-7510X0206

Complete integrability and stochastization of discrete dynamical systems —S. V. Manakov. 40(2), 269–74; CPM-7510X0219

52.25.– Plasma basic properties

Long-range part of a localized Langmuir perturbation in an electron plasma —M. P. Ryutova. 40(6), 1072–4; CPM-7512X0074

52.25.D Plasma kinetic equations

Determination of the electron velocity distribution by the Thomson scattering method —V. A. Zhuravlev, G. D. Petrov, and É. F. Yurchuk. 39(5), 796–7; CPM-7507X0734

Energy distribution of electrons in a weakly ionized current-carrying plasma with a transverse inhomogeneity —L. D. Tsendin. 39(5), 805–10; CPM-7507X0743

A kinetic equation for a plasma in a high-frequency field —V. Yu. Bychenkov and V. P. Silin. 40(1), 69–74; CPM-7509X1559

The effect of the polarization of a plasma on its kinetic properties in the presence of a strong electric field —Yu. L. Klimontovich and V. A. Puchkov. 40(2), 275–9; CPM-7510X0225

52.25.F Transport properties

Convection of plasma in the tokamak —B. B. Kadomstev and O. P. Pogutse. 39(6), 1012–6; CPM-7507X1240

A kinetic equation for a plasma in a high-frequency field —V. Yu. Bychenkov and V. P. Silin. 40(1), 69–74; CPM-7509X1559

Turbulent dispersion of a fast particle cloud in plasma —B. A. Bespalov and V. Yu. Trakhtengerts. 40(3), 480–3; CPM-7510X0560

52.25.M Dielectric properties

The effect of the polarization of a plasma on its kinetic properties in the presence of a strong electric field —Yu. L. Klimontovich and V. A. Puchkov. 40(2), 275–9; CPM-7510X0225

Evolution of a nonlinear Langmuir wave in a weakly inhomogeneous plasma —Ya. N. Istomin and V. I. Karpman. 40(5), 843–6; CPM-7511X0441

52.25.P Emission, absorption, and scattering of radiation

Propagation of electromagnetic waves in an inhomogeneous nonlinear medium —V. M. Eleonskiĭ and V. P. Silin. 39(1), 67–70; CPM-7504X0785

Effects of stimulated scattering for an electromagnetic pulse incident on a plasma layer —Ya. I. Al'ber, Z. N. Krotova, N. A. Mityakov, V. O. Rapoport, and V. Yu. Trakhtengerts. 39(2), 275–7; CPM-7505X0443

Determination of the electron velocity distribution by the Thomson scattering method —V. A. Zhuravlev, G. D. Petrov, and É. F. Yurchuk. 39(5), 796–7; CPM-7507X0734

Nonlinear penetration of a plasma by an electromagnetic wave and nondecay mechanisms of its energy dissipation —R. Z. Sagdeev and V. D. Shapiro. 39(5), 811–8; CPM-7507X0749

The collapse of electromagnetic waves in a plasma —E. A. Kuznetsov. 39(6), 1003–7; CPM-7507X1231

Measurement of microwave scattering by low frequency turbulent plasma oscillations —V. K. Zhivotov, G. I. Kalinnikov, A. S. Kingsep, M. F. Krotov, V. V. Rusanov, and Yu. V. Tarasov. 40(1), 43–5; CPM-7509X1533

Anomalous interaction of strong laser radiation with dense plasma — N. G. Basov, O. N. Krokhin, V. V. Pustovalov, A. A. Rupasov, V. P. Silin, G. V. Sklizkov, V. T. Tikhonchuk, and A. S. Shikanov. 40 (1), 61–8; CPM-7509X1551

Stimulated Raman scattering in an inhomogeneous plasma —V. P. Silin and A. N. Starodub. 40(6), 1047–52; CPM-7512X0049

Bremsstrahlung instability and coherent amplification of polarized radiation in plasma located in a magnetic field —V. N. Sazonov and V. F. Tuganov. 40(6), 1070–1; CPM-7512X0072

52.30.+ Plasma flow; magnetohydrodynamics

The nonlinear phase of monochromatic–oscillation excitation by a charged–particle beam in a plasma located in a magnetic field —A. B. Kitsenko, I. M. Pankratov, and K. N. Stepanov. 39(1), 77–81; CPM-7504X0795

Evolutionality of magnetohydrodynamic discontinuities with allowance for dissipative waves —Z. B. Rokhvarger and S. I. Syrovatskiĭ. 39 (4), 654–6; CPM-7506X1002

Solitary charge density waves in a magnetoactive plasma —S. M. Krivoruchko, Ya. B. Fainberg, V. D. Shapiro, and V. I. Shevchenko. 40(6), 1039–43; CPM-7512X0041

52.35.– Waves, oscillations, and instabilities in plasma

The parametric excitation of the electron cyclotron oscillations of a plasma located in an alternating electric field —A. B. Kitsenko, D. G. Lominadze, and K. N. Stepanov. 39(2), 294–8; CPM-7505X0462

52.35.C Linear waves and oscillations

Absolute parametric instability of inhomogeneous plasma —V. P. Silin and A. N. Starodub. 39(1), 82–4; CPM-7504X0800

Drift–cone instability in the presence of a cold–ion source —V. P. Pastukhov. 39(1), 85–7; CPM-7504X0803

Self–action of an electromagnetic wave in a plasma upon excitation of parametric instability —V. V. Vas'kov and A. V. Gurevich. 39(5), 822–7; CPM-7507X0760

Nonlinear Landau damping in an inhomogeneous plasma —V. I. Karpman and D. R. Shklyar. 40(1), 53–6; CPM-7509X1543

Complete integrability and stochastization of discrete dynamical systems —S. V. Manakov. 40(2), 269–74; CPM-7510X0219

Wave–barrier transmission for electron plasma waves in inhomogeneous plasma —L. I. Romanyuk, N. E. Svavil'nyĭ, and V. V. Ustalov. 40(2), 286–9; CPM-7510X0236

Excitation of ion oscillations in plasma by a fast beam of negative ions —M. D. Gabovich, L. S. Simonenko, I. A. Soloshenko, and N. V. Shkorina. 40(5), 851–4; CPM-7511X0449

52.35.E Plasma instabilities

Anomalous interaction of strong laser radiation with dense plasma — N. G. Basov, O. N. Krokhin, V. V. Pustovalov, A. A. Rupasov, V. P. Silin, G. V. Sklizkov, V. T. Tikhonchuk, and A. S. Shikanov. 40 (1), 61–8; CPM-7509X1551

Coalescence of wave pulses or beams in explosive instability —M. I. Rabinovich, V. P. Reutov, and A. A. Tsvetkov. 40(2), 260–3; CPM-7510X0210

Investigation of instability of a collision plasma in a mirror trap —B. I. Kanaev and E. E. Yushmanov. 40(2), 290–7; CPM-7510X0240

Stabilization of cone instability of collisional plasma in a mirror trap —M. S. Ioffe, B. I. Kanaev, V. P. Pastukhov, and E. E. Yushmanov. 40(6), 1064–9; CPM-7512X0066

52.35.G Nonlinear waves and nonlinear interactions

Excitation of a nonlinear regular plasma wave by a charged particle beam —V. B. Krasovitskiĭ. 39(1), 71–6; CPM-7504X0789

Nonlinear effects in the problem of anomalous plasma resistance —G. E. Vekshtein. 39(2), 282–4; CPM-7505X0450

Nonstationary turbulence of parametrically unstable plasma —V. V. Pustovalov, V. P. Silin, and V. T. Tikhonchuk. 39(3), 452–8; CPM-7505X1448

The modified decay of Langmuir waves —V. D. Shapiro. 39(3), 459–62; CPM-7505X1455

Stabilization of shock instability at the expense of the inhomgeneity of the medium —T. A. Davydova and V. N. Oraevskiĭ. 39(5), 791–5; CPM-7507X0729

Nonlinear penetration of a plasma by an electromagnetic wave and nondecay mechanisms of its energy dissipation —R. Z. Sagdeev and V. D. Shapiro. 39(5), 811–8; CPM-7507X0749

Nonlinear theory of thermonuclear Alfven instability in plasma —V. S. Belikov, Ya. I. Kolesnichenko, and V. N. Oraevskiĭ. 39(5), 828–31; CPM-7507X0766

Space-time focusing of an ion beam that excites transverse Langmuir ion plasma oscillations —L. P. Katsubo, V. P. Kovalenko, and I. A. Soloshenko. 40(1), 57–60; CPM-7509X1547

High-frequency plasma heating in a strong magnetic field —A. M. Rubenchik, I. Ya. Rybak, and B. I. Sturman. 40(4), 678–83; CPM-7510X0870

Development of parametric instability in a bounded region of space — L. M. Gorbunov. 40(4), 689–95; CPM-7510X0881

Evolution of a nonlinear Langmuir wave in a weakly inhomogeneous plasma —Ya. N. Istomin and V. I. Karpman. 40(5), 843–6; CPM-7511X0441

Formation of a nonlinear high-amplitude wave in the development of two-beam instability of an ion-ion plasma —Yu. N. Kozyrev and A. P. Naĭda. 40(6), 1044–6; CPM-7512X0046

52.35.J Plasma turbulence

Investigation of large amplitude oscillations in an inhomogeneous plasma near ion cyclotron resonance —L. I. Grigor'eva, B. I. Smerdov, S. A. Sapogov, and V. V. Chechkin. 39(2), 287–93; CPM-7505X0455

Nonstationary turbulence of parametrically unstable plasma —V. V. Pustovalov, V. P. Silin, and V. T. Tikhonchuk. 39(3), 452–8; CPM-7505X1448

Interaction between a plasma jet and a chemically active ionized gas target —A. A. Ivanov and V. V. Parail. 40(1), 49–52; CPM-7509X1539

Dynamics of the formation and interaction of Langmuir solitons and strong turbulence —L. M. Degtyarev, V. G. Nakhan'kov, and L. I. Rudakov. 40(2), 264–8; CPM-7510X0214

Investigation of turbulent heating of a plasma as a function of the ion mass —N. I. Elagin and S. D. Fanchenko. 40(4), 674–7; CPM-7510X0866

Turbulent shock wave in a low-density unmagnetized plasma —O. L. Volkov, V. G. Eselevich, G. N. Kichigin, and V. L. Papernyĭ. 40 (5), 841–2; CPM-7511X0439

52.35.L Shock waves

Turbulent shock wave in a low-density unmagnetized plasma —O. L. Volkov, V. G. Eselevich, G. N. Kichigin, and V. L. Papernyĭ. 40 (5), 841–2; CPM-7511X0439

52.40.– Plasma interactions

Injection of a relativistic electron beam into a plasma with strong spatial dispersion —É. V. Rostomyan, A. A. Rukhadze, and V. B. Semikoz. 40(3), 490–1; CPM-7510X0570

Solitary charge density waves in a magnetoactive plasma —S. M. Krivoruchko, Ya. B. Faĭnberg, V. D. Shapiro, and V. I. Shevchenko. 40(6), 1039–43; CPM-7512X0041

52.40.D Electromagnetic wave propagation in plasma

Nonlinear cyclotron resonance in a plasma —A. B. Kitsenko, I. M. Pankratov, and K. N. Stepanov. 40(5), 860–4; CPM-7511X0458

52.40.K Sheaths

Anomalous skin effect in a plasma with a diffuse boundary in a magnetic field —A. N. Vasil'ev and B. E. Meĭerovich. 40(5), 865–9; CPM-7511X0463

52.40.M Beam interactions in plasma

Excitation of a nonlinear regular plasma wave by a charged particle beam —V. B. Krasovitskiĭ. 39(1), 71–6; CPM-7504X0789

The nonlinear phase of monochromatic–oscillation excitation by a charged–particle beam in a plasma located in a magnetic field —A. B. Kitsenko, I. M. Pankratov, and K. N. Stepanov. 39(1), 77–81; CPM-7504X0795

The helicon mechanism of relaxation of a relativistic electron beam in a plasma —B. N. Breĭzman and S. G. Feĭzov. 39(1), 93–8; CPM-7504X0811

Interaction of a high-intensity relativistic electron beam with plasma in a magnetic field —Yu. I. Abrashitov, V. S. Koĭdan, V. V. Konyukhov, V. M. Lagunov, V. N. Luk'yanov, K. I. Mekler, and D. D. Ryutov. 39(4), 647–53; CPM-7506X0995

On the theory of relativistic-electron-beam injection into a spatially confined plasma —S. E. Rosinskiĭ, É. V. Rostomyan, A. A. Rukhadze, and V. G. Rukhlin. 39(4), 661–4; CPM-7506X1009

Interaction of Langmuir solitons with plasma particles —V. V. Gorev and A. S. Kingsep. 39(6), 1008–11; CPM-7507X1236

Interaction between a plasma jet and a chemically active ionized gas target —A. A. Ivanov and V. V. Parail. 40(1), 49–52; CPM-7509X1539

Space-time focusing of an ion beam that excites transverse Langmuir ion plasma oscillations —L. P. Katsubo, V. P. Kovalenko, and I. A. Soloshenko. 40(1), 57–60; CPM-7509X1547

Injection of a relativistic electron beam into a plasma —O. D. Klok, V. I. Krementsov, P. S. Strelkov, and A. G. Shkvarunets. 40(4), 696–700; CPM-7510X0888

Excitation of ion oscillations in plasma by a fast beam of negative ions —M. D. Gabovich, L. S. Simonenko, I. A. Soloshenko, and N. V. Shkorina. 40(5), 851–4; CPM-7511X0449

Formation of a nonlinear high-amplitude wave in the development of two-beam instability of an ion-ion plasma —Yu. N. Kozyrev and A. P. Naĭda. 40(6), 1044–6; CPM-7512X0046

52.50.– Plasma production and heating

Drift–cone instability in the presence of a cold–ion source —V. P. Pastukhov. 39(1), 85–7; CPM-7504X0803

The collapse of electromagnetic waves in a plasma —E. A. Kuznetsov. 39(6), 1003–7; CPM-7507X1231

Investigation of soft x-ray emission from a laser plasma in a magnetic field —T. B. Volyak, S. D. Kaĭtmazov, A. A. Medvedev, A. M. Prokhorov, and E. I. Shklovskiĭ. 40(4), 671–3; CPM-7510X0863

Investigation of turbulent heating of a plasma as a function of the ion mass —N. I. Elagin and S. D. Fanchenko. 40(4), 674–7; CPM-7510X0866

Plasma heating by magnetoacoustic oscillations —P. L. Kapitza and L. P. Pitaevskiĭ. 40(4), 701–6; CPM-7510X0893

52.55.– Plasma equilibrium and confinement

Self–stabilization of high–pressure plasma in toroidal traps —A. B. Mikhaĭlovskiĭ and V. D. Shafranov. 39(1), 88–92; CPM-7504X0806

Convection of plasma in the tokamak —B. B. Kadomstev and O. P. Pogutse. 39(6), 1012–6; CPM-7507X1240

Stabilization of cone instability of collisional plasma in a mirror trap —M. S. Ioffe, B. I. Kanaev, V. P. Pastukhov, and E. E. Yushmanov. 40(6), 1064–9; CPM-7512X0066

52.60.+ Relativistic plasma

Relativistic generalization of the Darwin Lagrangian —B. A. Trubnikov and V. V. Kosachev. 39(4), 641–2; CPM-7506X0989

52.65.+ Plasma simulation

Dynamics of the formation and interaction of Langmuir solitons and strong turbulence —L. M. Degtyarev, V. G. Nakhan'kov, and L. I. Rudakov. 40(2), 264–8; CPM-7510X0214

52.80.– Electric discharges

Properties of a space discharge excited by an electron beam of 10^{-5} sec duration —Yu. I. Bychkov, S. A. Genkin, Yu. D. Korolev, Yu. E. Kreindel', G. A. Mesyats, and A. G. Filonov. 39(2), 299–300; CPM-7505X0467

Radiative losses by argon plasma and the emissive model of a continuous optical discharge —G. I. Kozlov, V. A. Kuznetsov, and V. A. Masyukov. 39(3), 463–8; CPM-7505X1459

Investigation of low–threshold gas breakdown near solid targets by CO_2 laser radiation —A. I. Barchukov, F. V. Bunkin, V. I. Konov, and A. A. Lyubin. 39(3), 469–77; CPM-7505X1465

As discharge laser operating on the iodine 1315-nm transition —V. Yu. Zalesskiĭ. 40(1), 14–7; CPM-7509X1504

Nonequilibrium high-frequency discharge in wave fields —V. B. Gil'denburg and S. V. Golubev. 40(1), 46–8; CPM-7509X1536

Investigation of the dynamics of formation of electron beams in a linear discharge —E. I. Lutsenko, N. D. Sereda, and L. M. Kontsevoĭ. 40(3), 484–9; CPM-7510X0564

52.90.+ Other topics in plasma physics and electric discharges

Three–dimensional solitons —V. E. Zakharov and E. A. Kuznetsov. 39(2), 285–6; CPM-7505X0453

Possible generation of a magnetic field by Langmuir oscillations —S. I. Vainshtein. 40(2), 256–9; CPM-7510X0206

61. STRUCTURE OF LIQUIDS AND SOLIDS; CRYSTALLOGRAPHY

61.50.– Crystalline state (including molecular rotation in solids)

Jahn–Teller effect for T terms —I. B. Bersuker and V. Z. Polinger. 39 (6), 1023–9; CPM-7507X1251

The distinctive features of the loss of stability of metastable phases in solids —A. P. Levanyuk. 39(6), 1111–4; CPM-7507X1339

Thermal expansion and crystal structure of Pr, Nd, and Sm in the 87–1073 °K range —Yu. N. Smirnov and I. A. Prokhorov. 40(3), 504–6; CPM-7510X0584

61.70.– Defects in crystals

Effect of impurities on the phase–transition temperature in a two–dimensional Ising lattice with nearest–neighbor and non–nearest–neighbor interaction —K. I. Grozdev and A. M. Kosevich. 39(6), 1119–23; CPM-7507X1347

Dislocation slowing down by electrons in metals in strong magnetic fields —V. D. Natsik and L. G. Potemina. 40(1), 121–5; CPM-7509X1611

Sound absorption in metals at high temperatures —M. B. Gitis. 40(1), 181–7; CPM-7509X1671

Investigation of the nature of the diode effect on dislocations in silicon —V. G. Eremenko, V. I. Nikitenko, and E. B. Yakimov. 40 (3), 570–6; CPM-7510X0650

Electronic component of dislocation drag —V. I. Al'shits. 40(6), 1099–100; CPM-7512X0101

61.80.– Radiation damage and other irradiation effects

Precession of positive muons in ferromagnets —I. I. Gurevich, A. I. Klimov, V. N. Maĭorov, E. A. Meleshko, I. A. Muratova, B. A. Nikol'skiĭ, V. S. Roganov, V. I. Selivanov, and V. A. Suetin. 39(1), 178–80; CPM-7504X0896

Ruby breakdown by pulse trains and single ultrashort pulses —V. M. Baev, A. N. Savchenko, and E. A. Sviridenkov. 39(3), 443–6; CPM-7505X1439

Investigation of low-threshold gas breakdown near solid targets by CO_2 laser radiation —A. I. Barchukov, F. V. Bunkin, V. I. Konov, and A. A. Lyubin. 39(3), 469–77; CPM-7505X1465

61.80.H Neutrons

Measurement of the amplitdues for scattering of slow neutrons by praseodymium nuclei —G. G. Akopyan, V. P. Alfimenkov, and É I. Sharapov. 40(3), 430–2; CPM-7510X0510

61.80.K Ions, molecules, and heavy particles

Energy spectra of helium ions scattered from the (100) surface of a PbS crystal —V. G. Matsevich and G. K. Zyryanov. 39(1), 121–3; CPM-7504X0839

On the reciprocity principle for scattering of fast charged particles by crystals —V. V. Beloshitskiĭ and M. A. Kumakhov. 39(5), 876–8; CPM-7507X0814

Diffusion interpretation of effects accompanying the penetration of proton through a crystal —Ya. E. Geguzin, A. L. Fainshteĭn, and A. M. Markus. 40(4), 738–40; CPM-7510X0930

61.80.M Channeling, blocking, and energy loss of particles

Theory of channeling effect, III. Energy losses of fast particles —Yu. Kagan and Yu. V. Kononets. 39(5), 832–40; CPM-7507X0770

Quantum theory of the inelastic scattering of channeled particles —V. A. Ryabov. 40(1), 77–81; CPM-7509X1567

Coherent bremsstrahlung by electrons and positrons in silicon and niobium crystals —G. L. Bochek, I. A. Grishaev, N. P. Kalashnikov, G. D. Kovalenko, V. L. Morokhovskiĭ, and A. N. Fisun. 40(2), 400–3; CPM-7510X0350

Effect of energy losses on bremsstrahlung of relativistic electrons —V. G. Baryshevskiĭ. 40(5), 821–4; CPM-7511X0419

61.90.+ Other topics in structure of liquids and solids

Noncollinear spin ordering in a hexagonal ferrite of type W —R. A. Sizov and K. N. Zaĭtsev. 39(1), 175–7; CPM-7504X0893

Instability in smectic *A* —S. G. Dmitriev. 40(5), 968–9; CPM-7511X0566

Pseudoscalar liquid crystals —Ya. B. Zel'dovich. 40(6), 1170–1; CPM-7512X0172

62. MECHANICAL AND ACOUSTIC PROPERTIES OF CONDENSED MATTER

62.50.+ High-pressure and shock-wave effects in solids

Gapless state produced in $Hg_{1-x}Cd_xTe$ alloys under pressure —N. B. Brandt, O. N. Belousova, L. A. Bovina, V. I. Stafeev, and Ya. G. Ponomarev. 39(1), 157–65; CPM-7504X0875

Effect of impurities and pressure on the superconducting transition temperature of thallium. V —T. A. Ignat'eva, V. I. Makarov, and Yu. A. Cherevan'. 40(3), 492–7; CPM-7510X0572

Shock compression and magnetic effects in a magnetodielectric based on iron —V. V. Novikov and V. N. Mineev. 40(4), 717–9; CPM-7510X0909

62.90.+ Other topics in mechanical and acoustical properties of condensed matter

Photocoulomb gravitons and the gravitational emittance of the sun —D. V. Gal'tsov. 40(2), 211–2; CPM-7510X0161

Internal friction in solid helium —A. É. Meĭerovich. 40(2), 368–73; CPM-7510X0318

Distinctive features of sound absorption in a phase transition of order 2-1/2 —V. N. Davydov and M. I. Kaganov. 40(4), 741–5; CPM-7510X0933

Two-dimensional and layered crystals —V. P. Mineev. 40(5), 941–4; CPM-7511X0539

Theory of nonlinear interaction between monochromatic and noise waves in weakly dispersive media —O. V. Rudenko and A. S. Chirkin. 40(5), 945–9; CPM-7511X0543

Absence of sound in one-dimensional disordered crystals —Yu. A. Bychkov. 40(6), 1152; CPM-7512X0154

Drag of crystal lattice by moving Abrikosov fluxoids —J. G. Chigvinadze. 40(6), 1172–3; CPM-7512X0174

63. LATTICE DYNAMICS AND CRYSTAL STATISTICS

63.20.– Phonons and vibrations in crystal lattices

Long-wave optical-phonon spectrum in metals and heavily doped semicon[illegible]tors —I. P. Ipatova and A. V. Subashiev. 39(2), 349–[illegible] M-7505X0517

Nonlinear effects in the electric conductivity of point junctions and electron-phonon interaction in normal metals —I. K. Yanson. 39 (3), 506–13; CPM-7505X1502

Theory of the bound states of phonons with impurity centers —É. I. Rashba and A. B. Zimin. 39(4), 726–31; CPM-7506X1074

Cyclotron resonance of electrons in Ge in a quantizing magnetic field in the case of inelastic scattering by acoustic phonons —E. M. Gershenzon, Yu. A. Gurvich, S. L. Orlova, and N. G. Ptitsina. 40 (2), 311–5; CPM-7510X0261

Acoustic resonance saturation as a spin "bottleneck" effect —A. R. Kessel' and M. M. Shakirzyanov. 40(2), 316–20; CPM-7510X0266

Contributions of various phonon relaxation mechanisms to the thermal resistance of the crystal lattice of bismuth at temperatures below 2 °K —L. P. Mezhov-Deglin, V. N. Kopylov, and É. S. Medvedev. 40(3), 557–63; CPM-7510X0637

Diagram technique for phonon turbulence —S. V. Gantsevich, V. D. Kagan, and P. Katilyus. 40(5), 878–86; CPM-7511X0476

Elementary excitations and Raman scattering in a system of nonequilibrium phonons —S. A. Bulgadaev and I. B. Levinson. 40 (6), 1161–6; CPM-7512X0163

63.90.+ Other topics in lattice dynamics

Two-dimensional and layered crystals —V. P. Mineev. 40(5), 941–4; CPM-7511X0539

Absence of sound in one-dimensional disordered crystals —Yu. A. Bychkov. 40(6), 1152; CPM-7512X0154

64. EQUATIONS OF STATE, PHASE EQUILIBRIA, AND PHASE TRANSITIONS

64.30.+ Equations of state of specific substances

Scaling theory and the equation of state of argon in a wide region around the critical point —M. A. Anisimov, A. T. Berestov, L. S. Veksler, B. A. Koval'chuk, and V. A. Smirnov. 39(2), 359–65; CPM-7505X0527

Determination of the parameters of the Migdal equation of state —V. G. Martynets and É. V. Matizen. 40(2), 301–4; CPM-7510X0251

Equation of state and diffusion near the critical point —V. G. Martynets and É. V. Matizen. 40(3), 507–8; CPM-7510X0587

64.70.– Phase equilibria, phase transitions, and critical points

Viscosity of nitrogen near the liquid–vapor critical point —V. N. Zozulya and Yu. P. Blagoĭ. 39(1), 99–105; CPM-7504X0817

On the possibility of a critical transition in para–azoxyanisole —V. Ya. Baskakov, V. K. Semenchenko, and V. M. Byankin. 39(2), 383–5; CPM-7505X0551

Equation of state of matter near the liquid–vapor critical point —S. V. Fomichev and S. B. Khokhlachev. 39(3), 478–9; CPM-7505X1474

The distinctive features of the loss of stability of metastable phases in solids —A. P. Levanyuk. 39(6), 1111–4; CPM-7507X1339

Experimental study of liquid argon in the metastable state —V. G. Baĭdakov, V. P. Skripov, and A. M. Kaverin. 40(2), 335–7; CPM-7510X0285

64.90.+ Other topics in equations of state, phase equilibria, and phase transitions

Equation of state of matter near the liquid–vapor critical point —S. V. Fomichev and S. B. Khokhlachev. 39(3), 478–9; CPM-7505X1474

Paramagnetic effect of the two-dimensional mixed state in type-I superconductors —I. L. Landau. 40(1), 126–31; CPM-7509X1616

Possible phase transitions in systems of interacting metallic filaments (quasiunidimensional metals) —L. P. Gor'kov and I. E. Dzyaloshinskiĭ. 40(1), 198–207; CPM-7509X1688

Fluctuation–induced magnetic susceptibility of superconductors and normal metals —L. G. Aslamazov and A. I. Larkin. 40(2), 321–7; CPM-7510X0271

65. THERMAL PROPERTIES OF CONDENSED MATTER

The Hubbard model for the transition metals and the anomalies in their specific heat and magnetic susceptibility —Yu. P. Irkhin. 39 (3), 490–6; CPM-7505X1486

The Luttinger method in the theory of thermomagnetic phenomena — V. V. Korneev, A. N. Starostin, and W. Zimdahl. 39(6), 1104–7; CPM-7507X1332

Experimental study of liquid argon in the metastable state —V. G. Baĭdakov, V. P. Skripov, and A. M. Kaverin. 40(2), 335–7; CPM-7510X0285

Thermal expansion and crystal structure of Pr, Nd, and Sm in the 87–1073 °K range —Yu. N. Smirnov and I. A. Prokhorov. 40(3), 504–6; CPM-7510X0584

66. TRANSPORT PROPERTIES OF CONDENSED MATTER (NONELECTRONIC)

66.30.– Diffusion in solids

Thermal properties of iron in solid solutions of silicon in iron near the Curie point —V. E. Zinov'ev, Sh. Sh. Abel'skiĭ, M. I. Sandakova, E. G. Dik, L. N. Petrova, and P. V. Gel'd. 39(1), 169–71; CPM-7504X0887

Dislocation slowing down by electrons in metals in strong magnetic fields —V. D. Natsik and L. G. Potemina. 40(1), 121–5; CPM-7509X1611

Mean velocity and spectrum of dislocations moving along a Peierls relief —L. A. Zil'berman. 40(5), 929–31; CPM-7511X0527

66.90.+ Other topics in nonelectronic transport properties

Contributions of various phonon relaxation mechanisms to the thermal resistance of the crystal lattice of bismuth at temperatures below 2 °K —L. P. Mezhov-Deglin, V. N. Kopylov, and É. S. Medvedev. 40(3), 557–63; CPM-7510X0637

Motion of a quantum particle in a stochastic medium —A. A. Ovchinnikov and N. S. Érikhman. 40(4), 733–7; CPM-7510X0925

67. QUANTUM FLUIDS AND SOLIDS; LIQUID AND SOLID HELIUM

67.20.– General properties of fluids obeying quantum statistics

Diffusion of He^3 in bcc and hcp phases of solid solutions of helium isotopes —V. N. Grigor'ev, B. N. Esel'son, and V. A. Mikheev. 39 (1), 153–6; CPM-7504X0871

Theory of a two–component Fermi liquid —I. A. Akhiezer and E. M. Chudnovskiĭ. 39(6), 1135–9; CPM-7507X1363

The theory of the solution of two near-ideal Bose gases —V. P. Mineev. 40(1), 132–6; CPM-7509X1622

Oscillations in films of superfluid solutions —D. A. Kompaneets. 40 (1), 208–10; CPM-7509X1698

Theory of the radiative width of a highly excited nucleus —V. G. Nosov and A. M. Kamchatnov. 40(2), 219–24; CPM-7510X0169

Some problems in the hydrodynamics of solutions of two superfluid liquids —V. P. Mineev. 40(2), 338–41; CPM-7510X0288

Theory of Bose quantum crystals —I. E. Dzyaloshinskiĭ and P. S. Kondratenko. 40(3), 594–600; CPM-7510X0674

Thermodynamic phenomena on vortex filaments in helium —V. B. Shikin. 40(6), 1137–43; CPM-7512X0139

67.80.– Solid helium

Diffusion of He^3 in bcc and hcp phases of solid solutions of helium isotopes —V. N. Grigor'ev, B. N. Esel'son, and V. A. Mikheev. 39 (1), 153–6; CPM-7504X0871

Internal friction in solid helium —A. É. Meĭerovich. 40(2), 368–73; CPM-7510X0318

Theory of charge and impurity transfer in quantum crystals —A. F. Andreev and A. É. Meĭerovich. 40(4), 776–80; CPM-7510X0968

67.90.+ Other topics in quantum fluids (e.g., neutron-star matter)

Sound absorption in a He^3–He^4 solution near the λ point —D. G. Sanikidze. 39(2), 345–8; CPM-7505X0513

Oscillations in films of superfluid solutions —D. A. Kompaneets. 40 (1), 208–10; CPM-7509X1698

Absorption of first sound in concentrated superfluid He^3–He^4 solutions —N. E. Dyumin, B. N. Esel'son, and É. Ya. Rudavskiĭ. 40(2), 344–8; CPM-7510X0294

Theory of Bose quantum crystals —I. E. Dzyaloshinskiĭ and P. S. Kondratenko. 40(3), 594–600; CPM-7510X0674

68. SURFACES AND INTERFACES; THIN FILMS AND WHISKERS

Phase transitions in submonolayer strontium films adsorbed on the (011) face of tungsten —O. V. Kanash, A. G. Naumovets, and A. G. Fedorus. 40(5), 903–7; CPM-7511X0501

71. ELECTRON STATES

71.30.– Nonlocalized single-particle electronic states

Anomalous temperature dependence of the effective field at the nuclei of Dy^{3+} ions in DySb —V. G. Stankevich, I. I. Lukashevich, N. I. Filippov, and I. A. Gladkikh. 39(1), 134–8; CPM-7504X0852

Gapless state produced in $Hg_{1-x}Cd_xTe$ alloys under pressure —N. B. Brandt, O. N. Belousova, L. A. Bovina, V. I. Stafeev, and Ya. G. Ponomarev. 39(1), 157–65; CPM-7504X0875

Equilibrium properties of electrons in dense systems of correlated scatterers —L. I. Podlubnyĭ. 39(2), 331–5; CPM-7505X0499

Temperature dependence of the probability of scattering of small groups of electrons in tin and indium —V. A. Gasparov. 39(4), 732–6; CPM-7506X1080

A model of a disordered system (A contribution to the theory of "liquid semiconductors") —M. V. Sadovskiĭ. 39(5), 845–50; CPM-7507X0783

Retardation effect in cyclotron resonance —É. A. Kaner, O. I. Lyubimov, and N. M. Makarov. 40(1), 158–65; CPM-7509X1648

Effect of electron–hole transfers on the static skin effect in tungsten crystals —O. A. Panchenko, A. A. Kharlamov, and Yu. G. Ptushinskiĭ. 40(2), 386–9; CPM-7510X0336
Multiple dopplerons in aluminum —V. G. Skobov, L. M. Fisher, A. S. Chernov, and V. A. Yudin. 40(3), 605–12; CPM-7510X0685
Microscopic dielectric constant of a semiconductor —V. G. Tyuterev. 40(4), 773–5; CPM-7510X0965
Quantum oscillations of magnetostriction and magnetic moment of tin under magnetic interaction conditions —V. M. Pudalov and M. S. Khaĭkin. 40(6), 1121–30; CPM-7512X0123

71.55.– Impurity and defect levels

Investigation of the hyperfine interaction of U^{3+} in CaF_2 by the method of radio-frequency discrete saturation —T. A. Abramovskaya, B. G. Berulava, and T. I. Sanadze. 39(1), 145–8; CPM-7504X0863
Effect of broadening of spectral lines on the migration of electron excitation along impurity centers in crystals —T. T. Basiev, Yu. K. Voron'ko, and I. S. Shcherbakov. 39(6), 1042–8; CPM-7507X1270
Resonance stimulated Raman scattering of ultrashort light pulses —B. A. Medvedev, O. M. Parshkov, V. A. Gorshenin, and A. E. Dmitriev. 40(1), 36–40; CPM-7509X1526
Temperature dependence of the cross section for electron scattering by dislocations in metals —V. F. Gantmakher and G. I. Kulesko. 40(6), 1158–60; CPM-7512X0160

71.85.– Many-body theory

Calculation of critical indices for zero-gap semiconductors —A. A. Abrikosov. 39(4), 709–16; CPM-7506X1057
Influence of exciton effect on electroabsorption in semiconductors —I. A. Merkulov. 39(6), 1140–4; CPM-7507X1368
Piezopolaron energy at large momenta —G. E. Volovik and V. M. Édel'shtein. 40(1), 137–8; CPM-7509X1627

71.90.+ Other topics in electron states

Investigation of the hyperfine interaction of U^{3+} in CaF_2 by the method of radio-frequency discrete saturation —T. A. Abramovskaya, B. G. Berulava, and T. I. Sanadze. 39(1), 145–8; CPM-7504X0863
Equilibrium properties of electrons in dense systems of correlated scatterers —L. I. Podlubnyĭ. 39(2), 331–5; CPM-7505X0499
Behavior of zero-gap semiconductors with a linear dispersion law in strong magnetic fields —I. B. Kulikov. 40(1), 104–5; CPM-7509X1594
Dimensional effects in small particles of Fe_3O_4 —Yu. F. Krupyanskiĭ and I. P. Suzdalev. 40(2), 364–7; CPM-7510X0314
Optical orientation of excitons in cubic crystals —G. E. Pikus and G. L. Bir. 40(2), 390–5; CPM-7510X0340
Thermodynamics of the mixing of localized and collectivized electron states —G. M. Zaslavskiĭ, E. V. Kuz'min, and I. S. Sandalov. 40 (4), 707–12; CPM-7510X0899
Excitons and instability of the dielectric state in quasi-one-dimensional and quasi-two-dimensional structures —A. M. Agranovich and B. P. Antonyuk. 40(6), 1167–9; CPM-7512X0169

72. ELECTRONIC TRANSPORT IN CONDENSED MATTER

72.10.– Electronic conduction in metals and alloys

Theory of spin induction and conduction-electron echo in bulky metallic samples —V. A. Zhikharev and A. R. Kessel'. 40(5), 874–7; CPM-7511X0472

72.10.E Electrical and thermal conduction in crystalline metals and alloys

Localized spin fluctuations and singularities of the electric resistance of Ti_xV_{1-x} alloys —V. A. Rassokhin, N. V. Volkenshtein, E. P. Romanov, and A. F. Prekul. 39(1), 166–8; CPM-7504X0884
Thermal properties of iron in solid solutions of silicon in iron near the Curie point —V. E. Zinov'ev, Sh. Sh. Abel'skiĭ, M. I. Sandakova, E. G. Dik, L. N. Petrova, and P. V. Gel'd. 39(1), 169–71; CPM-7504X0887
Theory of the resistivity and magnetoresistance of metals at low temperatures —Yu. Kagan and V. N. Flerov. 39(4), 673–9; CPM-7506X1021
Effect of lead impurity on the temperature dependence of the electric resistance of indium —A. D. Bronnikov, E. P. Vol'skiĭ, V. T. Petrashov, I. I. Razgonov, and V. S. Tsoĭ. 40(2), 357–9; CPM-7510X0307
Sign of conduction–electron polarization in iron —V. Ya. Gamlitskiĭ, O. A. Gurkovskiĭ, V. I. Nikolaev, I. N. Nikolaev, V. M. Cherepanov, and S. S. Yakimov. 40(2), 374–6; CPM-7510X0324
Thermal expansion and crystal structure of Pr, Nd, and Sm in the 87–1073 °K range —Yu. N. Smirnov and I. A. Prokhorov. 40(3), 504–6; CPM-7510X0584
Deviations from the Matthiessen rule in the case of tin– and indium–base alloys —O. I. Lomonos, B. N. Aleksandrov, and A. P. Zhernov. 40(3), 552–6; CPM-7510X0632
Effect of spin fluctuations on the superconducting and normal properties of alloys of Ti containing V, Nb, or Ta —A. F. Prekul, V. A. Rassokhin, and N. V. Volkenshtein. 40(6), 1134–6; CPM-7512X0136

72.10.G Galvanomagnetic and other magnetotransport effects

Experimental investigation of the "Hall" components of the magnetoresistance tensor of bismuth —Yu. A. Bogod, Vit. B. Krasovitskiĭ, and V. G. Gerasimenko. 39(4), 667–70; CPM-7506X1015
Nonlinear size effect in bismuth —G. I. Babkin and V. T. Dolgopolov. 39(4), 717–20; CPM-7506X1065
Hall effect in rhenium single crystals at low temperatures in strong magnetic fields —E. I. Kondorskiĭ, O. S. Galkina, A. V. Cheremushkina, U. T. Usarov, and G. E. Chuprikov. 39(6), 1094–5; CPM-7507X1322
Anomalous Hall effect in holmium single crystal in the region of helicoidal magnetic ordering —D. I. Volkov, T. M. Kozlova, V. N. Prudnikov, N. A. Prudnikova, and N. I. Moreva. 40(1), 98–100; CPM-7509X1588
Effect of lead impurity on the temperature dependence of the electric resistance of indium —A. D. Bronnikov, E. P. Vol'skiĭ, V. T. Petrashov, I. I. Razgonov, and V. S. Tsoĭ. 40(2), 357–9; CPM-7510X0307
Deformation thermomagnetic effect —V. V. Lebedev. 40(3), 577–9; CPM-7510X0657
Deformation thermomagnetic effect in tin —N. V. Zavaritskiĭ. 40(3), 601–4; CPM-7510X0681
Sondheimer oscillations of the galvanomagnetic characteristics of metals —O. V. Kirichenko, V. G. Peschanskiĭ, and S. N. Savel'eva. 40(4), 722–9; CPM-7510X0914
Galvanomagnetic properties of metals with closed Fermi surfaces at low temperatures —R. N. Gurzhi and A. I. Kopeliovich. 40(6), 1144–51; CPM-7512X0146

72.10.L Relaxation times and mean free paths

Electronic component of dislocation drag —V. I. Al'shits. 40(6), 1099–100; CPM-7512X0101

72.10.Q Scattering mechanisms and Kondo effect

Current state of semimetals with paramagnetic impurities —Yu. M. Ivanchenko and G. I. Trush. 40(1), 175–80; CPM-7509X1665
Boundary condition for the distribution function of conduction electrons scattered by a metal surface —V. I. Okulov and V. V. Ustinov. 40(3), 584–90; CPM-7510X0664
Temperature dependence of the cross section for electron scattering by dislocations in metals —V. F. Gantmakher and G. I. Kulesko. 40(6), 1158–60; CPM-7512X0160

72.20.– Conductivity phenomena in semiconductors and insulators

Theta pinch in germanium —V. V. Vladimirov, L. V. Dubovoĭ, V. A. Smirnov, and V. F. Shanskiĭ. 39(1), 111–3; CPM-7504X0829
Gapless state produced in $Hg_{1-x}Cd_xTe$ alloys under pressure —N. B. Brandt, O. N. Belousova, L. A. Bovina, V. I. Stafeev, and Ya. G. Ponomarev. 39(1), 157–65; CPM-7504X0875
Inhomogeneous cyclotron resonance line broadening in semiconductors in a quantizing magnetic field —Yu. A. Gurvich. 39(2), 322–7; CPM-7505X0490

Inhomogeneous states of antiferromagnetic and magnetoexcitonic semiconductors —V. A. Kashin and É. L. Nagaev. 39(6), 1036–41; CPM-7507X1264

Instability of electron–hole semiconductor plasma in a strong magnetic field following interband absorption of light —A. D. Gladun, A. D. Malov, and V. I. Ryzhiĭ. 39(6), 1049–53; CPM-7507X1277

Change of electric conductivity of semiconductor crystals by passage of a shock wave from a laser pulse —L. I. Ivanov, Yu. N. Nikiforov, and V. A. Yanushkevich. 40(1), 75–6; CPM-7509X1565

Galvanomagnetic phenomena in thin conductor layers —V. G. Polnikov and V. A. Ryaboshapko. 40(2), 352–6; CPM-7510X0302

Investigation of the galvanomagnetic properties of graphite in magnetic fields up to 500 kOe at low temperatures —N. B. Brandt, G. A. Kapustin, V. G. Karavaev, A. S. Kotosonov, and E. A. Svistova. 40(3), 564–9; CPM-7510X0644

Influence of defects on phonon drag in metals —Yu. Kagan and V. N. Flerov. 40(5), 994–7; CPM-7511X0592

The Bénard problem for hot electrons in semiconductors —V. L. Bonch-Bruevich. 40(6), 1093–8; CPM-7512X0095

72.30.+ High-frequency effects; plasma effects

Theta pinch in germanium —V. V. Vladimirov, L. V. Dubovoĭ, V. A. Smirnov, and V. F. Shanskiĭ. 39(1), 111–3; CPM-7504X0829

High-frequency breakdown in *p*-type InSb —E. P. Dodin, V. A. Kozlov, and V. I. Piskarev. 39(4), 671–2; CPM-7506X1019

Instability of electron–hole semiconductor plasma in a strong magnetic field following interband absorption of light —A. D. Gladun, A. D. Malov, and V. I. Ryzhiĭ. 39(6), 1049–53; CPM-7507X1277

Microwave breakdown and exciton condensation in germanium —L. V. Keldysh, A. A. Manenkov, V. A. Milyaev, and G. N. Mikhaĭlova. 39(6), 1072–8; CPM-7507X1300

Resonance size effect in high-frequency conductivity of thin metallic plates in the absence of a static magnetic field —M. I. Kaganov and A. S. Mikhaĭlov. 40(1), 113–6; CPM-7509X1603

Plasma echo in metals —S. M. Dikman and G. I. Leviev. 40(5), 916–22; CPM-7511X0514

72.40.+ Photoconduction and photovoltaic effects

The Bénard problem for hot electrons in semiconductors —V. L. Bonch-Bruevich. 40(6), 1093–8; CPM-7512X0095

72.50.+ Acoustoelectric effects

Electromagnetic excitation of ultrasound and the transparency of semimetals —I. A. Gilinskiĭ, M. B. Sultanov, and Yu. V. Levin. 39 (1), 106–10; CPM-7504X0824

Change of electric conductivity of semiconductor crystals by passage of a shock wave from a laser pulse —L. I. Ivanov, Yu. N. Nikiforov, and V. A. Yanushkevich. 40(1), 75–6; CPM-7509X1565

72.55.+ Magnetoacoustic effects

Electromagnetic generation of sound in metals located in a magnetic field —G. I. Babkin and V. Ya. Kravchenko. 40(3), 498–503; CPM-7510X0578

72.60.+ Mixed conductivity and conductivity transitions

Gapless state produced in $Hg_{1-x}Cd_xTe$ alloys under pressure —N. B. Brandt, O. N. Belousova, L. A. Bovina, V. I. Stafeev, and Ya. G. Ponomarev. 39(1), 157–65; CPM-7504X0875

72.80.– Conductivity of specific semiconductors and insulators

A model of a disordered system (A contribution to the theory of "liquid semiconductors") —M. V. Sadovskiĭ. 39(5), 845–50; CPM-7507X0783

Change of electric conductivity of semiconductor crystals by passage of a shock wave from a laser pulse —L. I. Ivanov, Yu. N. Nikiforov, and V. A. Yanushkevich. 40(1), 75–6; CPM-7509X1565

72.90.+ Other topics in electronic transport in condensed matter

Frequency dependence of the conductivity of random systems near the true spectral edge —Yu. A. Bychkov. 39(5), 887–8; CPM-7507X0825

Current state of semimetals with paramagnetic impurities —Yu. M. Ivanchenko and G. I. Trush. 40(1), 175–80; CPM-7509X1665

Electromagnetic waves with a discrete spectrum in a metal in an external magnetic field —R. G. Khlebopros, L. M. Gorenko, and Yu. I. Man'kov. 40(4), 720–1; CPM-7510X0912

73. ELECTRONIC STRUCTURE AND ELECTRICAL PROPERTIES OF SURFACES, INTERFACES, AND THIN FILMS

73.40.– Interfaces

Excitation of paramagnetic impurities by a tunneling electron —Yu. M. Ivanchenko and A. A. Lisyanskiĭ. 39(1), 139–44; CPM-7504X0857

Nonlinear effects in the electric conductivity of point junctions and electron–phonon interaction in normal metals —I. K. Yanson. 39 (3), 506–13; CPM-7505X1502

The theory of inhomogeneous tunnel junctions —I. O. Kulik, Yu. N. Mitsaĭ, and A. N. Omel'yanchuk. 39(3), 514–21; CPM-7505X1510

Effect of localized states in a barrier on electron tunneling —A. V. Chaplik and M. V. Éntin. 40(1), 106–10; CPM-7509X1596

Sign of conduction–electron polarization in iron —V. Ya. Gamlitskiĭ, O. A. Gurkovskiĭ, V. I. Nikolaev, I. N. Nikolaev, V. M. Cherepanov, and S. S. Yakimov. 40(2), 374–6; CPM-7510X0324

Investigation of the nature of the diode effect on dislocations in silicon —V. G. Eremenko, V. I. Nikitenko, and E. B. Yakimov. 40 (3), 570–6; CPM-7510X0650

73.60.– Electronic properties of thin films

Effect of injection of helium atoms on the superconducting properties of indium films —N. Ya. Fogel', A. A. Moshenskiĭ, I. M. Dmitrenko, L. P. Tishchenko, T. I. Peregon, and Ya. M. Fogel'. 39 (2), 301–5; CPM-7505X0469

Superconductivity in polycrystalline bismuth films —V. I. Petrosyan, V. N. Molin, O. I. Vasin, P. A. Skripkina, S. I. Stenin, and E. G. Batyev. 39(3), 485–9; CPM-7505X1481

Resonance size effect in high-frequency conductivity of thin metallic plates in the absence of a static magnetic field —M. I. Kaganov and A. S. Mikhaĭlov. 40(1), 113–6; CPM-7509X1603

Nonlinear effects in thin conductors —V. G. Peschanskiĭ, K. Oyamada, and V. V. Polevich. 40(5), 988–93; CPM-7511X0586

73.90.+ Other topics in electrical properties of surfaces, interfaces, and thin films

Static skin effect on atomically pure tungsten and molybdenum surfaces —O. A. Panchenko, P. P. Lutsishin, and Yu. G. Ptushinskiĭ. 39(6), 1079–82; CPM-7507X1307

Investigation of the surface conductivity of tin in a magnetic field by a high-frequency technique —I. F. Voloshin and Yu. P. Gaidukov. 40(1), 166–70; CPM-7509X1656

Effect of electron–hole transfers on the static skin effect in tungsten crystals —O. A. Panchenko, A. A. Kharlamov, and Yu. G. Ptushinskiĭ. 40(2), 386–9; CPM-7510X0336

Plasma echo in metals —S. M. Dikman and G. I. Leviev. 40(5), 916–22; CPM-7511X0514

74. SUPERCONDUCTIVITY

74.20.– General properties

The effect of impurities on the change of the mechanical properties of metals in a superconducting transition —V. G. Bar'yakhtar, E. I. Druinskiĭ, and I. I. Fal'ko. 39(3), 497–501; CPM-7505X1493

Nonlinear effects in the electrodynamics of pure superconductors in a high frequency field —V. M. Genkin. **39**(6), 1108–10; CPM-7507X1336

74.20.E Thermodynamic properties; thermal conductivity

Conductivity of type–II superconductors near the critical field H_{c2} for arbitrary free paths —Yu. N. Ovchinnikov. **39**(3), 538–41; CPM-7505X1534

Fluctuation conductivity of superconductors of the second kind above T_c in the presence of strong electric and magnetic fields —O. D. Cheishvili. **39**(5), 916–9; CPM-7507X0854

Diamagnetic fluctuations in layer superconductors and small superconducting particles —L. N. Bulaevskiĭ. **39**(6), 1090–3; CPM-7507X1318

Effect of scattering processes on the anomalies in the thermodynamic characteristics of superconductors under pressure —V. I. Makarov, V. G. Bar'yakhtar, and V. V. Gann. **40**(1), 85–9; CPM-7509X1575

The influence of condensate motion on the thermoelectric effects in superconductors —A. G. Aronov. **40**(1), 90–3; CPM-7509X1580

Viscous resistance of vortices in type-II superconductors —I. N. Goncharov, G. L. Dorofeev, A. Nichitiu, L. V. Petrova, D. Fricsovszky, and I. S. Khukhareva. **40**(6), 1109–13; CPM-7512X0111

74.20.G Response to electromagnetic fields, NMR, ultrasonic attenuation

Temperature dependence of the velocity of ultrasound in superconducting tin —V. D. Fil', V. I. Denisenko, and P. A. Bezuglyĭ. **39**(2), 370–4; CPM-7505X0538

Nonequilibrium state of superconductors with optical excitation of quasiparticles —V. F. Elesin. **39**(5), 862–5; CPM-7507X0800

Effect of a magnetic field on the fluctuation conductivity of layered superconductors —A. A. Golub. **40**(2), 349–51; CPM-7510X0299

Effect of fluctuation electron pairs on the absorption of sound in metals above the superconducting transition point —O. D. Cheishvili. **40**(5), 887–90; CPM-7511X0485

Attenuation of transverse sound in superconductors —Yu. M. Gal'perin. **40**(6), 1088–92; CPM-7512X0090

74.30.– Theory

Critical currents for resistive states in superconducting channels —V. P. Galaĭko. **39**(1), 181–6; CPM-7504X0899

Theory of the current–voltage characteristics of one–dimensional S–N–S and S–N junctions —A. F. Volkov. **39**(2), 366–9; CPM-7505X0534

Thermoelectric effects in superconductors —Yu. M. Gal'perin, V. L. Gurevich, and V. I. Kozub. **39**(4), 680–5; CPM-7506X1028

Criteria for superconductivity and the macroscopic stability of electron–phonon systems —I. O. Kulik. **39**(6), 1096–103; CPM-7507X1324

Determination of the energy gap parameter and of the electron–phonon interaction in superconductors from the tunnel data —A. A. Galkin, A. I. D'yachenko, and V. M. Svistunov. **39**(6), 1115–8; CPM-7507X1343

Effect of fluctuations on the transition temperature in quasi–one–dimensional superconductors —K. B. Efetov and A. I. Larkin. **39**(6), 1129–34; CPM-7507X1357

Possible phase transitions in systems of interacting metallic filaments (quasiunidimensional metals) —L. P. Gor'kov and I. E. Dzyaloshinskiĭ. **40**(1), 198–207; CPM-7509X1688

Interference current in weakly coupled superconductors —A. F. Volkov and A. L. Kasatkin. **40**(4), 760–2; CPM-7510X0952

Effect of fluctuation electron pairs on the absorption of sound in metals above the superconducting transition point —O. D. Cheishvili. **40**(5), 887–90; CPM-7511X0485

74.50.– Superconducting materials and devices

74.50.D Material effects on T_c, κ, critical currents

Superconductivity of amorphous vanadium —V. M. Kuz'menko, V. G. Lazarev, V. I. Mel'nikov, and A. I. Sudovtsov. **40**(2), 396–9; CPM-7510X0346

Effect of impurities and pressure on the superconducting transition temperature of thallium. V —T. A. Ignat'eva, V. I. Makarov, and Yu. A. Cherevan'. **40**(3), 492–7; CPM-7510X0572

Effect of spin fluctuations on the superconducting and normal properties of alloys of Ti containing V, Nb, or Ta —A. F. Prekul, V. A. Rassokhin, and N. V. Volkenshtein. **40**(6), 1134–6; CPM-7512X0136

74.50.G Type-I superconductors

Temperature dependence of the velocity of ultrasound in superconducting tin —V. D. Fil', V. I. Denisenko, and P. A. Bezuglyĭ. **39**(2), 370–4; CPM-7505X0538

Magnetic properties of superconducting In–Bi alloys —I. Kirschner, J. Bankuti, Gy. Kiss, I. Kovacs, L. Laszloffy, Gy. Remenyi, and K. Sajo. **39**(6), 1054–8; CPM-7507X1282

74.50.L Type-II superconductors

Conductivity of type–II superconductors near the critical field H_{c2} for arbitrary free paths —Yu. N. Ovchinnikov. **39**(3), 538–41; CPM-7505X1534

Electron scattering by a vortex lattice in a mixed-state superconductor —I. P. Krylov. **40**(1), 188–94; CPM-7509X1678

Superconductivity of amorphous vanadium —V. M. Kuz'menko, V. G. Lazarev, V. I. Mel'nikov, and A. I. Sudovtsov. **40**(2), 396–9; CPM-7510X0346

Viscous resistance of vortices in type-II superconductors —I. N. Goncharov, G. L. Dorofeev, A. Nichitiu, L. V. Petrova, D. Fricsovszky, and I. S. Khukhareva. **40**(6), 1109–13; CPM-7512X0111

74.50.N Dirty superconductors

Fluctuation conductivity of superconductors of the second kind above T_c in the presence of strong electric and magnetic fields —O. D. Cheishvili. **39**(5), 916–9; CPM-7507X0854

Diamagnetic fluctuations in layer superconductors and small superconducting particles —L. N. Bulaevskiĭ. **39**(6), 1090–3; CPM-7507X1318

74.50.R Other superconducting materials

Effect of injection of helium atoms on the superconducting properties of indium films —N. Ya. Fogel', A. A. Moshenskiĭ, I. M. Dmitrenko, L. P. Tishchenko, T. I. Peregon, and Ya. M. Fogel'. **39**(2), 301–5; CPM-7505X0469

74.90.+ Other topics in superconductivity

Investigation of the magnetic scattering in a superconductor by the tunnel-effect method —V. N. Grigor'ev and N. V. Zavaritskiĭ. **39**(4), 705–8; CPM-7506X1053

Electron scattering by a vortex lattice in a mixed-state superconductor —I. P. Krylov. **40**(1), 188–94; CPM-7509X1678

Effect of impurities and pressure on the superconducting transition temperature of thallium. V —T. A. Ignat'eva, V. I. Makarov, and Yu. A. Cherevan'. **40**(3), 492–7; CPM-7510X0572

Qualitative picture of the two-dimensional mixed state in type-I superconductors —L. P. Gor'kov and O. N. Dorokhov. **40**(5), 956–9; CPM-7511X0554

75. MAGNETIC PROPERTIES AND MATERIALS

75.10.– General theory and models of magnetic ordering

Anomalous temperature dependence of the effective field at the nuclei of Dy^{3+} ions in DySb —V. G. Stankevich, I. I. Lukashevich, N. I. Filippov, and I. A. Gladkikh. **39**(1), 134–8; CPM-7504X0852

Correlation function for a plane Ising lattice —V. E. Shneider. **39**(2), 308–11; CPM-7505X0476

Theory of magnetic resonance in the Ising model —G. O. Berim, M. M. Zaripov, and A. R. Kessel'. **39**(2), 355–8; CPM-7505X0523

Phase transitions in two–component systems —E. E. Gorodetskiĭ and M. A. Mikulinskiĭ. **39**(3), 480–4; CPM-7505X1476

The Hubbard model for the transition metals and the anomalies in their specific heat and magnetic susceptibility —Yu. P. Irkhin. **39**(3), 490–6; CPM-7505X1486

Critical indices for systems with slowly decaying interaction —P. M. Blekher and Ya. G. Sinaĭ. **40**(1), 195–7; CPM-7509X1685

Theory of phase transitions in solid solutions —V. G. Vaks and N. E. Zein. 40(3), 537–45; CPM-7510X0617

Nonlinear theory of parametric excitation of spin waves in antiferromagnets —V. S. L'vov and M. I. Shirokov. 40(5), 960–7; CPM-7511X0558

Magnetization of $Fe_{85}(Ni_{1-x}Mn_x)_{15}$ alloys in fields up to 350 kOe —B. K. Ponomarev and S. V. Aleksandrovich. 40(5), 976–9; CPM-7511X0574

75.20.– Diamagnetism and paramagnetism

The Hubbard model for the transition metals and the anomalies in their specific heat and magnetic susceptibility —Yu. P. Irkhin. 39 (3), 490–6; CPM-7505X1486

Fluctuation-induced magnetic susceptibility of superconductors and normal metals —L. G. Aslamazov and A. I. Larkin. 40(2), 321–7; CPM-7510X0271

Contribution to the theory of parametric phenomena in antiferromagnetic substances —V. A. Kolganov. 40(3), 533–6; CPM-7510X0613

75.25.+ Spin arrangements in magnetically ordered materials (neutron studies, etc.)

Magnetic ordering in dilute PdFe alloys —G. P. Gordeev, G. M. Drabkin, I. M. Lazebnik, and L. A. Aksel'rod. 39(5), 841–4; CPM-7507X0779

75.30.– Magnetically ordered materials, other intrinsic properties

Dispersion equation for electromagnetic waves in a metal in a magnetic field —E. P. Vol'skiĭ. 40(3), 546–51; CPM-7510X0626

75.30.C Saturation moments and magnetic susceptibility

Noncollinear spin ordering in a hexagonal ferrite of type W —R. A. Sizov and K. N. Zaitsev. 39(1), 175–7; CPM-7504X0893

The Hubbard model for the transition metals and the anomalies in their specific heat and magnetic susceptibility —Yu. P. Irkhin. 39 (3), 490–6; CPM-7505X1486

Anomalous Hall effect in holmium single crystal in the region of helicoidal magnetic ordering —D. I. Volkov, T. M. Kozlova, V. N. Prudnikov, N. A. Prudnikova, and N. I. Moreva. 40(1), 98–100; CPM-7509X1588

The Al^{27} Knight shift and magnetic properties of Fe, Co, and Ni monoaluminides —V. I. Chechernikov, V. I. Nedel'ko, A. F. Prun, and F. A. Sidorenko. 40(2), 342–3; CPM-7510X0292

The Mössbauer effect and magnetic structure of an invar alloy with manganese impurity —V. A. Makarov, I. M. Puzeĭ, T. V. Sakharova, and I. G. Gutovskiĭ. 40(2), 382–5; CPM-7510X0332

Theory of dispersion of the magnetic susceptibility of fine ferromagnetic particles —Yu. L. Raĭkher and M. I. Shliomis. 40(3), 526–32; CPM-7510X0606

Temperature dependence of magnetic-susceptibility anisotropy of transition-metal crystals with a hexagonal close-packed structure —M. V. Volkenshteĭn, É. V. Galoshina, and T. N. Panikovskaya. 40(4), 730–2; CPM-7510X0922

Effect of domain structure on the nonlinear properties of ferrites —G. A. Melkov and V. L. Grankin. 40(5), 870–3; CPM-7511X0468

Nonlinear properties of ferrites at low temperatures —V. L. Grankin, G. A. Melkov, and S. M. Ryabchenko. 40(6), 1105–8; CPM-7512X0107

Quantum oscillations of magnetostriction and magnetic moment of tin under magnetic interaction conditions —V. M. Pudalov and M. S. Khaĭkin. 40(6), 1121–30; CPM-7512X0123

75.30.F Spin waves

Instability of spin waves in a sample with domain structure —A. I. Pil'shchikov. 39(2), 328–30; CPM-7505X0496

Parametric pairs in antiferromagnet with easy plane anisotropy —V. I. Ozhogin and A. Yu. Yakubovskiĭ. 40(1), 144–53; CPM-7509X1634

Effect of domain structure on the nonlinear properties of ferrites —G. A. Melkov and V. L. Grankin. 40(5), 870–3; CPM-7511X0468

Interaction between hypersound and spin waves in antiferromagnetic $MnCO_3$ —V. R. Gakel'. 40(5), 908–15; CPM-7511X0506

Nonlinear properties of ferrites at low temperatures —V. L. Grankin, G. A. Melkov, and S. M. Ryabchenko. 40(6), 1105–8; CPM-7512X0107

75.30.G Anisotropy

Unidirectional anisotropy in Invar —O. S. Galkina, G. A. Ivanov-Smolenskiĭ, and E. I. Kondorskiĭ. 40(1), 111–2; CPM-7509X1601

Magnetic anisotropy of yttrium-holmium iron-garnets —A. K. Gapeev, R. Z. Levitin, A. S. Markosyan, B. V. Mill', and T. M. Perekalina. 40(1), 117–20; CPM-7509X1607

Temperature dependence of magnetic-susceptibility anisotropy of transition-metal crystals with a hexagonal close-packed structure —M. V. Volkenshteĭn, É. V. Galoshina, and T. N. Panikovskaya. 40(4), 730–2; CPM-7510X0922

75.30.H Magnetic impurity interactions

Theory of antiferromagnetic impurities in magnets —B. Ya. Balagurov and V. G. Vaks. 39(3), 554–61; CPM-7505X1550

The Mössbauer effect and magnetic structure of an invar alloy with manganese impurity —V. A. Makarov, I. M. Puzeĭ, T. V. Sakharova, and I. G. Gutovskiĭ. 40(2), 382–5; CPM-7510X0332

Magnetic hyperfine interaction for ^{60}Co in alloys containing palladium and platinum —A. L. Erzinkyan and V. P. Parfenova. 40(5), 937–40; CPM-7511X0535

75.30.J Critical-point effects, specific heats, short-range order, and magnetic transitions, general

Thermal properties of iron in solid solutions of silicon in iron near the Curie point —V. E. Zinov'ev, Sh. Sh. Abel'skiĭ, M. I. Sandakova, E. G. Dik, L. N. Petrova, and P. V. Gel'd. 39(1), 169–71; CPM-7504X0887

Homogeneous magnetic relaxation near second-order phase transition —I. D. Luzyanin, P. D. Dobychin, and V. P. Khavronin. 39(3), 528–30; CPM-7505X1524

Magnetic phase transitions in antiferromagnetic $NiCO_3$ —A. N. Bazhan. 39(3), 531–7; CPM-7505X1527

Spontaneous magnetization and correlation functions in the Kagome lattice —M. B. Geĭlikman. 39(3), 570–3; CPM-7505X1566

Magnetic ordering in dilute PdFe alloys —G. P. Gordeev, G. M. Drabkin, I. M. Lazebnik, and L. A. Aksel'rod. 39(5), 841–4; CPM-7507X0779

Investigation of the magnetic properties and NMR in spin–reorientation transitions in $DyFe_{0.998}Co_{0.002}O_3$ crystals —A. V. Zaleskiĭ, A. M. Kadomtseva, A. M. Savvinov, M. M. Lukina, G. L. Ovchinnikova, and A. V. Abramov. 39(5), 883–6; CPM-7507X0821

Magnetic dipole forces and critical dynamics of ferromagnets above the Curie point —S. V. Maleev. 39(5), 889–95; CPM-7507X0827

Magnetic phase transition in yttrium othovanadite —V. G. Zubkov, A. S. Borukhovich, G. V. Bazuev, I. I. Matveenko, and G. P. Shveĭkin. 39(5), 896–8; CPM-7507X0834

Specific heat of chromium single crystal at tempertures 80–345 °K — V. M. Polovov. 39(6), 1064–71; CPM-7507X1292

Anomalous Hall effect in holmium single crystal in the region of helicoidal magnetic ordering —D. I. Volkov, T. M. Kozlova, V. N. Prudnikov, N. A. Prudnikova, and N. I. Moreva. 40(1), 98–100; CPM-7509X1588

Effect of magnetic dilution on the critical temperature of few dimensional antiferromagnetic $CuWO_4$ —A. I. Zvyagin and A. G. Anders. 40(1), 154–7; CPM-7509X1644

New orientational transitions induced in orthoferrites by an external field —K. P. Belov, A. K. Zvezdin, A. M. Kadomtseva, and I. B. Krynetskiĭ. 40(5), 980–4; CPM-7511X0578

75.30.L Ferromagnetic–paramagnetic transitions

Magnetically ordered state of two–dimensional ferromagnets with anisotropy of the "easy–plane" type —Yu. S. Karimov. 39(3), 547–50; CPM-7505X1543

75.30.N Ferromagnetic–antiferromagnetic transitions

Magnetic phase transitions in antiferromagnetic $NiCO_3$ —A. N. Bazhan. 39(3), 531–7; CPM-7505X1527

Unidirectional anisotropy in Invar —O. S. Galkina, G. A. Ivanov-Smolenskiĭ, and E. I. Kondorskiĭ. 40(1), 111–2; CPM-7509X1601

75.50.– Studies of specific magnetic materials

75.50.B Ferromagnetism of Fe and its alloys

Thermal properties of iron in solid solutions of silicon in iron near the Curie point —V. E. Zinov'ev, Sh. Sh. Abel'skii, M. I. Sandakova, E. G. Dik, L. N. Petrova, and P. V. Gel'd. 39(1), 169–71; CPM-7504X0887

Observation of the magnetic compensation points in the spinel ferrites $MnFe_{2-x}Cr_xO_4$ —K. P. Belov, E. V. Talalaeva, L. A. Chernikova, A. S. Andreenko, and V. I. Ivanovskiĭ. 39(2), 316–8; CPM-7505X0484

Homogeneous magnetic relaxation near second-order phase transition —I. D. Luzyanin, P. D. Dobychin, and V. P. Khavronin. 39(3), 528–30; CPM-7505X1524

Magnetically ordered state of two-dimensional ferromagnets with anisotropy of the "easy-plane" type —Yu. S. Karimov. 39(3), 547–50; CPM-7505X1543

Theory of antiferromagnetic impurities in magnets —B. Ya. Balagurov and V. G. Vaks. 39(3), 554–61; CPM-7505X1550

Magnetic ordering in dilute PdFe alloys —G. P. Gordeev, G. M. Drabkin, I. M. Lazebnik, and L. A. Aksel'rod. 39(5), 841–4; CPM-7507X0779

Magnetic dipole forces and critical dynamics of ferromagnets above the Curie point —S. V. Maleev. 39(5), 889–95; CPM-7507X0827

Dimensional effects in small particles of Fe_3O_4 —Yu. F. Krupyanskiĭ and I. P. Suzdalev. 40(2), 364–7; CPM-7510X0314

Magnetization of $Fe_{65}(Ni_{1-x}Mn_x)_{35}$ alloys in fields up to 350 kOe —B. K. Ponomarev and S. V. Aleksandrovich. 40(5), 976–9; CPM-7511X0574

75.50.C Ferromagnetism of other metals

Mössbauer effect in the CO_2MnSn alloy under pressure —I. N. Nikolaev, V. P. Potapov, and V. P. Mar'in. 40(3), 591–3; CPM-7510X0671

Magnetic hyperfine interaction for ^{60}Co in alloys containing palladium and platinum —A. L. Erzinkyan and V. P. Parfenova. 40(5), 937–40; CPM-7511X0535

75.50.D Ferromagnetism of nonmetals

Weak ferromagnetism along the trigonal axis in antiferromagnetic $CoCO_3$ and $NiCO_3$ —A. N. Bazhan. 40(4), 757–9; CPM-7510X0949

75.50.E Antiferromagnetics

Anomalous temperature dependence of the effective field at the nuclei of Dy^{3+} ions in DySb —V. G. Stankevich, I. I. Lukashevich, N. I. Filippov, and I. A. Gladkikh. 39(1), 134–8; CPM-7504X0852

Nuclear magnetic resonance of chlorine in the internal field of a magnetically ordered layered compound of graphite with $NiCl_2$ — F. V. Bragin, Yu. N. Novikov, and S. M. Ryabchenko. 39(1), 172–4; CPM-7504X0890

Magnetic birefringence of light in the antiferromagnetic $MnCO_3$, $CoCO_3$, and $CsMnF_3$ —A. S. Borovik-Romanov, N. M. Kreines, A. A. Pankov, and M. A. Talalaev. 39(2), 378–82; CPM-7505X0546

Magnetic phase transitions in antiferromagnetic $NiCO_3$ —A. N. Bazhan. 39(3), 531–7; CPM-7505X1527

Sound absorption in an antiferromagnet in the vicinity of a spin-flop field —V. G. Bar'yakhtar and B. A. Ivanov. 39(5), 907–8; CPM-7507X0845

Multimagnon absorption of antiferromagnetic $RbMnF_3$ in the optical spectrum —V. V. Eremenko, V. P. Novikov, and É. G. Petrov. 39 (6), 1030–5; CPM-7507X1258

Inhomogeneous states of antiferromagnetic and magnetoexcitonic semiconductors —V. A. Kashin and É. L. Nagaev. 39(6), 1036–41; CPM-7507X1264

Parametric pairs in antiferromagnet with easy plane anisotropy —V. I. Ozhogin and A. Yu. Yakubovskiĭ. 40(1), 144–53; CPM-7509X1634

Effect of magnetic dilution on the critical temperature of few dimensional antiferromagnetic $CuWO_4$ —A. I. Zvyagin and A. G. Anders. 40(1), 154–7; CPM-7509X1644

Effect of anisotropy on field-induced antiferromagnetism in $YFeO_3$ — V. I. Ozhogin, V. M. Cherepanov, and S. S. Yakimov. 40(3), 517–20; CPM-7510X0597

Interaction between hypersound and spin waves in antiferromagnetic $MnCO_3$ —V. R. Gakel'. 40(5), 908–15; CPM-7511X0506

75.50.G Ferrimagnetics

Noncollinear spin ordering in a hexagonal ferrite of type W —R. A. Sizov and K. N. Zaĭtsev. 39(1), 175–7; CPM-7504X0893

Magnetic anisotropy of yttrium-holmium iron-garnets —A. K. Gapeev, R. Z. Levitin, A. S. Markosyan, B. V. Mill', and T. M. Perekalina. 40(1), 117–20; CPM-7509X1607

75.60.– Domain effects, magnetization curves, and hysteresis

Sound absorption in an antiferromagnet in the vicinity of a spin-flop field —V. G. Bar'yakhtar and B. A. Ivanov. 39(5), 907–8; CPM-7507X0845

Domain structure and magnetic properties of $YFeO_3$ particles below the single-domain critical size —V. I. Khrabrov, L. G. Onoprienko, and Ya. S. Shur. 40(1), 171–4; CPM-7509X1661

Theory of dispersion of the magnetic susceptibility of fine ferromagnetic particles —Yu. L. Raĭkher and M. I. Shliomis. 40(3), 526–32; CPM-7510X0606

Dynamic hysteresis of a superparamagnet —V. A. Ignatchenko and R. S. Gekht. 40(4), 750–4; CPM-7510X0942

Effect of domain structure on the nonlinear properties of ferrites —G. A. Melkov and V. L. Grankin. 40(5), 870–3; CPM-7511X0468

Magneto-optic investigation of magnetic structures under micron resolution conditions —G. S. Krinchik and O. M. Benidze. 40(6), 1081–7; CPM-7512X0083

75.70.+ Thin films

Determination of the properties of iron films during evaporation —A. B. Vaganov and V. V. Zav'yalov. 40(6), 1075–80; CPM-7512X0077

75.80.+ Magnetomechanical and magnetoelectric effects, magnetostriction

Parametric pairs in antiferromagnet with easy plane anisotropy —V. I. Ozhogin and A. Yu. Yakubovskiĭ. 40(1), 144–53; CPM-7509X1634

Effect of pressure of magnetoacoustic resonance in uniaxial antiferromagnets —I. E. Dikshteĭn, V. V. Tarasenko, and V. G. Shavrov. 40(2), 404–7; CPM-7510X0354

Deformation thermomagnetic effect in tin —N. V. Zavaritskiĭ. 40(3), 601–4; CPM-7510X0681

Shock compression and magnetic effects in a magnetodielectric based on iron —V. V. Novikov and V. N. Mineev. 40(4), 717–9; CPM-7510X0909

Magnetoacoustic oscillations in zinc and cadmium —V. I. Beletskiĭ, A. P. Korolyuk, and M. A. Obolenskiĭ. 40(4), 755–6; CPM-7510X0947

Interaction between hypersound and spin waves in antiferromagnetic $MnCO_3$ —V. R. Gakel'. 40(5), 908–15; CPM-7511X0506

Quantum oscillations of magnetostriction and magnetic moment of tin under magnetic interaction conditions —V. M. Pudalov and M. S. Khaĭkin. 40(6), 1121–30; CPM-7512X0123

75.90.+ Other topics in magnetic properties and materials

Observation of the magnetic compensation points in the spinel ferrites $MnFe_{2-x}Cr_xO_4$ —K. P. Belov, E. V. Talalaeva, L. A. Chernikova, A. S. Andreenko, and V. I. Ivanovskiĭ. 39(2), 316–8; CPM-7505X0484

Spontaneous magnetization and correlation functions in the Kagome lattice —M. B. Geĭlikman. 39(3), 570–3; CPM-7505X1566

The Luttinger method in the theory of thermomagnetic phenomena — V. V. Korneev, A. N. Starostin, and W. Zimdahl. 39(6), 1104–7; CPM-7507X1332

Magnetic viscosity of a suspension of ferromagnetic particles —M. A. Martsenyuk. 39(6), 1124–8; CPM-7507X1352

Theory of the de Haas–van Alphen effect in a plate —S. S. Nedorezov. 40(4), 769–72; CPM-7510X0961

76. MAGNETIC RESONANCES AND RELAXATION IN CONDENSED MATTER; MÖSSBAUER EFFECT

76.30.– Electron spin resonance and relaxation

Doppler shifted cyclotron resonance and electromagnetic waves in copper —V. V. Lavrova, C. V. Medvedev, V. G. Skobov, L. M. Fisher, A. S. Chernov, and V. A. Yudin. 39(2), 338–44; CPM-7505X0506

Theory of magnetic resonance in the Ising model —G. O. Berim, M. M. Zaripov, and A. R. Kessel'. 39(2), 355–8; CPM-7505X0523

Investigation of the properties of the dislocation EPR spectra in silicon —S. V. Broude, V. A. Grazhulis, V. V. Kveder, and Yu. A. Osip'yan. 39(4), 721–5; CPM-7506X1069

Observation of paramagnetic resonance on an Fe^{2+} ion in a $CaCO_3$ lattice —V. F. Meshcheryakov, B. N. Grechushnikov, and I. N. Kalinkina. 39(5), 920–3; CPM-7507X0858

Saturation of inhomogeneously broadened EPR line at low temperatures —L. L. Buishvili, N. P. Giorgadze, and A. A. Davituliani. 40(1), 82–4; CPM-7509X1572

Concentration dependence of the electron paramagnetic resonance line shape: The Cr^{3+} ion in $ZnWO_4$ —A. A. Bugaĭ, B. K. Krulikovskiĭ, V. M. Maksimenko, and A. B. Roitsin. 40(2), 377–81; CPM-7510X0327

Optical orientation of excitons in cubic crystals —G. E. Pikus and G. L. Bir. 40(2), 390–5; CPM-7510X0340

Paramagnetic relaxation resonance of optically oriented metastable He^4 atoms in an effective magnetic field —A. I. Okunevich. 40(3), 436–40; CPM-7510X0516

76.40.+ Diamagnetic and cyclotron resonances

Cyclotron resonance in thin conductors —M. A. Lur'e and V. G. Peschanskiĭ. 39(1), 114–20; CPM-7504X0832

Spatial dispersion in the vicinity of cyclotron resonance in a semiconductor located in a magnetic field —L. I. Korovina and A. E. Shabad. 40(3), 512–6; CPM-7510X0592

Anomalous penetration of electromagnetic field into a metal near cyclotron resonance —A. S. Rozhavskiĭ and M. A. Lur'e. 40(3), 580–3; CPM-7510X0660

76.50.+ Ferromagnetic, antiferromagnetic, and ferrimagnetic resonances; spin-wave resonance

Experimental investigation of the fine structure of the instability of nonlinear ferromagnetic resonance —A. V. Vashkovskiĭ, V. I. Zubkov, and R. G. Kocharyan. 39(1), 130–3; CPM-7504X0848

Ferromagnetic resonance in iron–nickel single crystals —V. S. Pokatilov and I. M. Puzeĭ. 39(3), 502–5; CPM-7505X1498

Theory of antiferromagnetic impurities in magnets —B. Ya. Balagurov and V. G. Vaks. 39(3), 554–61; CPM-7505X1550

Dependence of the resonant frequencies of antiferromagnets on the magnetic field, and antiferromagnetic resonance in CoF_2 —Yu. M. Gufan, K. N. Kocharyan, A. S. Prokhorov, and E. G. Rudashevskiĭ. 39(3), 565–9; CPM-7505X1561

Ferromagnetic resonance in uniaxial crystals with cylindrical domain structures —M. A. Sigal. 39(5), 866–72; CPM-7507X0804

Investigation of the magnetic properties and NMR in spin–reorientation transitions in $DyFe_{0.998}Co_{0.002}O_3$ crystals —A. V. Zalesskiĭ, A. M. Kadomtseva, A. M. Savvinov, M. M. Lukina, G. L. Ovchinnikova, and A. V. Abramov. 39(5), 883–6; CPM-7507X0821

Antiferromagnetic resonance in $FeBO_3$ —L. V. Velikov, A. S. Prokhorov, E. G. Rudashevskiĭ, and V. N. Seleznev. 39(5), 909–15; CPM-7507X0847

Theory of dispersion of the magnetic susceptibility of fine ferromagnetic particles —Yu. L. Raĭkher and M. I. Shliomis. 40(3), 526–32; CPM-7510X0606

Investigation of the stationary state of parametrically excited spin waves in antiferromagnetic $MnCO_3$ —L. A. Prozorova and A. I. Smirnov. 40(5), 970–5; CPM-7511X0568

76.60.– Nuclear magnetic resonance and relaxation

NMR in $Nb_3Al_{1-x}Ge_x$ compounds —N. E. Alekseevskiĭ, R. A. Dautov, E. P. Krasnoperov, and K. S. Saĭkin. 39(1), 149–52; CPM-7504X0867

Nuclear magnetic resonance of chlorine in the internal field of a magnetically ordered layered compound of graphite with $NiCl_2$ — F. V. Bragin, Yu. N. Novikov, and S. M. Ryabchenko. 39(1), 172–4; CPM-7504X0890

Nuclear relaxation via electron-spin cross relaxation —A. B. Brik, N. P. Baran, S. S. Ishchenko, and L. A. Shul'man. 40(1), 94–7; CPM-7509X1584

Observation of the heating of the dipole-dipole interaction pool of impurity ions in nuclear relaxation —I. I. Valeev, F. L. Aukhadeev, and V. A. Skrebnev. 40(1), 101–3; CPM-7509X1591

The Al^{27} Knight shift and magnetic properties of Fe, Co, and Ni monoaluminides —V. I. Chechernikov, V. I. Nedel'ko, A. F. Prun, and F. A. Sidorenko. 40(2), 342–3; CPM-7510X0292

Parametric excitation and relaxation of nuclear spin waves in antiferromagnetic $MnCO_3$ —A. Yu. Yakubovskiĭ. 40(4), 766–8; CPM-7510X0958

Narrowing of gamma resonance lines in crystals by continuous radio-frequency fields —A. V. Andreev, Yu. A. Il'inskiĭ, and R. V. Khokhlov. 40(5), 819–20; CPM-7511X0417

76.70.– Magnetic double resonances

Investigation of the hyperfine interaction of U^{3+} in CaF_2 by the method of radio–frequency discrete saturation —T. A. Abramovskaya, B. G. Berulava, and T. I. Sanadze. 39(1), 145–8; CPM-7504X0863

Double nuclear magnetic resonance in a two-spin system in a solid — A. G. Lundin and V. I. Trofimov. 39(4), 686–9; CPM-7506X1034

Nuclear relaxation via electron-spin cross relaxation —A. B. Brik, N. P. Baran, S. S. Ishchenko, and L. A. Shul'man. 40(1), 94–7; CPM-7509X1584

76.80.+ Mössbauer effect; other γ-ray spectroscopy

Theory of Mossbauer spectra in an electric field —A. S. Ivanov, A. V. Kolpakov, and R. N. Kuz'min. 39(2), 336–7; CPM-7505X0504

The electron configuration of the iron ions in the $NiFe_{2-x}Cr_xO_4$ ferrites —V. A. Gordienko, V. I. Nikolaev, and S. S. Yakimov. 39 (3), 551–3; CPM-7505X1547

Interference of nuclear transitions in pure nuclear diffraction of 14.4–keV gamma rays by hematite —E. P. Stepanov, A. N. Artem'ev, I. P. Perstnev, V. V. Sklyarevskiĭ, and G. V. Smirnov. 39(3), 562–4; CPM-7505X1558

Shapes of Mössbauer spectra in the rapid-relaxation limit —A. M. Afanas'ev and V. D. Gorobchenko. 39(4), 690–6; CPM-7506X1038

Mössbauer effect in superconducting films of tin evaporated jointly with a tin complex of etioporphyrin —N. E. Alekseevskiĭ and V. I. Tsebro. 39(4), 697–700; CPM-7506X1045

Mössbauer observation of radio–frequency striction of the paraprocess in invar alloys —Yu. V. Baldokhin, E. F. Makarov, V. A. Povitskiĭ, and V. A. Makarov. 39(5), 873–5; CPM-7507X0811

Emission of gamma quanta from a crystal in the case of hyperfine splitting —P. A. Aleksandrov. 40(2), 360–3; CPM-7510X0310

Sign of conduction–electron polarization in iron —V. Ya. Gamlitskiĭ, O. A. Gurkovskiĭ, V. I. Nikolaev, I. N. Nikolaev, V. M. Cherepanov, and S. S. Yakimov. 40(2), 374–6; CPM-7510X0324

The Mössbauer effect and magnetic structure of an invar alloy with manganese impurity —V. A. Makarov, I. M. Puzeĭ, T. V. Sakharova, and I. G. Gutovskiĭ. 40(2), 382–5; CPM-7510X0332

Mössbauer effect in the CO_2MnSn alloy under pressure —I. N. Nikolaev, V. P. Potapov, and V. P. Mar'in. 40(3), 591–3; CPM-7510X0671

Mössbauer effect in ellipsoidal Brownian particles —A. Ya. Dzyublik. 40(4), 763–5; CPM-7510X0955

Resonant scattering of Mössbauer gamma quanta under relaxation conditions —A. M. Afanas'ev and V. D. Gorobchenko. 40(6), 1114–20; CPM-7512X0116

76.90.+ Other topics in magnetic resonances and relaxation

Inhomogeneous cyclotron resonance line broadening in semiconductors in a quantizing magnetic field —Yu. A. Gurvich. 39(2), 322–7; CPM-7505X0490

77. DIELECTRIC PROPERTIES AND MATERIALS

Theory of Mossbauer spectra in an electric field —A. S. Ivanov, A. V. Kolpakov, and R. N. Kuz'min. 39(2), 336–7; CPM-7505X0504

Calculation of critical indices for zero-gap semiconductors —A. A. Abrikosov. 39(4), 709–16; CPM-7506X1057

A model of a disordered system (A contribution to the theory of "liquid semiconductors") —M. V. Sadovskiĭ. 39(5), 845–50; CPM-7507X0783

Absorption of first sound in concentrated superfluid He^3-He^4 solutions —N. E. Dyumin, B. N. Esel'son, and É. Ya. Rudavskiĭ. 40(2), 344–8; CPM-7510X0294

Avalanche ionization induced in solid transparent dielectrics by strong laser pulses —A. S. Epifanov. 40(5), 897–902; CPM-7511X0495

78. OPTICAL PROPERTIES AND CONDENSED-MATTER SPECTROSCOPY AND OTHER INTERACTIONS OF MATTER WITH PARTICLES AND RADIATION

78.20.– Optical properties and materials

Investigation of four-photon processes in stimulated Raman scattering (SRS) —A. N. Arbatskaya and M. M. Sushchinskiĭ. 39(6), 981–4; CPM-7507X1209

78.20.D Optical constants and parameters

Theory of the nonlinear refractive index of liquids —O. G. Bokov. 40 (5), 923–8; CPM-7511X0521

78.20.F Birefringence (including stress birefringence, flow birefringence, etc.)

Magnetic birefringence of light in the antiferromagnetic $MnCO_3$, $CoCO_3$, and $CsMnF_3$ —A. S. Borovik-Romanov, N. M. Kreines, A. A. Pankov, and M. A. Talalaev. 39(2), 378–82; CPM-7505X0546

Birefringence of light following excitation of nonlinear ferromagnetic resonance in yttrium iron garnets —V. N. Venitskiĭ, V. V. Eremenko, and É. V. Matyushkin. 40(4), 713–6; CPM-7510X0905

78.20.H Piezo-, elasto-, and acousto-optical effects

Electromagnetic excitation of ultrasound and the transparency of semimetals —I. A. Gilinskiĭ, M. B. Sultanov, and Yu. V. Levin. 39 (1), 106–10; CPM-7504X0824

Possible application of the nuclear γ-resonance technique to the investigation of the elastic properties of liquids —I. A. Marushko and V. N. Dubinin. 39(4), 665–6; CPM-7506X1013

Photoacoustic cavitation in water —F. V. Bunkin, V. I. Konov, A. M. Prokhorov, V. V. Savranskiĭ, and V. B. Fedorov. 40(6), 1036–8; CPM-7512X0038

78.20.L Magneto-optical effects and properties

Magnetic birefringence of light in the antiferromagnetic $MnCO_3$, $CoCO_3$, and $CsMnF_3$ —A. S. Borovik-Romanov, N. M. Kreines, A. A. Pankov, and M. A. Talalaev. 39(2), 378–82; CPM-7505X0546

Determination of the sign of the g factor and observation of deformation of epitaxial films in the transverse effect of optical orientation in semiconductors —V. L. Vekua, R. I. Dzhioev, B. P. Zakharachenya, E. L. Ivchenko, and V. G. Fleĭsher. 39(5), 879–82; CPM-7507X0817

Multimagnon absorption of antiferromagnetic $RbMnF_3$ in the optical spectrum —V. V. Eremenko, V. P. Novikov, and É. G. Petrov. 39 (6), 1030–5; CPM-7507X1258

Helicon propagation in semiconductors in a quantizing magnetic field —B. A. Aronzon and E. Z. Meĭlikhov. 40(1), 139–43; CPM-7509X1629

Anisotropy of linear magneto-optical effects in thulium orthoferrite — M. V. Chetkin, Yu. I. Shcherbakov, A. P. Volenko, and L. D. Shevchuk. 40(3), 509–11; CPM-7510X0589

Birefringence of light following excitation of nonlinear ferromagnetic resonance in yttrium iron garnets —V. N. Venitskiĭ, V. V. Eremenko, and É. V. Matyushkin. 40(4), 713–6; CPM-7510X0905

Optical effects due to polarization of nuclei in semiconductors —M. I. D'yakonov, V. I. Perel', V. L. Berkovits, and V. I. Safarov. 40(5), 950–5; CPM-7511X0548

Determination of the properties of iron films during evaporation —A. B. Vaganov and V. V. Zav'yalov. 40(6), 1075–80; CPM-7512X0077

Magneto-optic investigation of magnetic structures under micron resolution conditions —G. S. Krinchik and O. M. Benidze. 40(6), 1081–7; CPM-7512X0083

78.30.– Infrared and Raman spectra and scattering

Statistical phenomena in Raman scattering stimulated by a broad-band pump —S. A. Akhmanov, Yu. E. D'yakov, and L. I. Pavlov. 39(2), 249–56; CPM-7505X0417

Investigation of four-photon processes in stimulated Raman scattering (SRS) —A. N. Arbatskaya and M. M. Sushchinskiĭ. 39(6), 981–4; CPM-7507X1209

Coherent active Raman spectroscopy using a tunable parametric oscillator —S. A. Akhmanov and N. I. Koroteev. 40(4), 650–60; CPM-7510X0842

Thermal fluctuations and molecular scattering of light in a liquid near the state of convective instability —V. P. Lesnikov and I. Z. Fisher. 40(4), 667–70; CPM-7510X0859

Elementary excitations and Raman scattering in a system of nonequilibrium phonons —S. A. Bulgadaev and I. B. Levinson. 40 (6), 1161–6; CPM-7512X0163

78.45.+ Stimulated emission

Stationary stimulated Mandel'shtam–Brillouin scattering in paramagnetic crystals under acoustic paramagnetic resonance conditions —R. G. Deminov and B. I. Kochelaev. 39(3), 440–2; CPM-7505X1436

Concerning the kinetics of stimulated gamma radiation in the transient regime —V. I. Vorontsov and V. I. Vysotskiĭ. 39(5), 748–51; CPM-7507X0686

Theory of spontaneous and stimulated emission of electromagnetic waves in unidimensionally inhomogeneous media and resonators — V. S. Pekar. 40(2), 233–7; CPM-7510X0183

A recombination laser based on electron transitions in diatomic molecules —A. S. Biryukov, A. M. Prokhorov, L. A. Shelepin, and N. N. Shirokov. 40(6), 1025–6; CPM-7512X0027

78.60.– Luminescence spectra and radiative recombination

On the theory of the luminescence of isolated molecules —G. G. Konoplev, A. A. Ovchinnikov, and V. G. Plotnikov. 39(6), 962–8; CPM-7507X1190

Spatial anisotropy of spontaneous emission by stationary atoms in a strong field —Yu. M. Golubev. 39(6), 999–1002; CPM-7507X1227

Optical orientation of excitons in cubic crystals —G. E. Pikus and G. L. Bir. 40(2), 390–5; CPM-7510X0340

Optical recording of dynamic self-polarization of nuclei in semiconductors —M. I. D'yakonov. 40(4), 746–9; CPM-7510X0938

78.90.+ Other topics in optical properties of condensed matter

X-ray transition radiation produced in an irregular medium —G. M. Garibyan, L. A. Gevorgyan, and C. Yang. 39(2), 265–70; CPM-7505X0433

Weakly damped electromagnetic waves in thin conductors under conditions of strong spatial dispersion —M. A. Lur'e and A. S. Rozhavskiĭ. 39(2), 319–21; CPM-7505X0487

Ruby breakdown by pulse trains and single ultrashort pulses —V. M. Baev, A. N. Savchenko, and E. A. Sviridenkov. 39(3), 443–6; CPM-7505X1439
Static skin effect on atomically pure tungsten and molybdenum surfaces —O. A. Panchenko, P. P. Lutsishin, and Yu. G. Ptushinskiĭ. 39(6), 1079–82; CPM-7507X1307
Determination of the properties of iron films during evaporation —A. B. Vaganov and V. V. Zav'yalov. 40(6), 1075–80; CPM-7512X0077

79. ELECTRON AND ION EMISSION BY LIQUIDS AND SOLIDS; IMPACT PHENOMENA

79.20.– Impact phenomena, including electron spectra and sputtering

Ruby breakdown by pulse trains and single ultrashort pulses —V. M. Baev, A. N. Savchenko, and E. A. Sviridenkov. 39(3), 443–6; CPM-7505X1439
Temperature dependence of the probability of scattering of small groups of electrons in tin and indium —V. A. Gasparov. 39(4), 732–6; CPM-7506X1080
On the reciprocity principle for scattering of fast charged particles by crystals —V. V. Beloshitskiĭ and M. A. Kumakhov. 39(5), 876–8; CPM-7507X0814
Coherent bremsstrahlung by electrons and positrons in silicon and niobium crystals —G. L. Bochek, I. A. Grishaev, N. P. Kalashnikov, G. D. Kovalenko, V. L. Morokhovskiĭ, and A. N. Fisun. 40(2), 400–3; CPM-7510X0350
Spectral and angular distribution of bremsstrahlung produced by high energy electrons in a dense medium —A. A. Varfolomeev and N. K. Zhevago. 40(3), 441–6; CPM-7510X0521
Avalanche ionization induced in solid transparent dielectrics by strong laser pulses —A. S. Epifanov. 40(5), 897–902; CPM-7511X0495
Photoacoustic cavitation in water —F. V. Bunkin, V. I. Konov, A. M. Prokhorov, V. V. Savranskiĭ, and V. B. Fedorov. 40(6), 1036–8; CPM-7512X0038

79.90.+ Other topics in emission and impact phenomena in condensed matter

Electron emission from metal surfaces exposed to ultrashort laser pulses —S. I. Anisimov, B. L. Kapeliovich, and T. L. Perel'man. 39(2), 375–7; CPM-7505X0543
Negative ion excited states and the determination of their binding energy by electron detachment by an electric field —V. A. Oparin, R. N. Il'in, I. T. Serenkov, and E. S. Solov'ev. 39(6), 989–94; CPM-7507X1217
Recoil effect in a strong resonant field —A. P. Kazantsev. 40(5), 825–8; CPM-7511X0423

81. MATERIALS SCIENCE AND METALLURGY

Effect of concentration of active solution on the "melting" of a double polymer chain —A. M. Kosevich, V. L. Galkin, and I. N. Nechiporenko. 39(1), 124–9; CPM-7504X0842
Investigation of the rheological properties of liquid crystals by means of acoustic flows —O. A. Kapustina and Yu. G. Statnikov. 39(2), 306–7; CPM-7505X0474

82. PHYSICAL CHEMISTRY

Depolarization of negative muons in condensed molecular media —A. A. Dzhuraev, V. S. Evseev, Yu. V. Obukhov, and V. S. Roganov. 39(2), 207–11; CPM-7505X0375
The effects of electrolytes on the depolarization of positive muons —E. V. Minaichev, G. G. Myasishcheva, Yu. V. Obukhov, V. S. Roganov, G. I. Savel'ev, V. P. Smilga, and V. G. Firsov. 39(6), 946–9; CPM-7507X1174
Resonant charge exchange of alkali-earth ions —G. S. Panev, A. N. Zavilopulo, I. P. Zapesochnyĭ, and O. B. Shpenik. 40(1), 23–6; CPM-7509X1513
Interaction between a plasma jet and a chemically active ionized gas target —A. A. Ivanov and V. V. Parail. 40(1), 49–52; CPM-7509X1539
Oscillatory effect of a magnetic field on the rate of a chemical reaction —G. S. Krinchik and R. A. Shvartsman. 40(6), 1153–7; CPM-7512X0155

85. ELECTRICAL AND MAGNETIC DEVICES

Theory of the current–voltage characteristics of one-dimensional S–N–S and S–N junctions —A. F. Volkov. 39(2), 366–9; CPM-7505X0534

87. BIOPHYSICS, MEDICAL PHYSICS, AND BIOMEDICAL ENGINEERING

Effect of concentration of active solution on the "melting" of a double polymer chain —A. M. Kosevich, V. L. Galkin, and I. N. Nechiporenko. 39(1), 124–9; CPM-7504X0842

95. THEORETICAL ASTROPHYSICS

95.30.+ Cosmology

An estimate of the size of the universe from a topological point of view —D. D. Sokolov and V. F. Shvartsman. 39(2), 196–200; CPM-7505X0364
External fields in the gravitational collapse of rotating masses —A. A. Khar'kov. 39(5), 737–41; CPM-7507X0675
The isotropization of the cosmological expansion owing to particle production —V. N. Lukash and A. A. Starobinskiĭ. 39(5), 742–7; CPM-7507X0680
Quantum effects in white holes —Ya. B. Zel'dovich, I. D. Novikov, and A. A. Starobinskiĭ. 39(6), 933–9; CPM-7507X1161
Cosmological consequences of a spontaneous breakdown of a discrete symmetry —Ya. B. Zel'dovich, I. Yu. Kobzarev, and L. B. Okun'. 40(1), 1–5; CPM-7509X1491

95.90.+ Other topics in theoretical astrophysics

Damping law for the external fields of a collapsing body —A. Z. Patashinskiĭ, V. K. Pinus, and A. A. Khar'kov. 39(2), 187–92; CPM-7505X0355
The pion spectrum in nuclear matter and pion condensation —A. B. Migdal, O. A. Markin, and I. I. Mishustin. 39(2), 212–21; CPM-7505X0380
Photocoulomb gravitons and the gravitational emittance of the sun — D. V. Gal'tsov. 40(2), 211–2; CPM-7510X0161
Possible generation of a magnetic field by Langmuir oscillations —S. I. Vainshtein. 40(2), 256–9; CPM-7510X0206
A relativistic phase transition —D. A. Kirzhnits and A. D. Linde. 40(4), 628–34; CPM-7510X0820

97. STARS

Oscillations of the elastic parameters of compressed matter —D. A. Kirzhnits and G. V. Shpatakovskaya. 39(5), 899–906; CPM-7507X0837
The possibility of the laser effect in stellar atmospheres —N. N. Lavrinovich and V. S. Letokhov. 40(5), 800–5; CPM-7511X0398

98. GALACTIC AND EXTRAGALACTIC OBJECTS AND SYSTEMS

Photoeffect in strong magnetic fields and x-ray emission from neutron stars —Yu. N. Gnedin, G. G. Pavlov, and A. I. Tsygan. 39(2), 201–6; CPM-7505X0369

AUTHOR INDEX TO VOLUMES 39-40

Papers are arranged in ascending page number order.

A

Abdullin, U. A.—Difference-frequency excitation in nonlinear optics and the conditions for Cerenkov-radiation emission —U. A. Abdullin, G. A. Lyakhov, O. V. Rudenko, and A. S. Chirkin. **39** (4), 633–7; CPM-7506X0981

Abel'skii, Sh. Sh.—Thermal properties of iron in solid solutions of silicon in iron near the Curie point —V. E. Zinov'ev, Sh. Sh. Abel'skii, M. I. Sandakova, E. G. Dik, L. N. Petrova, and P. V. Gel'd. **39**(1), 169–71; CPM-7504X0887

Abramov, A. V.—Investigation of the magnetic properties and NMR in spin–reorientation transitions in $DyFe_{0.993}Co_{0.007}O_3$ crystals —A. V. Zalesskiĭ, A. M. Kadomtseva, A. M. Savvinov, M. M. Lukina, G. L. Ovchinnikova, and A. V. Abramov. **39**(5), 883–6; CPM-7507X0821

Abramovskaya, T. A.—Investigation of the hyperfine interaction of U^{3+} in CaF_2 by the method of radio–frequency discrete saturation —T. A. Abramovskaya, B. G. Berulava, and T. I. Sanadze. **39**(1), 145–8; CPM-7504X0863

Abrashitov, Yu. I.—Interaction of a high-intensity relativistic electron beam with plasma in a magnetic field —Yu. I. Abrashitov, V. S. Koidan, V. V. Konyukhov, V. M. Lagunov, V. N. Luk'yanov, K. I. Mekler, and D. D. Ryutov. **39**(4), 647–53; CPM-7506X0995

Abrikosov, A. A.—Calculation of critical indices for zero-gap semiconductors —A. A. Abrikosov. **39**(4), 709–16; CPM-7506X1057

Ad'yasevich, B. P.—Loss of polarization by a deuteron beam in hydrogen —B. P. Ad'yasevich and V. G. Antonenko. **39**(6), 940–1; CPM-7507X1168

Afanas'ev, A. M.—Shapes of Mössbauer spectra in the rapid-relaxation limit —A. M. Afanas'ev and V. D. Gorobchenko. **39**(4), 690–6; CPM-7506X1038

—Resonant scattering of Mössbauer gamma quanta under relaxation conditions —A. M. Afanas'ev and V. D. Gorobchenko. **40**(6), 1114–20; CPM-7512X0116

Afrosimov, V. V.—Model of intersecting bands for interaction of closely approaching atomic particles —V. V. Afrosimov, Yu. S. Gordeev, and A. N. Zinov'ev. **39**(6), 950–5; CPM-7507X1178

—Elementary processes of variation of particle charge states in He^{2+}–He interaction —V. V. Afrosimov, G. A. Leĭko, Yu. A. Mamaev, and M. N. Panov. **40**(4), 661–6; CPM-7510X0853

Agranovich, A. M.—Excitons and instability of the dielectric state in quasi-one-dimensional and quasi-two-dimensional structures —A. M. Agranovich and B. P. Antonyuk. **40**(6), 1167–9; CPM-7512X0169

Akhiezer, I. A.—Theory of a two–component Fermi liquid —I. A. Akhiezer and E. M. Chudnovskiĭ. **39**(6), 1135–9; CPM-7507X1363

Akhmanov, S. A.—Effects of inhomogeneity of optical pumping in lasers and in stimulated scattering: Self-excitation due to distributed feedback —S. A. Akhmanov and G. A. Lyakhov. **39**(1), 43–8; CPM-7504X0761

—Statistical phenomena in Raman scattering stimulated by a broad–band pump —S. A. Akhmanov, Yu. E. D'yakov, and L. I. Pavlov. **39**(2), 249–56; CPM-7505X0417

—Coherent active Raman spectroscopy using a tunable parametric oscillator —S. A. Akhmanov and N. I. Koroteev. **40**(4), 650–60; CPM-7510X0842

Akopyan, G. G.—Measurement of the amplitdues for scattering of slow neutrons by praseodymium nuclei —G. G. Akopyan, V. P. Alfimenkov, and É I. Sharapov. **40**(3), 430–2; CPM-7510X0510

Aksel'rod, L. A.—Magnetic ordering in dilute PdFe alloys —G. P. Gordeev, G. M. Drabkin, I. M. Lazebnik, and L. A. Aksel'rod. **39** (5), 841–4; CPM-7507X0779

Al'ber, Ya. I.—Effects of stimulated scattering for an electromagnetic pulse incident on a plasma layer —Ya. I. Al'ber, Z. N. Krotova, N. A. Mityakov, V. O. Rapoport, and V. Yu. Trakhtengerts. **39**(2), 275–7; CPM-7505X0443

Aleksakhin, I. S.—Excitation function for the spectral lines of Na, K, Rb, and Cs ions in the vacuum ultraviolet —I. S. Aleksakhin, V. S. Vukstich, and I. P. Zapesochnyĭ. **39**(6), 971–4; CPM-7507X1199

Aleksandrov, B. N.—Deviations from the Matthiessen rule in the case of tin– and indium–base alloys —O. I. Lomonos, B. N. Aleksandrov, and A. P. Zhernov. **40**(3), 552–6; CPM-7510X0632

Aleksandrov, E. B.—Noise spectrum of spontaneous emission —E. B. Aleksandrov, V. P. Kozlov, and V. N. Kulyasov. **39**(4), 620–6; CPM-7506X0968

Aleksandrov, P. A.—Emission of gamma quanta from a crystal in the case of hyperfine splitting —P. A. Aleksandrov. **40**(2), 360–3; CPM-7510X0310

Aleksandrovich, S. V.—Magnetization of $Fe_{35}(Ni_{1-x}Mn_x)_{35}$ alloys in fields up to 350 kOe —B. K. Ponomarev and S. V. Aleksandrovich. **40**(5), 976–9; CPM-7511X0574

Alekseev, G. A.—Wave fields outside a collapsing charged star —N. R. Sibgatullin and G. A. Alekseev. **40**(4), 613–20; CPM-7510X0805

Alekseev, V. A.—Spectroscopy within the radiative linewidth —V. A. Alekseev, N. G. Basov, É. M. Belenov, M. I. Vol'nov, M. A. Gubin, V. V. Nikitin, and A. N. Nikolaenko. **39**(3), 429–32; CPM-7505X1425

Alekseevskiĭ, N. E.—NMR in $Nb_3Al_{1-x}Ge_x$ compounds —N. E. Alekseevskiĭ, R. A. Dautov, E. P. Krasnoperov, and K. S. Saĭkin. **39**(1), 149–52; CPM-7504X0867

—Mössbauer effect in superconducting films of tin evaporated jointly with a tin complex of etioporphyrin —N. E. Alekseevskiĭ and V. I. Tsebro. **39**(4), 697–700; CPM-7506X1045

Alexander, K.—A simple model for the acceleration of ions by high–current relativistic electron beams —K. Alexander, E. Hantzsche, and P. Siemroth. **40**(2), 280–5; CPM-7510X0230

Alfimenkov, V. P.—Measurement of the amplitdues for scattering of slow neutrons by praseodymium nuclei —G. G. Akopyan, V. P. Alfimenkov, and É I. Sharapov. **40**(3), 430–2; CPM-7510X0510

Alimpiev, S. S.—Nutation effect in the molecular gases BCl_3 and SF_6 —S. S. Alimpiev and N. V. Karlov. **39**(2), 260–4; CPM-7505X0428

Alliluev, S. P.—Calculations of the Stark effect in hydrogen atoms by using the dynamical symmetry O(2, 2) ×O(2) —S. P. Alliluev and I. A. Malkin. **39**(4), 627–32; CPM-7506X0975

Al'shits, V. I.—Electronic component of dislocation drag —V. I. Al'shits. **40**(6), 1099–100; CPM-7512X0101

Aminov, L. K.—Perturbation-theory calculations of two-quantum relaxation processes —L. K. Aminov. **40**(1), 41–2; CPM-7509X1531

Amus'ya, M. Ya.—Intershell and intersubshell effects in photoionization of atoms —M. Ya. Amus'ya, V. K. Ivanov, N. A. Cherepkov, and L. V. Chernysheva. **39**(5), 752–8; CPM-7507X0690

Anders, A. G.—Effect of magnetic dilution on the critical temperature of few dimensional antiferromagnetic $CuWO_4$ —A. I. Zvyagin and A. G. Anders. **40**(1), 154–7; CPM-7509X1644

Andreenko, A. S.—Observation of the magnetic compensation points in the spinel ferrites $MnFe_{2-x}Cr_xO_4$ —K. P. Belov, E. V. Talalaeva, L. A. Chernikova, A. S. Andreenko, and V. I. Ivanovskiĭ. **39**(2), 316–8; CPM-7505X0484

Andreev, A. F.—Theory of charge and impurity transfer in quantum crystals —A. F. Andreev and A. É. Meierovich. **40**(4), 776–80; CPM-7510X0968

Andreev, A. V.—Narrowing of gamma resonance lines in crystals by continuous radio-frequency fields —A. V. Andreev, Yu. A. Il'inskiĭ, and R. V. Khokhlov. **40**(5), 819–20; CPM-7511X0417

Anisimov, M. A.—Scaling theory and the equation of state of argon in a wide region around the critical point —M. A. Anisimov, A. T. Berestov, L. S. Veksler, B. A. Koval'chuk, and V. A. Smirnov. **39** (2), 359–65; CPM-7505X0527

Anisimov, S. I.—Electron emission from metal surfaces exposed to ultrashort laser pulses —S. I. Anisimov, B. L. Kapeliovich, and T. L. Perel'man. **39**(2), 375–7; CPM-7505X0543

Ansel'm, A. A.—Some parity-nonconservation effects in emission by hydrogenlike atoms —Ya. I. Azimov, A. A. Ansel'm, A. N. Moskalev, and R. M. Ryndin. **40**(1), 8–13; CPM-7509X1498

Anshelevich, V. V.—The knot problem in statistical mechanics of polymer chains —A. V. Vologodskiĭ, A. V. Lukashin, M. D. Frank-Kamenetskiĭ, and V. V. Anshelevich. **39**(6), 1059–63; CPM-7507X1287

Antonenko, V. G.—Loss of polarization by a deuteron beam in hydrogen —B. P. Ad'yasevich and V. G. Antonenko. **39**(6), 940–1; CPM-7507X1168

Antonyuk, B. P.—Excitons and instability of the dielectric state in quasi-one-dimensional and quasi-two-dimensional structures —A. M. Agranovich and B. P. Antonyuk. **40**(6), 1167–9; CPM-7512X0169

Arbatskaya, A. N.—Investigation of four-photon processes in stimulated Raman scattering (SRS) —A. N. Arbatskaya and M. M. Sushchinskiĭ. **39**(6), 981–4; CPM-7507X1209

Aronov, A. G.—The influence of condensate motion on the thermoelectric effects in superconductors —A. G. Aronov. **40**(1), 90–3; CPM-7509X1580

Aronzon, B. A.—Helicon propagation in semiconductors in a quantizing magnetic field —B. A. Aronzon and E. Z. Meĭlikhov. **40**(1), 139–43; CPM-7509X1629

Artem'ev, A. N.—Interference of nuclear transitions in pure nuclear diffraction of 14.4-keV gamma rays by hematite —E. P. Stepanov, A. N. Artem'ev, I. P. Perstnev, V. V. Sklyarevskiĭ, and G. V. Smirnov. **39**(3), 562–4; CPM-7505X1558

Arutyunyan, V. M.—Investigation of resonance polarization phenomena during the passage of laser radiation through potassium vapor —V. M. Arutyunyan, T. A. Papazyan, Yu. S. Chilingaryan, A. V. Karmenyan, and S. M. Sarkisyan. **39**(2), 243–8; CPM-7505X0411

Aslamazov, L. G.—Fluctuation-induced magnetic susceptibility of superconductors and normal metals —L. G. Aslamazov and A. I. Larkin. **40**(2), 321–7; CPM-7510X0271

Aukhadeev, F. L.—Observation of the heating of the dipole-dipole interaction pool of impurity ions in nuclear relaxation —I. I. Valeev, F. L. Aukhadeev, and V. A. Skrebnev. **40**(1), 101–3; CPM-7509X1591

Azimov, Ya. I.—Some parity-nonconservation effects in emission by hydrogenlike atoms —Ya. I. Azimov, A. A. Ansel'm, A. N. Moskalev, and R. M. Ryndin. **40**(1), 8–13; CPM-7509X1498

B

Babkin, G. I.—Nonlinear size effect in bismuth —G. I. Babkin and V. T. Dolgopolov. **39**(4), 717–20; CPM-7506X1065

—Electromagnetic generation of sound in metals located in a magnetic field —G. I. Babkin and V. Ya. Kravchenko. **40**(3), 498–503; CPM-7510X0578

Baev, V. M.—Ruby breakdown by pulse trains and single ultrashort pulses —V. M. Baev, A. N. Savchenko, and E. A. Sviridenkov. **39**(3), 443–6; CPM-7505X1439

Baidakov, V. G.—Experimental study of liquid argon in the metastable state —V. G. Baĭdakov, V. P. Skripov, and A. M. Kaverin. **40**(2), 335–7; CPM-7510X0285

Baier, V. N.—The kinetics and integral characteristics of synchrotron radiation at high energies —V. N. Baier, V. M. Katkov, and V. M. Strakhovenko. **39**(1), 36–42; CPM-7504X0754

—Operator approach to quantum electrodynamics in an external field: The mass operator —V. N. Baier, V. M. Katkov, and V. M. Strakhovenko. **40**(2), 225–32; CPM-7510X0175

Balagurov, B. Ya.—Theory of antiferromagnetic impurities in magnets —B. Ya. Balagurov and V. G. Vaks. **39**(3), 554–61; CPM-7505X1550

Balandin, M. P.—Measurement of the lifetime of the positive muon —M. P. Balandin, V. M. Grebenyuk, V. G. Zinov, A. D. Konin, and A. N. Ponomarev. **40**(5), 811–4; CPM-7511X0409

Baldokhin, Yu. V.—Mössbauer observation of radio-frequency striction of the paraprocess in invar alloys —Yu. V. Baldokhin, E. F. Makarov, V. A. Povitskiĭ, and V. A. Makarov. **39**(5), 873–5; CPM-7507X0811

Bankuti, J.—Magnetic properties of superconducting In–Bi alloys —I. Kirschner, J. Bankuti, Gy. Kiss, I. Kovacs, L. Laszloffy, Gy. Remenyi, and K. Sajo. **39**(6), 1054–8; CPM-7507X1282

Baran, N. P.—Nuclear relaxation via electron-spin cross relaxation —A. B. Brik, N. P. Baran, S. S. Ishchenko, and L. A. Shul'man. **40**(1), 94–7; CPM-7509X1584

Barantsov, V. I.—Influence of elastic collisions on nonlinear interference effects —V. I. Barantsov, L. T. Bolotskikh, and A. K. Popov. **39**(3), 419–22; CPM-7505X1415

—Possibility of four-photon parametric generation of light in gases —V. I. Barantsov, A. K. Popov, and G. Kh. Tartakovskiĭ. **40**(3), 449–56; CPM-7510X0529

Barchukov, A. I.—Investigation of low-threshold gas breakdown near solid targets by CO_2 laser radiation —A. I. Barchukov, F. V. Bunkin, V. I. Konov, and A. A. Lyubin. **39**(3), 469–77; CPM-7505X1465

Bar'yakhtar, V. G.—The effect of impurities on the change of the mechanical properties of metals in a superconducting transition —V. G. Bar'yakhtar, E. I. Druinskiĭ, and I. I. Fal'ko. **39**(3), 497–501; CPM-7505X1493

—Sound absorption in an antiferromagnet in the vicinity of a spin–flop field —V. G. Bar'yakhtar and B. A. Ivanov. **39**(5), 907–8; CPM-7507X0845

—Effect of scattering processes on the anomalies in the thermodynamic characteristics of superconductors under pressure —V. I. Makarov, V. G. Bar'yakhtar, and V. V. Gann. **40**(1), 85–9; CPM-7509X1575

Baryshevskiĭ, V. G.—Effect of energy losses on bremsstrahlung of relativistic electrons —V. G. Baryshevskiĭ. **40**(5), 821–4; CPM-7511X0419

Basiev, T. T.—Effect of broadening of spectral lines on the migration of electron excitation along impurity centers in crystals —T. T. Basiev, Yu. K. Voron'ko, and I. S. Shcherbakov. **39**(6), 1042–8; CPM-7507X1270

Baskakov, V. Ya.—On the possibility of a critical transition in para–azoxyanisole —V. Ya. Baskakov, V. K. Semenchenko, and V. M. Byankin. **39**(2), 383–5; CPM-7505X0551

Basov, N. G.—Spectroscopy within the radiative linewidth —V. A. Alekseev, N. G. Basov, É. M. Belenov, M. I. Vol'nov, M. A. Gubin, V. V. Nikitin, and A. N. Nikolaenko. **39**(3), 429–32; CPM-7505X1425

—Anomalous interaction of strong laser radiation with dense plasma —N. G. Basov, O. N. Krokhin, V. V. Pustovalov, A. A. Rupasov, V. P. Silin, G. V. Sklizkov, V. T. Tikhonchuk, and A. S. Shikanov. **40**(1), 61–8; CPM-7509X1551

Batyev, E. G.—Superconductivity in polycrystalline bismuth films —V. I. Petrosyan, V. N. Molin, O. I. Vasin, P. A. Skripkina, S. I. Stenin, and E. G. Batyev. **39**(3), 485–9; CPM-7505X1481

Bazhan, A. N.—Magnetic phase transitions in antiferromagnetic $NiCO_3$ —A. N. Bazhan. **39**(3), 531–7; CPM-7505X1527

—Weak ferromagnetism along the trigonal axis in antiferromagnetic $CoCO_3$ and $NiCO_3$ —A. N. Bazhan. **40**(4), 757–9; CPM-7510X0949

Bazuev, G. V.—Magnetic phase transition in yttrium othovanadite —V. G. Zubkov, A. S. Borukhovich, G. V. Bazuev, I. I. Matveenko, and G. P. Shveikin. **39**(5), 896–8; CPM-7507X0834

Bazylev, V. A.—Effect of the medium on the bremsstrahlung of an electron in the optical frequency range —V. A. Bazylev, A. A. Varfolomeev, and N. K. Zhevago. **39**(2), 222–7; CPM-7505X0390

Belenov, É. M.—Breakdown of gases through laser radiation with high-energy quanta —É. M. Belenov, S. Yu. Gus'kov, V. A. Isakov, and A. N. Lobanov. **39**(2), 278–81; CPM-7505X0446

—Spectroscopy within the radiative linewidth —V. A. Alekseev, N. G. Basov, É. M. Belenov, M. I. Vol'nov, M. A. Gubin, V. V. Nikitin, and A. N. Nikolaenko. **39**(3), 429–32; CPM-7505X1425

Beletskiĭ, V. I.—Magnetoacoustic oscillations in zinc and cadmium —V. I. Beletskiĭ, A. P. Korolyuk, and M. A. Obolenskiĭ. **40**(4), 755–6; CPM-7510X0947

Belik, V. P.—Investigation of short-wave radiation emitted in slow collisions between Na^+ ions and Ne atoms —V. P. Belik, S. V. Bobashev, and S. P. Dmitriev. **40**(5), 833–6; CPM-7511X0431

Belikov, V. S.—Nonlinear theory of thermonuclear Alfven instability in plasma —V. S. Belikov, Ya. I. Kolesnichenko, and V. N. Oraevskiĭ. **39**(5), 828–31; CPM-7507X0766

Beloshitskiĭ, V. V.—On the reciprocity principle for scattering of fast charged particles by crystals —V. V. Beloshitskiĭ and M. A. Kumakhov. **39**(5), 876–8; CPM-7507X0814

Belousova, O. N.—Gapless state produced in $Hg_{1-x}Cd_xTe$ alloys under pressure —N. B. Brandt, O. N. Belousova, L. A. Bovina, V. I. Stafeev, and Ya. G. Ponomarev. **39**(1), 157–65; CPM-7504X0875

Belov, K. P.—Observation of the magnetic compensation points in the spinel ferrites $MnFe_{2-x}Cr_xO_4$ —K. P. Belov, E. V. Talalaeva, L. A. Chernikova, A. S. Andreenko, and V. I. Ivanovskiĭ. **39**(2), 316–8; CPM-7505X0484

—New orientational transitions induced in orthoferrites by an external field —K. P. Belov, A. K. Zvezdin, A. M. Kadomtseva, and I. B. Krynetskiĭ. **40**(5), 980–4; CPM-7511X0578

Benidze, O. M.—Magneto-optic investigation of magnetic structures under micron resolution conditions —G. S. Krinchik and O. M. Benidze. **40**(6), 1081–7; CPM-7512X0083

Berestov, A. T.—Scaling theory and the equation of state of argon in a wide region around the critical point —M. A. Anisimov, A. T. Berestov, L. S. Veksler, B. A. Koval'chuk, and V. A. Smirnov. **39**(2), 359–65; CPM-7505X0527

Berim, G. O.—Theory of magnetic resonance in the Ising model —G. O. Berim, M. M. Zaripov, and A. R. Kessel'. **39**(2), 355–8; CPM-7505X0523

Berkovits, V. L.—Optical effects due to polarization of nuclei in semiconductors —M. I. D'yakonov, V. I. Perel', V. L. Berkovits, and V. I. Safarov. **40**(5), 950–5; CPM-7511X0548

Bersuker, I. B.—Jahn–Teller effect for T terms —I. B. Bersuker and V. Z. Polinger. **39**(6), 1023–9; CPM-7507X1251

Berulava, B. G.—Investigation of the hyperfine interaction of U^{3+} in CaF_2 by the method of radio–frequency discrete saturation —T. A. Abramovskaya, B. G. Berulava, and T. I. Sanadze. **39**(1), 145–8; CPM-7504X0863

Bespalov, B. A.—Turbulent dispersion of a fast particle cloud in plasma —B. A. Bespalov and V. Yu. Trakhtengerts. **40**(3), 480–3; CPM-7510X0560

Bezuglyĭ, P. A.—Temperature dependence of the velocity of ultrasound in superconducting tin —V. D. Fil', V. I. Denisenko, and P. A. Bezuglyi. **39**(2), 370–4; CPM-7505X0538

Bir, G. L.—Optical orientation of excitons in cubic crystals —G. E. Pikus and G. L. Bir. **40**(2), 390–5; CPM-7510X0340

Biryukov, A. S.—Relaxation of the vibrational energy of the (00^01) level of the CO_2 molecule —A. S. Biryukov, V. K. Konyukhov, A. I. Lukovnikov, and R. I. Serikov. **39**(4), 610–4; CPM-7506X0958

—A recombination laser based on electron transitions in diatomic molecules —A. S. Biryukov, A. M. Prokhorov, L. A. Shelepin, and N. N. Shirokov. **40**(6), 1025–6; CPM-7512X0027

Bisnovatyĭ-Kogan, G. S.—Nonequilibrium beta processes and the role of excited states of nuclei —G. S. Bisnovatyĭ-Kogan, M. A. Rudzskiĭ, and Z. F. Seidov. **40**(5), 806–10; CPM-7511X0404

Blagoĭ, Yu. P.—Viscosity of nitrogen near the liquid–vapor critical point —V. N. Zozulya and Yu. P. Blagoĭ. **39**(1), 99–105; CPM-7504X0817

Blekher, P. M.—Critical indices for systems with slowly decaying interaction —P. M. Blekher and Ya. G. Sinaĭ. **40**(1), 195–7; CPM-7509X1685

Bobashev, S. V.—Investigation of short-wave radiation emitted in slow collisions between Na^+ ions and Ne atoms —V. P. Belik, S. V. Bobashev, and S. P. Dmitriev. **40**(5), 833–6; CPM-7511X0431

Bochek, G. L.—Photodisintegration of C^{12} with 345–MeV bremsstrahlung —G. L. Bochek, I. A. Grishaev, N. L. Emets, N. I. Lapin, G. D. Pugachev, and Yu. N. Ranyuk. **39**(1), 7–9; CPM-7504X0725

—Coherent bremsstrahlung by electrons and positrons in silicon and niobium crystals —G. L. Bochek, I. A. Grishaev, N. P. Kalashnikov, G. D. Kovalenko, V. L. Morokhovskiĭ, and A. N. Fisun. **40**(2), 400–3; CPM-7510X0350

Bogachek, É. N.—Quantum electromagnetic waves in cylindrical conductors —É. N. Bogachek and G. A. Gogadze. **40**(2), 308–10; CPM-7510X0258

Bogod, Yu. A.—Experimental investigation of the "Hall" components of the magnetoresistance tensor of bismuth —Yu. A. Bogod, Vit. B. Krasovitskiĭ, and V. G. Gerasimenko. **39**(4), 667–70; CPM-7506X1015

Bokov, O. G.—Theory of the nonlinear refractive index of liquids — O. G. Bokov. **40**(5), 923–8; CPM-7511X0521

Bolotskikh, L. T.—Influence of elastic collisions on nonlinear interference effects —V. I. Barantsov, L. T. Bolotskikh, and A. K. Popov. **39**(3), 419–22; CPM-7505X1415

Bonch-Bruevich, A. M.—Changes in the absorption spectrum and of dispersion of a two-level system in a rotating monochromatic radiation field —A. M. Bonch-Bruevich, V. A. Khodovoĭ, and N. A. Chigir'. **40**(6), 1027–31; CPM-7512X0029

Bonch-Bruevich, V. L.—The Bénard problem for hot electrons in semiconductors —V. L. Bonch-Bruevich. **40**(6), 1093–8; CPM-7512X0095

Borman, V. D.—Effect of a magnetic field on heat transport in tenuous molecular gases —V. D. Borman, V. S. Laz'ko, and B. I. Nikolaev. **39**(4), 657–60; CPM-7506X1005

—Quasiclassical kinetic equation for gases with rotational degrees of freedom —V. D. Borman, A. S. Bruev, and L. A. Maksimov. **40**(3), 472–9; CPM-7510X0552

—Investigation of the thermal conductivity of oxygen in parallel stationary and alternating magnetic fields at low pressure —V. D. Borman, B. I. Nikolaev, and V. A. Ryabov. **40**(4), 684–8; CPM-7510X0876

—On the theory of the thermomagnetic effect in a Knudsen gas —S. Yu. Krylov, V. D. Borman, B. I. Nikolaev, and V. I. Troyan. **40**(6), 1053–7; CPM-7512X0055

Borovik–Romanov, A. S.—Magnetic birefringence of light in the antiferromagnetic $MnCO_3$, $CoCO_3$, and $CsMnF_3$ —A. S. Borovik–Romanov, N. M. Kreines, A. A. Pankov, and M. A. Talalaev. **39**(2), 378–82; CPM-7505X0546

Borukhovich, A. S.—Magnetic phase transition in yttrium othovanadite —V. G. Zubkov, A. S. Borukhovich, G. V. Bazuev, I. I. Matveenko, and G. P. Shveĭkin. **39**(5), 896–8; CPM-7507X0834

Bovina, L. A.—Gapless state produced in $Hg_{1-x}Cd_xTe$ alloys under pressure —N. B. Brandt, O. N. Belousova, L. A. Bovina, V. I. Stafeev, and Ya. G. Ponomarev. **39**(1), 157–65; CPM-7504X0875

Bragin, F. V.—Nuclear magnetic resonance of chlorine in the internal field of a magnetically ordered layered compound of graphite with $NiCl_2$ —F. V. Bragin, Yu. N. Novikov, and S. M. Ryabchenko. **39**(1), 172–4; CPM-7504X0890

Braginskiĭ, V. B.—An upper limit on the density of gravitational radiation of extraterrestrial origin —V. B. Braginskiĭ, A. B. Manukin, E. I. Popov, V. N. Rudenko, and A. A. Khorev. **39**(3), 387–92; CPM-7505X1383

Brandt, N. B.—Gapless state produced in $Hg_{1-x}Cd_xTe$ alloys under pressure —N. B. Brandt, O. N. Belousova, L. A. Bovina, V. I. Stafeev, and Ya. G. Ponomarev. **39**(1), 157–65; CPM-7504X0875

—Investigation of the galvanomagnetic properties of graphite in magnetic fields up to 500 kOe at low temperatures —N. B. Brandt, G. A. Kapustin, V. G. Karavaev, A. S. Kotosonov, and E. A. Svistova. **40**(3), 564–9; CPM-7510X0644

Braun, M. A.—Energy of a Fermi system in an external field with radiation corrections taken into account —M. A. Braun and T. N. Sibirkina. **39**(6), 1017–22; CPM-7507X1245

Braun, P. A.—The dynamical Stark effect in diatomic molecules —P. A. Braun and A. N. Petelin. **39**(5), 775–8; CPM-7507X0713

Breĭzman, B. N.—The helicon mechanism of relaxation of a relativistic electron beam in a plasma —B. N. Breĭzman and S. G. Feĭzov. **39**(1), 93–8; CPM-7504X0811

Brik, A. B.—Nuclear relaxation via electron-spin cross relaxation — A. B. Brik, N. P. Baran, S. S. Ishchenko, and L. A. Shul'man. **40**(1), 94–7; CPM-7509X1584

Bronnikov, A. D.—Effect of lead impurity on the temperature dependence of the electric resistance of indium —A. D. Bronnikov, E. P. Vol'skiĭ, V. T. Petrashov, I. I. Razgonov, and V. S. Tsoĭ. **40**(2), 357–9; CPM-7510X0307

Broude, S. V.—Investigation of the properties of the dislocation EPR spectra in silicon —S. V. Broude, V. A. Grazhulis, V. V. Kveder, and Yu. A. Osip'yan. **39**(4), 721–5; CPM-7506X1069

Brovman, E. G.—A general method for integration of many–point ring diagrams for Fermi systems —E. G. Brovman and A. Kholas. **39**(5), 924–31; CPM-7507X0862

Brückner, F.—Self-induced transparency of a semiconductor —F. Brückner, Ya. T. Vasilev, V. S. Dneprovskiĭ, D. G. Koshchug, E. K. Silina, and V. U. Khattatov. **40**(6), 1101–4; CPM-7512X0103

Bruev, A. S.—Quasiclassical kinetic equation for gases with rotational degrees of freedom —V. D. Borman, A. S. Bruev, and L. A. Maksimov. **40**(3), 472–9; CPM-7510X0552

Bugaĭ, A. A.—Concentration dependence of the electron paramagnetic resonance line shape: The Cr^{3+} ion in $ZnWO_4$ —A. A. Bugaĭ, B. K. Krulikovskiĭ, V. M. Maksimenko, and A. B. Roĭtsin. **40**(2), 377–81; CPM-7510X0327

Buishvili, L. L.—Saturation of inhomogeneously broadened EPR line at low temperatures —L. L. Buishvili, N. P. Giorgadze, and A. A. Davituliani. **40**(1), 82–4; CPM-7509X1572

—Strong EPR saturation under phonon–bottleneck conditions —L. L. Buishvili, N. P. Giorgadze, M. Z. Zviadadze, and A. I. Ugulava. **40**(2), 330–4; CPM-7510X0280

Bukstich, V. S.—Excitation of the resonance level of He^+ in electron–atom, electron–ion, and ion–atom collisions —A. I. Dashchenko, I. P. Zapesochnyĭ, A. I. Imre, V. S. Bukstich, F. F. Danch, and V. A. Kel'man. **40**(2), 249–51; CPM-7510X0199

Bulaevskiĭ, L. N.—Diamagnetic fluctuations in layer superconductors and small superconducting particles —L. N. Bulaevskiĭ. **39**(6), 1090–3; CPM-7507X1318

Bulgadaev, S. A.—Elementary excitations and Raman scattering in a system of nonequilibrium phonons —S. A. Bulgadaev and I. B. Levinson. **40**(6), 1161–6; CPM-7512X0163

Bunkin, F. V.—Investigation of low-threshold gas breakdown near solid targets by CO_2 laser radiation —A. I. Barchukov, F. V. Bunkin, V. I. Konov, and A. A. Lyubin. **39**(3), 469–77; CPM-7505X1465

—Photoacoustic cavitation in water —F. V. Bunkin, V. I. Konov, A. M. Prokhorov, V. V. Savranskiĭ, and V. B. Fedorov. **40**(6), 1036–8; CPM-7512X0038

Burenin, A. V.—Possibility of observing the rotational spectra of nonpolar molecules —A. V. Burenin and A. F. Krupnov. **40**(2), 252–3; CPM-7510X0202

Burinskiĭ, A. Yu.—Microgeons with spin —A. Yu. Burinskiĭ. **39**(2), 193–5; CPM-7505X0361

Burshtein, A. I.—Spectral exchange in collision broadening of rotational structure —A. I. Burshtein, M. L. Strekalov, and S. I. Temkin. **39**(3), 433–9; CPM-7505X1429

—On the theory of polarization phenomena in the spectroscopy of two-quantum transitions —A. I. Burshtein, É. G. Saprykin, and G. I. Smirnov. **39**(5), 769–72; CPM-7507X0707

Byankin, V. M.—On the possibility of a critical transition in para-azoxyanisole —V. Ya. Baskakov, V. K. Semenchenko, and V. M. Byankin. **39**(2), 383–5; CPM-7505X0551

Bychenkov, V. Yu.—A kinetic equation for a plasma in a high-frequency field —V. Yu. Bychenkov and V. P. Silin. **40**(1), 69–74; CPM-7509X1559

Bychkov, Yu. A.—Frequency dependence of the conductivity of random systems near the true spectral edge —Yu. A. Bychkov. **39**(5), 887–8; CPM-7507X0825

—Absence of sound in one-dimensional disordered crystals —Yu. A. Bychkov. **40**(6), 1152; CPM-7512X0154

Bychkov, Yu. I.—Properties of a space discharge excited by an electron beam of 10^{-5} sec duration —Yu. I. Bychkov, S. A. Genkin, Yu. D. Korolev, Yu. E. Kreĭndel', G. A. Mesyats, and A. G. Filonov. **39**(2), 299–300; CPM-7505X0467

Bystritskiĭ, V. M.—Measurement of the muon capture rate in gaseous hydrogen —V. M. Bystritskiĭ, V. P. Dzhelepov, P. F. Ermolov, K. O. Oganesyan, M. N. Omel'yanenko, S. Yu. Porokhovoĭ, V. S. Roganov, A. I. Rudenko, and V. V. Fil'chenkov. **39**(1), 19–26; CPM-7504X0737

—Study of the fusion reaction $d\mu+d\rightarrow He^3+n+\mu$ in gaseous deuterium —V. M. Bystritskiĭ, V. P. Dzhelepov, K. O. Oganesyan, M. N. Omel'yanenko, S. Yu. Porokhovoĭ, A. I. Rudenko, and V. V. Fil'chenkov. **39**(1), 27–9; CPM-7504X0745

C

Chalyĭ, A. V.—Multiple scattering of light in an inhomogeneous medium near the critical point —E. L. Lakoza and A. V. Chalyĭ. **40**(3), 521–5; CPM-7510X0601

Chaplik, A. V.—Effect of localized states in a barrier on electron tunneling —A. V. Chaplik and M. V. Éntin. **40**(1), 106–10; CPM-7509X1596

—Nonresonant charge transfer in the field of an intense light wave —R. Z. Vitlina, A. V. Chaplik, and M. V. Éntin. **40**(5), 829–32; CPM-7511X0427

Chechernikov, V. I.—The Al^{27} Knight shift and magnetic properties of Fe, Co, and Ni monoaluminides —V. I. Chechernikov, V. I. Nedel'ko, A. F. Prun, and F. A. Sidorenko. **40**(2), 342–3; CPM-7510X0292

Chechkin, V. V.—Investigation of large amplitude oscillations in an inhomogeneous plasma near ion cyclotron resonance —L. I. Grigor'eva, B. I. Smerdov, S. A. Sapogov, and V. V. Chechkin. **39**(2), 287–93; CPM-7505X0455

Cheishvili, O. D.—Fluctuation conductivity of superconductors of the second kind above T_c in the presence of strong electric and magnetic fields —O. D. Cheishvili. **39**(5), 916–9; CPM-7507X0854

—Effect of fluctuation electron pairs on the absorption of sound in metals above the superconducting transition point —O. D. Cheishvili. **40**(5), 887–90; CPM-7511X0485

Chekalin, S. V.—Variation in the time structure of ultrashort pulses during propagation through a stable two-component medium —A. N. Zherikhin, P. G. Kryukov, E. V. Kurganova, Yu. A. Matveets, S. V. Chekalin, S. A. Churilova, and O. B. Shatberashvili. **39**(1), 52–6; CPM-7504X0770

Cheremushkina, A. V.—Hall effect in rhenium single crystals at low temperatures in strong magnetic fields —E. I. Kondorskiĭ, O. S. Galkina, A. V. Cheremushkina, U. T. Usarov, and G. E. Chuprikov. **39**(6), 1094–5; CPM-7507X1322

Cherepanov, V. M.—Sign of conduction-electron polarization in iron —V. Ya. Gamlitskiĭ, O. A. Gurkovskiĭ, V. I. Nikolaev, I. N. Nikolaev, V. M. Cherepanov, and S. S. Yakimov. **40**(2), 374–6; CPM-7510X0324

—Effect of anisotropy on field-induced antiferromagnetism in $YFeO_3$ —V. I. Ozhogin, V. M. Cherepanov, and S. S. Yakimov. **40**(3), 517–20; CPM-7510X0597

Cherepkov, N. A.—Intershell and intersubshell effects in photoionization of atoms —M. Ya. Amus'ya, V. K. Ivanov, N. A. Cherepkov, and L. V. Chernysheva. **39**(5), 752–8; CPM-7507X0690

Cherevan', Yu. A.—Effect of impurities and pressure on the superconducting transition temperature of thallium. V —T. A. Ignat'eva, V. I. Makarov, and Yu. A. Cherevan'. **40**(3), 492–7; CPM-7510X0572

Chernikova, L. A.—Observation of the magnetic compensation points in the spinel ferrites $MnFe_{2-x}Cr_xO_4$ —K. P. Belov, E. V. Talalaeva, L. A. Chernikova, A. S. Andreenko, and V. I. Ivanovskiĭ. **39**(2), 316–8; CPM-7505X0484

Chernobrod, B. M.—Investigation of the four-photon resonance scattering of light —Yu. M. Kirin, S. G. Rautian, V. P. Safonov, and B. M. Chernobrod. **39**(6), 956–61; CPM-7507X1184

Chernov, A. S.—Doppler shifted cyclotron resonance and electromagnetic waves in copper —V. V. Lavrova, C. V. Medvedev, V. G. Skobov, L. M. Fisher, A. S. Chernov, and V. A. Yudin. **39**(2), 338–44; CPM-7505X0506

—Multiple dopplerons in aluminum —V. G. Skobov, L. M. Fisher, A. S. Chernov, and V. A. Yudin. **40**(3), 605–12; CPM-7510X0685

Chernysheva, L. V.—Intershell and intersubshell effects in photoionization of atoms —M. Ya. Amus'ya, V. K. Ivanov, N. A. Cherepkov, and L. V. Chernysheva. **39**(5), 752–8; CPM-7507X0690

Chetkin, M. V.—Anisotropy of linear magneto-optical effects in thulium orthoferrite —M. V. Chetkin, Yu. I. Shcherbakov, A. P. Volenko, and L. D. Shevchuk. **40**(3), 509–11; CPM-7510X0589

Chigir', N. A.—Changes in the absorption spectrum and of dispersion of a two-level system in a rotating monochromatic radiation field —A. M. Bonch-Bruevich, V. A. Khodovoĭ, and N. A. Chigir'. **40**(6), 1027–31; CPM-7512X0029

Chigrinov, V. G.—Instability of Poiseuille flow of a nematic fluid —S. A. Pikin and V. G. Chigrinov. **40**(6), 1131–3; CPM-7512X0133

Chigvinadze, J. G.—Drag of crystal lattice by moving Abrikosov fluxoids —J. G. Chigvinadze. **40**(6), 1172–3; CPM-7512X0174

Chilingaryan, Yu. S.—Investigation of resonance polarization phenomena during the passage of laser radiation through potassium vapor —V. M. Arutyunyan, T. A. Papazyan, Yu. S. Chilingaryan, A. V. Karmenyan, and S. M. Sarkisyan. **39**(2), 243–8; CPM-7505X0411

Chirkin, A. S.—Difference-frequency excitation in nonlinear optics and the conditions for Cerenkov-radiation emission —U. A. Abdullin, G. A. Lyakhov, O. V. Rudenko, and A. S. Chirkin. **39**(4), 633–7; CPM-7506X0981

—Theory of nonlinear interaction between monochromatic and noise waves in weakly dispersive media —O. V. Rudenko and A. S. Chirkin. **40**(5), 945–9; CPM-7511X0543

Chistyakova, L. K.—Explosion of water drop bombarded by a series of optical-radiation pulses —V. V. Kostin, V. A. Pogodaev, S. S. Khmelevtsov, and L. K. Chistyakova. **39**(6), 969–70; CPM-7507X1197

Chogovadze, M. E.—Nonlinear theory of excitation of electromagnetic waves in a dielectric medium by a nonrelativistic electron beam —Ts. D. Loladze, A. A. Rukhadze, and M. E. Chogovadze. **40**(3), 433–5; CPM-7510X0513

Chudnovskiĭ, E. M.—Theory of a two-component Fermi liquid —I. A. Akhiezer and E. M. Chudnovskiĭ. **39**(6), 1135–9; CPM-7507X1363

Chumachkova, M. M.—Multiphoton transitions in a hydrogenlike atom —V. P. Oleĭnik and M. M. Chumachkova. **40**(3), 460–1; CPM-7510X0540

Chuprikov, G. E.—Hall effect in rhenium single crystals at low temperatures in strong magnetic fields —E. I. Kondorskiĭ, O. S. Galkina, A. V. Cheremushkina, U. T. Usarov, and G. E. Chuprikov. **39**(6), 1094–5; CPM-7507X1322

Churilova, S. A.—Variation in the time structure of ultrashort pulses during propagation through a stable two–component medium —A. N. Zherikhin, P. G. Kryukov, E. V. Kurganova, Yu. A. Matveets, S. V. Chekalin, S. A. Churilova, and O. B. Shatberashvili. **39**(1), 52–6; CPM-7504X0770

D

Dalidchik, F. I.—Detachment of weakly bound electrons in slow collisions between atomic systems —F. I. Dalidchik. **39**(3), 410–3; CPM-7505X1406

Danch, F. F.—Excitation of the resonance level of He^+ in electron–atom, electron–ion, and ion–atom collisions —A. I. Dashchenko, I. P. Zapesochnyĭ, A. I. Imre, V. S. Bukstich, F. F. Danch, and V. A. Kel'man. **40**(2), 249–51; CPM-7510X0199

Dashchenko, A. I.—Excitation of the resonance level of He^+ in electron–atom, electron–ion, and ion–atom collisions —A. I. Dashchenko, I. P. Zapesochnyĭ, A. I. Imre, V. S. Bukstich, F. F. Danch, and V. A. Kel'man. **40**(2), 249–51; CPM-7510X0199

Dautov, R. A.—NMR in $Nb_3Al_{1-x}Ge_x$ compounds —N. E. Alekseevskiĭ, R. A. Dautov, E. P. Krasnoperov, and K. S. Saĭkin. **39**(1), 149–52; CPM-7504X0867

Davituliani, A. A.—Saturation of inhomogeneously broadened EPR line at low temperatures —L. L. Buishvili, N. P. Giorgadze, and A. A. Davituliani. **40**(1), 82–4; CPM-7509X1572

Davydov, V. N.—Distinctive features of sound absorption in a phase transition of order 2-1/2 —V. N. Davydov and M. I. Kaganov. **40**(4), 741–5; CPM-7510X0933

Davydova, T. A.—Stabilization of shock instability at the expense of the inhomgeneity of the medium —T. A. Davydova and V. N. Oraevskiĭ. **39**(5), 791–5; CPM-7507X0729

Degtyarev, L. M.—Dynamics of the formation and interaction of Langmuir solitons and strong turbulence —L. M. Degtyarev, V. G. Nakhan'kov, and L. I. Rudakov. **40**(2), 264–8; CPM-7510X0214

Deminov, R. G.—Stationary stimulated Mandel'shtam–Brillouin scattering in paramagnetic crystals under acoustic paramagnetic resonance conditions —R. G. Deminov and B. I. Kochelaev. **39**(3), 440–2; CPM-7505X1436

Demkov, Yu. N.—Transitions between the degenerate states of an excited hydrogenlike ion during distant collisions with a charged particle —Yu. N. Demkov, V. N. Ostrovskiĭ, and E. A. Solov'ev. **39**(1), 57–61; CPM-7504X0775

—Scattering of electrons by long linear molecules. The effect of approximate translational symmetry —Yu. N. Demkov, V. N. Ostrovskiĭ, and E. A. Solov'ev. **39**(2). 239–42; CPM-7505X0407

Denisenko, V. I.—Temperature dependence of the velocity of ultrasound in superconducting tin —V. D. Fil', V. I. Denisenko, and P. A. Bezuglyĭ. **39**(2), 370–4; CPM-7505X0538

Derebchinskiĭ, A. I.—Polarization of secondary protons from the reaction $\gamma + p \rightarrow \pi^0 + p$ in the region of the third resonance —A. I. Derebchinskiĭ, S. G. Tonapetyan, O. G. Konovalov, V. P. Nazyrov, and A. E. Tenishev. **39**(1), 30–2; CPM-7504X0748

Dik, E. G.—Thermal properties of iron in solid solutions of silicon in iron near the Curie point —V. E. Zinov'ev, Sh. Sh. Abel'skiĭ, M. I. Sandakova, E. G. Dik, L. N. Petrova, and P. V. Gel'd. **39**(1), 169–71; CPM-7504X0887

Dikman, S. M.—Plasma echo in metals —S. M. Dikman and G. I. Leviev. **40**(5), 916–22; CPM-7511X0514

Dikshtein, I. E.—Effect of pressure of magnetoacoustic resonance in uniaxial antiferromagnets —I. E. Dikshtein, V. V. Tarasenko, and V. G. Shavrov. **40**(2), 404–7; CPM-7510X0354

Dmitrenko, I. M.—Effect of injection of helium atoms on the superconducting properties of indium films —N. Ya. Fogel', A. A. Moshenskiĭ, I. M. Dmitrenko, L. P. Tishchenko, T. I. Peregon, and Ya. M. Fogel'. **39**(2), 301–5; CPM-7505X0469

Dmitriev, A. E.—Resonance stimulated Raman scattering of ultrashort light pulses —B. A. Medvedev, O. M. Parshkov, V. A. Gorshenin, and A. E. Dmitriev. **40**(1), 36–40; CPM-7509X1526

Dmitriev, I. S.—Experimental study of the loss and capture of electrons by fast unexcited and metastable heliumlike ions in ion-atomic collisions —I. S. Dmitriev, V. S. Nikolaev, Yu. A. Tashaev, and Ya. A. Teplova. **40**(6), 1017–24; CPM-7512X0019

Dmitriev, S. G.—Instability in smectic *A* —S. G. Dmitriev. **40**(5), 968–9; CPM-7511X0566

Dmitriev, S. P.—Investigation of short-wave radiation emitted in slow collisions between Na^+ ions and Ne atoms —V. P. Belik, S. V. Bobashev, and S. P. Dmitriev. **40**(5), 833–6; CPM-7511X0431

Dmitriev, V. F.—The possibilities of producing a γ layer —V. F. Dmitriev and É. V. Shuryak. **40**(2), 244–8; CPM-7510X0194

Dneprovskiĭ, V. S.—Self-induced transparency of a semiconductor —F. Brückner, Ya. T. Vasilev, V. S. Dneprovskiĭ, D. G. Koshchug, E. K. Silina, and V. U. Khattatov. **40**(6), 1101–4; CPM-7512X0103

Dobychin, P. D.—Homogeneous magnetic relaxation near second–order phase transition —I. D. Luzyanin, P. D. Dobychin, and V. P. Khavronin. **39**(3), 528–30; CPM-7505X1524

Dodin, E. P.—High-frequency breakdown in *p*-type InSb —E. P. Dodin, V. A. Kozlov, and V. I. Piskarev. **39**(4), 671–2; CPM-7506X1019

Dolgopolov, V. T.—Nonlinear size effect in bismuth —G. I. Babkin and V. T. Dolgopolov. **39**(4), 717–20; CPM-7506X1065

Dorofeev, G. L.—Viscous resistance of vortices in type-II superconductors —I. N. Goncharov, G. L. Dorofeev, A. Nichitiu, L. V. Petrova, D. Fricsovszky, and I. S. Khukhareva. **40**(6), 1109–13; CPM-7512X0111

Dorokhov, O. N.—Qualitative picture of the two-dimensional mixed state in type-I superconductors —L. P. Gor'kov and O. N. Dorokhov. **40**(5), 956–9; CPM-7511X0554

Drabkin, G. M.—Magnetic ordering in dilute PdFe alloys —G. P. Gordeev, G. M. Drabkin, I. M. Lazebnik, and L. A. Aksel'rod. **39**(5), 841–4; CPM-7507X0779

Druinskiĭ, E. I.—The effect of impurities on the change of the mechanical properties of metals in a superconducting transition —V. G. Bar'yakhtar, E. I. Druinskiĭ, and I. I. Fal'ko. **39**(3), 497–501; CPM-7505X1493

Drukarev, G. F.—Application of zero range potentials in the theory of collisions of electrons with molecules —G. F. Drukarev. **40**(1), 18–22; CPM-7509X1508

Dubinin, Y. N.—Possible application of the nuclear γ-resonance technique to the investigation of the elastic properties of liquids —I. A. Marushko and V. N. Dubinin. **39**(4), 665–6; CPM-7506X1013

Dubovoĭ, L. V.—Theta pinch in germanium —V. V. Vladimirov, L. V. Dubovoĭ, V. A. Smirnov, and V. F. Shanskiĭ. **39**(1), 111–3; CPM-7504X0829

Dubrovin, B. A.—Periodic and conditionally periodic analogs of the many-soliton solutions of the Korteweg–de Vries equation —B. A. Dubrovin and S. P. Novikov. **40**(6), 1058–63; CPM-7512X0060

D'yachenko, A. I.—Determination of the energy gap parameter and of the electron–phonon interaction in superconductors from the tunnel data —A. A. Galkin, A. I. D'yachenko, and V. M. Svistunov. **39**(6), 1115–8; CPM-7507X1343

D'yakonov, M. I.—Optical recording of dynamic self-polarization of nuclei in semiconductors —M. I. D'yakonov. **40**(4), 746–9; CPM-7510X0938

—Optical effects due to polarization of nuclei in semiconductors —M. I. D'yakonov, V. I. Perel', V. L. Berkovits, and V. I. Safarov. **40**(5), 950–5; CPM-7511X0548

D'yakov, Yu. E.—Statistical phenomena in Raman scattering stimulated by a broad–band pump —S. A. Akhmanov, Yu. E. D'yakov, and L. I. Pavlov. **39**(2), 249–56; CPM-7505X0417

Dyumin, N. E.—Absorption of first sound in concentrated superfluid He^3–He^4 solutions —N. E. Dyumin, B. N. Esel'son, and É. Ya. Rudavskiĭ. **40**(2), 344–8; CPM-7510X0294

Dzhelepov, V. P.—Measurement of the muon capture rate in gaseous hydrogen —V. M. Bystritskiĭ, V. P. Dzhelepov, P. F. Ermolov, K. O. Oganesyan, M. N. Omel'yanenko, S. Yu. Porokhovoĭ, V. S. Roganov, A. I. Rudenko, and V. V. Fil'chenkov. **39**(1), 19–26; CPM-7504X0737

—Study of the fusion reaction $d\mu + d \rightarrow He^3 + n + \mu$ in gaseous deuterium —V. M. Bystritskiĭ, V. P. Dzhelepov, K. O. Oganesyan, M. N. Omel'yanenko, S. Yu. Porokhovoĭ, A. I. Rudenko, and V. V. Fil'chenkov. **39**(1), 27–9; CPM-7504X0745

Dzhgarkava, M. I.—Description of high energy π N–scattering data by the complex Regge pole model —M. I. Dzhgarkava, Yu. M. Kazarinov, I. K. Potashnikova, and I. N. Silin. **40**(3), 416–9; CPM-7510X0496

Dzhioev, R. I.—Determination of the sign of the g factor and observation of deformation of epitaxial films in the transverse effect of optical orientation in semiconductors —V. L. Vekua, R. I. Dzhioev, B. P. Zakharachenya, E. L. Ivchenko, and V. G. Fleisher. **39**(5), 879–82; CPM-7507X0817

Dzhuraev, A. A.—Depolarization of negative muons in condensed molecular media —A. A. Dzhuraev, V. S. Evseev, Yu. V. Obukhov, and V. S. Roganov. **39**(2), 207–11; CPM-7505X0375

Dzyaloshinskiĭ, I. E.—Possible phase transitions in systems of interacting metallic filaments (quasiunidimensional metals) —L. P. Gor'kov and I. E. Dzyaloshinskiĭ. **40**(1), 198–207; CPM-7509X1688

—Theory of Bose quantum crystals —I. E. Dzyaloshinskiĭ and P. S. Kondratenko. **40**(3), 594–600; CPM-7510X0674

Dzyublik, A. Ya.—Mössbauer effect in ellipsoidal Brownian particles —A. Ya. Dzyublik. **40**(4), 763–5; CPM-7510X0955

E

Édel'shteĭn, V. M.—Piezopolaron energy at large momenta —G. E. Volovik and V. M. Édel'shteĭn. **40**(1), 137–8; CPM-7509X1627

Efetov, K. B.—Effect of fluctuations on the transition temperature in quasi–one–dimensional superconductors —K. B. Efetov and A. I. Larkin. **39**(6), 1129–34; CPM-7507X1357

Elagin, N. I.—Investigation of turbulent heating of a plasma as a function of the ion mass —N. I. Elagin and S. D. Fanchenko. **40**(4), 674–7; CPM-7510X0866

Eleonskiĭ, V. M.—Propagation of electromagnetic waves in an inhomogeneous nonlinear medium —V. M. Eleonskiĭ and V. P. Silin. **39**(1), 67–70; CPM-7504X0785

Elesin, V. F.—Nonequilibrium state of superconductors with optical excitation of quasiparticles —V. F. Elesin. **39**(5), 862–5; CPM-7507X0800

El'yashevich, M. M.—A modified Korteweg–de Vries equation in electrohydrodynamics —T. L. Perel'man, A. Kh. Fridman, and M. M. El'yashevich. **39**(4), 643–6; CPM-7506X0991

Emets, N. L.—Photodisintegration of C^{12} with 345–MeV bremsstrahlung —G. L. Bochek, I. A. Grishaev, N. L. Emets, N. I. Lapin, G. D. Pugachev, and Yu. N. Ranyuk. **39**(1), 7–9; CPM-7504X0725

Éntin, M. V.—Effect of localized states in a barrier on electron tunneling —A. V. Chaplik and M. V. Éntin. **40**(1), 106–10; CPM-7509X1596

—Nonresonant charge transfer in the field of an intense light wave —R. Z. Vitlina, A. V. Chaplik, and M. V. Éntin. **40**(5), 829–32; CPM-7511X0427

Epifanov, A. S.—Avalanche ionization induced in solid transparent dielectrics by strong laser pulses —A. S. Epifanov. **40**(5), 897–902; CPM-7511X0495

Eremenko, V. G.—Investigation of the nature of the diode effect on dislocations in silicon —V. G. Eremenko, V. I. Nikitenko, and E. B. Yakimov. **40**(3), 570–6; CPM-7510X0650

Eremenko, V. V.—Multimagnon absorption of antiferromagnetic $RbMnF_3$ in the optical spectrum —V. V. Eremenko, V. P. Novikov, and É. G. Petrov. **39**(6), 1030–5; CPM-7507X1258

—Birefringence of light following excitation of nonlinear ferromagnetic resonance in yttrium iron garnets —V. N. Venitskiĭ, V. V. Eremenko, and É. V. Matyushkin. **40**(4), 713–6; CPM-7510X0905

Érikhman, N. S.—Motion of a quantum particle in a stochastic medium —A. A. Ovchinnikov and N. S. Érikhman. **40**(4), 733–7; CPM-7510X0925

Ermolov, P. F.—Measurement of the muon capture rate in gaseous hydrogen —V. M. Bystritskiĭ, V. P. Dzhelepov, P. F. Ermolov, K. O. Oganesyan, M. N. Omel'yanenko, S. Yu. Porokhovoĭ, V. S. Roganov, A. I. Rudenko, and V. V. Fil'chenkov. **39**(1), 19–26; CPM-7504X0737

Erzinkyan, A. L.—Magnetic hyperfine interaction for ^{60}Co in alloys containing palladium and platinum —A. L. Erzinkyan and V. P. Parfenova. **40**(5), 937–40; CPM-7511X0535

Eselevich, V. G.—Turbulent shock wave in a low-density unmagnetized plasma —O. L. Volkov, V. G. Eselevich, G. N. Kichigin, and V. L. Papernyĭ. **40**(5), 841–2; CPM-7511X0439

Esel'son, B. N.—Diffusion of He^3 in bcc and hcp phases of solid solutions of helium isotopes —V. N. Grigor'ev, B. N. Esel'son, and V. A. Mikheev. **39**(1), 153–6; CPM-7504X0871

—Absorption of first sound in concentrated superfluid He^3–He^4 solutions —N. E. Dyumin, B. N. Esel'son, and É. Ya. Rudavskiĭ. **40**(2), 344–8; CPM-7510X0294

Evseev, V. S.—Depolarization of negative muons in condensed molecular media —A. A. Dzhuraev, V. S. Evseev, Yu. V. Obukhov, and V. S. Roganov. **39**(2), 207–11; CPM-7505X0375

F

Fabelinskiĭ, I. L.—Fine structure of the Rayleigh line wing and the propagation of transverse hypersound in liquids —V. S. Starunov and I. L. Fabelinskiĭ. **39**(5), 854–61; CPM-7507X0792

Fainberg, Ya. B.—Solitary charge density waves in a magnetoactive plasma —S. M. Krivoruchko, Ya. B. Fainberg, V. D. Shapiro, and V. I. Shevchenko. **40**(6), 1039–43; CPM-7512X0041

Fainshtein, A. L.—Diffusion interpretation of effects accompanying the penetration of proton through a crystal —Ya. E. Geguzin, A. L. Fainshtein, and A. M. Markus. **40**(4), 738–40; CPM-7510X0930

Fal'ko, I. I.—The effect of impurities on the change of the mechanical properties of metals in a superconducting transition —V. G. Bar'yakhtar, E. I. Druinskiĭ, and I. I. Fal'ko. **39**(3), 497–501; CPM-7505X1493

Fanchenko, S. D.—Investigation of turbulent heating of a plasma as a function of the ion mass —N. I. Elagin and S. D. Fanchenko. **40**(4), 674–7; CPM-7510X0866

Fedorov, V. B.—Photoacoustic cavitation in water —F. V. Bunkin, V. I. Konov, A. M. Prokhorov, V. V. Savranskiĭ, and V. B. Fedorov. **40**(6), 1036–8; CPM-7512X0038

Fedorov, V. V.—Properties of electromagnetic radiation emitted by an electron diffracted in a single crystal —V. V. Fedorov and A. I. Smirnov. **39**(2), 271–4; CPM-7505X0439

Fedorus, A. G.—Phase transitions in submonolayer strontium films adsorbed on the (011) face of tungsten —O. V. Kanash, A. G. Naumovets, and A. G. Fedorus. **40**(5), 903–7; CPM-7511X0501

Feizov, S. G.—The helicon mechanism of relaxation of a relativistic electron beam jn a plasma —B. N. Breĭzman and S. G. Feizov. **39**(1), 93–8; CPM-7504X0811

Fel'dman, É. P.—Wave transmittance for a thick layer of a randomly inhomogeneous medium —L. A. Pastur and É. P. Fel'dman. **40**(2), 241–3; CPM-7510X0191

Fil', V. D.—Temperature dependence of the velocity of ultrasound in superconducting tin —V. D. Fil', V. I. Denisenko, and P. A. Bezuglyĭ. **39**(2), 370–4; CPM-7505X0538

Fil'chenkov, V. V.—Measurement of the muon capture rate in gaseous hydrogen —V. M. Bystritskiĭ, V. P. Dzhelepov, P. F. Ermolov, K. O. Oganesyan, M. N. Omel'yanenko, S. Yu. Porokhovoĭ, V. S. Roganov, A. I. Rudenko, and V. V. Fil'chenkov. **39**(1), 19–26; CPM-7504X0737

—Study of the fusion reaction $d\mu + d \to He^3 + n + \mu$ in gaseous deuterium —V. M. Bystritskiĭ, V. P. Dzhelepov, K. O. Oganesyan, M. N. Omel'yanenko, S. Yu. Porokhovoĭ, A. I. Rudenko, and V. V. Fil'chenkov. **39**(1), 27–9; CPM-7504X0745

Filippov, N. I.—Anomalous temperature dependence of the effective field at the nuclei of Dy^{3+} ions in DySb —V. G. Stankevich, I. I. Lukashevich, N. I. Filippov, and I. A. Gladkikh. **39**(1), 134–8; CPM-7504X0852

Filonov, A. G.—Properties of a space discharge excited by an electron beam of 10^{-5} sec duration —Yu. I. Bychkov, S. A. Genkin, Yu. D. Korolev, Yu. E. Kreĭndel', G. A. Mesyats, and A. G. Filonov. **39**(2), 299–300; CPM-7505X0467

Firsov, V. G.—The effects of electrolytes on the depolarization of positive muons —E. V. Minaichev, G. G. Myasishcheva, Yu. V. Obukhov, V. S. Roganov, G. I. Savel'ev, V. P. Smilga, and V. G. Firsov. **39**(6), 946–9; CPM-7507X1174

Fisher, I. Z.—Thermal fluctuations and molecular scattering of light in a liquid near the state of convective instability —V. P. Lesnikov and I. Z. Fisher. **40**(4), 667–70; CPM-7510X0859

Fisher, L. M.—Doppler shifted cyclotron resonance and electromagnetic waves in copper —V. V. Lavrova, C. V. Medvedev, V. G. Skobov, L. M. Fisher, A. S. Chernov, and V. A. Yudin. **39**(2), 338–44; CPM-7505X0506

—Multiple dopplerons in aluminum —V. G. Skobov, L. M. Fisher, A. S. Chernov, and V. A. Yudin. **40**(3), 605–12; CPM-7510X0685

Fisher, V. I.—Laser–induced breakdown in air in a constant electric field —V. I. Fisher. **39**(5), 819–21; CPM-7507X0757

—Laser–induced gas breakdown in a constant magnetic field —V. I. Fisher. **40**(2), 298–300; CPM-7510X0248

Fisun, A. N.—Coherent bremsstrahlung by electrons and positrons in silicon and niobium crystals —G. L. Bochek, I. A. Grishaev, N. P. Kalashnikov, G. D. Kovalenko, V. L. Morokhovskiĭ, and A. N. Fisun. **40**(2), 400–3; CPM-7510X0350

Fleisher, V. G.—Determination of the sign of the g factor and observation of deformation of epitaxial films in the transverse effect of optical orientation in semiconductors —V. L. Vekua, R. I. Dzhioev, B. P. Zakharachenya, E. L. Ivchenko, and V. G. Fleisher. **39**(5), 879–82; CPM-7507X0817

Flerov, V. N.—Theory of the resistivity and magnetoresistance of metals at low temperatures —Yu. Kagan and V. N. Flerov. **39**(4), 673–9; CPM-7506X1021
—Influence of defects on phonon drag in metals —Yu. Kagan and V. N. Flerov. **40**(5), 994–7; CPM-7511X0592
Fogel', N. Ya.—Effect of injection of helium atoms on the superconducting properties of indium films —N. Ya. Fogel', A. A. Moshenskiĭ, I. M. Dmitrenko, L. P. Tishchenko, T. I. Peregon, and Ya. M. Fogel'. **39**(2), 301–5; CPM-7505X0469
Fogel', Ya. M.—Effect of injection of helium atoms on the superconducting properties of indium films —N. Ya. Fogel', A. A. Moshenskiĭ, I. M. Dmitrenko, L. P. Tishchenko, T. I. Peregon, and Ya. M. Fogel'. **39**(2), 301–5; CPM-7505X0469
Fomichev, S. V.—Equation of state of matter near the liquid–vapor critical point —S. V. Fomichev and S. B. Khokhlachev. **39**(3), 478–9; CPM-7505X1474
Fomin, P. I.—The correspondence principle in the problem of the self-energy of the electron —A. V. Vilenkin and P. I. Fomin. **40** (1), 6–7; CPM-7509X1496
Fradkin, É. E.—Nonlinear interaction between differently polarized waves traveling in opposite directions in a ring laser —V. A. Zborovskiĭ and É. E. Fradkin. **39**(4), 596–600; CPM-7506X0944
Frank-Kamenetskiĭ, M. D.—The knot problem in statistical mechanics of polymer chains —A. V. Vologodskiĭ, A. V. Lukashin, M. D. Frank-Kamenetskiĭ, and V. V. Anshelevich. **39**(6), 1059–63; CPM-7507X1287
—Topological interaction between polymer chains —A. V. Vologodskiĭ, A. V. Lukashin, and M. D. Frank-Kamenetskiĭ. **40**(5), 932–6; CPM-7511X0530
Fricsovszky, D.—Viscous resistance of vortices in type-II superconductors —I. N. Goncharov, G. L. Dorofeev, A. Nichitiu, L. V. Petrova, D. Fricsovszky, and I. S. Khukhareva. **40**(6), 1109–13; CPM-7512X0111
Fridman, A. Kh.—A modified Korteweg-de Vries equation in electrohydrodynamics —T. L. Perel'man, A. Kh. Fridman, and M. M. El'yashevich. **39**(4), 643–6; CPM-7506X0991
Frolov, V. P.—The motion of charged radiating shells in the general theory of relativity and "friedmon" states —V. P. Frolov. **39**(3), 393–8; CPM-7505X1389

G

Gabovich, M. D.—Excitation of ion oscillations in plasma by a fast beam of negative ions —M. D. Gabovich, L. S. Simonenko, I. A. Soloshenko, and N. V. Shkorina. **40**(5), 851–4; CPM-7511X0449
Gaĭdukov, Yu. P.—Investigation of the surface conductivity of tin in a magnetic field by a high-frequency technique —I. F. Voloshin and Yu. P. Gaĭdukov. **40**(1), 166–70; CPM-7509X1656
Gakel', V. R.—Interaction between hypersound and spin waves in antiferromagnetic $MnCO_3$ —V. R. Gakel'. **40**(5), 908–15; CPM-7511X0506
Galaĭko, V. P.—Critical currents for resistive states in superconducting channels —V. P. Galaĭko. **39**(1), 181–6; CPM-7504X0899
Galkin, A. A.—Determination of the energy gap parameter and of the electron–phonon interaction in superconductors from the tunnel data —A. A. Galkin, A. I. D'yachenko, and V. M. Svistunov. **39** (6), 1115–8; CPM-7507X1343
Galkin, V. L.—Effect of concentration of active solution on the "melting" of a double polymer chain —A. M. Kosevich, V. L. Galkin, and I. N. Nechiporenko. **39**(1), 124–9; CPM-7504X0842
Galkina, O. S.—Hall effect in rhenium single crystals at low temperatures in strong magnetic fields —E. I. Kondorskiĭ, O. S. Galkina, A. V. Cheremushkina, U. T. Usarov, and G. E. Chuprikov. **39**(6), 1094–5; CPM-7507X1322
—Unidirectional anisotropy in Invar —O. S. Galkina, G. A. Ivanov-Smolenskiĭ, and E. I. Kondorskiĭ. **40**(1), 111–2; CPM-7509X1601
Galoshina, É. V.—Temperature dependence of magnetic-susceptibility anisotropy of transition-metal crystals with a hexagonal close-packed structure —M. V. Volkenshtein, É. V. Galoshina, and T. N. Panikovskaya. **40**(4), 730–2; CPM-7510X0922
Gal'perin, Yu. M.—Thermoelectric effects in superconductors —Yu. M. Gal'perin, V. L. Gurevich, and V. I. Kozub. **39**(4), 680–5; CPM-7506X1028
—Attenuation of transverse sound in superconductors —Yu. M. Gal'perin. **40**(6), 1088–92; CPM-7512X0090
Gal'tsov, D. V.—Photocoulomb gravitons and the gravitational emittance of the sun —D. V. Gal'tsov. **40**(2), 211–2; CPM-7510X0161
Gamlitskiĭ, V. Ya.—Sign of conduction-electron polarization in iron —V. Ya. Gamlitskiĭ, O. A. Gurkovskiĭ, V. I. Nikolaev, I. N. Nikolaev, V. M. Cherepanov, and S. S. Yakimov. **40**(2), 374–6; CPM-7510X0324
Gann, V. V.—Effect of scattering processes on the anomalies in the thermodynamic characteristics of superconductors under pressure —V. I. Makarov, V. G. Bar'yakhtar, and V. V. Gann. **40**(1), 85–9; CPM-7509X1575
Gantmakher, V. F.—Temperature dependence of the cross section for electron scattering by dislocations in metals —V. F. Gantmakher and G. I. Kulesko. **40**(6), 1158–60; CPM-7512X0160
Gantsevich, S. V.—Diagram technique for phonon turbulence —S. V. Gantsevich, V. D. Kagan, and P. Katilyus. **40**(5), 878–86; CPM-7511X0476
Gapeev, A. K.—Magnetic anisotropy of yttrium-holmium iron-garnets —A. K. Gapeev, R. Z. Levitin, A. S. Markosyan, B. V. Mill', and T. M. Perekalina. **40**(1), 117–20; CPM-7509X1607
Garibyan, G. M.—X-ray transition radiation produced in an irregular medium —G. M. Garibyan, L. A. Gevorgyan, and C. Yang. **39**(2), 265–70; CPM-7505X0433
Gasparov, V. A.—Temperature dependence of the probability of scattering of small groups of electrons in tin and indium —V. A. Gasparov. **39**(4), 732–6; CPM-7506X1080
Geguzin, Ya. E.—Diffusion interpretation of effects accompanying the penetration of proton through a crystal —Ya. E. Geguzin, A. L. Fainshtein, and A. M. Markus. **40**(4), 738–40; CPM-7510X0930
Geĭlikman, M. B.—Spontaneous magnetization and correlation functions in the Kagome lattice —M. B. Geĭlikman. **39**(3), 570–3; CPM-7505X1566
Gekht, R. S.—Dynamic hysteresis of a superparamagnet —V. A. Ignatchenko and R. S. Gekht. **40**(4), 750–4; CPM-7510X0942
Gel'd, P. V.—Thermal properties of iron in solid solutions of silicon in iron near the Curie point —V. É. Zinov'ev, Sh. Sh. Abel'skiĭ, M. I. Sandakova, E. G. Dik, L. N. Petrova, and P. V. Gel'd. **39**(1), 169–71; CPM-7504X0887
Genkin, S. A.—Properties of a space discharge excited by an electron beam of 10^{-3} sec duration —Yu. I. Bychkov, S. A. Genkin, Yu. D. Korolev, Yu. E. Kreĭndel', G. A. Mesyats, and A. G. Filonov. **39** (2), 299–300; CPM-7505X0467
Genkin, V. M.—Nonlinear effects in the electrodynamics of pure superconductors in a high frequency field —V. M. Genkin. **39**(6), 1108–10; CPM-7507X1336
Gerasimenko, V. G.—Experimental investigation of the "Hall" components of the magnetoresistance tensor of bismuth —Yu. A. Bogod, Vit. B. Krasovitskiĭ, and V. G. Gerasimenko. **39**(4), 667–70; CPM-7506X1015
Gershenzon, E. M.—Cyclotron resonance of electrons in Ge in a quantizing magnetic field in the case of inelastic scattering by acoustic phonons —E. M. Gershenzon, Yu. A. Gurvich, S. L. Orlova, and N. G. Ptitsina. **40**(2), 311–5; CPM-7510X0261
Gevorgyan, L. A.—X-ray transition radiation produced in an irregular medium —G. M. Garibyan, L. A. Gevorgyan, and C. Yang. **39**(2), 265–70; CPM-7505X0433
Gil'denburg, V. B.—Nonequilibrium high-frequency discharge in wave fields —V. B. Gil'denburg and S. V. Golubev. **40**(1), 46–8; CPM-7509X1536
Gilinskiĭ, I. A.—Electromagnetic excitation of ultrasound and the transparency of semimetals —I. A. Gilinskiĭ, M. B. Sultanov, and Yu. V. Levin. **39**(1), 106–10; CPM-7504X0824
Ginzburg, S. L.—Vertex functions and Green functions in the $(4-\epsilon)$ -dimensional theory of phase transitions —S. L. Ginzburg. **39**(2), 312–5; CPM-7505X0480
Giorgadze, N. P.—Saturation of inhomogeneously broadened EPR line at low temperatures —L. L. Buishvili, N. P. Giorgadze, and A. A. Davituliani. **40**(1), 82–4; CPM-7509X1572
—Strong EPR saturation under phonon-bottleneck conditions —L. L. Buishvili, N. P. Giorgadze, M. Z. Zviadadze, and A. I. Ugulava. **40** (2), 330–4; CPM-7510X0280
Gitis, M. B.—Sound absorption in metals at high temperatures —M. B. Gitis. **40**(1), 181–7; CPM-7509X1671
Gladkikh, I. A.—Anomalous temperature dependence of the effective field at the nuclei of Dy^{3+} ions in DySb —V. G. Stankevich, I. I. Lukashevich, N. I. Filippov, and I. A. Gladkikh. **39**(1), 134–8; CPM-7504X0852
Gladun, A. D.—Instability of electron–hole semiconductor plasma in a strong magnetic field following interband absorption of light —A. D. Gladun, A. D. Malov, and V. I. Ryzhiĭ. **39**(6), 1049–53; CPM-7507X1277

Gnedin, Yu. N.—Photoeffect in strong magnetic fields and x-ray emission from neutron stars —Yu. N. Gnedin, G. G. Pavlov, and A. I. Tsygan. **39**(2), 201–6; CPM-7505X0369

Gochelashvili, K. S.—Saturated fluctuations in the laser radiation intensity in a turbulent medium —K. S. Gochelashvili and V. I. Shishov. **39**(4), 605–9; CPM-7506X0953

Gogadze, G. A.—Quantum electromagnetic waves in cylindrical conductors —É. N. Bogachek and G. A. Gogadze. **40**(2), 308–10; CPM-7510X0258

Gol'danskiĭ, V. I.—Effect of laser radiation on nuclear decay processes —V. I. Gol'danskiĭ and V. S. Letokhov. **40**(2), 254–5; CPM-7510X0204

Golub, A. A.—Effect of a magnetic field on the fluctuation conductivity of layered superconductors —A. A. Golub. **40**(2), 349–51; CPM-7510X0299

Golubev, S. V.—Nonequilibrium high-frequency discharge in wave fields —V. B. Gil'denburg and S. V. Golubev. **40**(1), 46–8; CPM-7509X1536

Golubev, Yu. M.—Spatial anisotropy of spontaneous emission by stationary atoms in a strong field —Yu. M. Golubev. **39**(6), 999–1002; CPM-7507X1227

Goncharov, I. N.—Viscous resistance of vortices in type-II superconductors —I. N. Goncharov, G. L. Dorofeev, A. Nichitiu, L. V. Petrova, D. Fricsovszky, and I. S. Khukhareva. **40**(6), 1109–13; CPM-7512X0111

Gorbunov, L. M.—Development of parametric instability in a bounded region of space —L. M. Gorbunov. **40**(4), 689–95; CPM-7510X0881

Gordeev, G. P.—Magnetic ordering in dilute PdFe alloys —G. P. Gordeev, G. M. Drabkin, I. M. Lazebnik, and L. A. Aksel'rod. **39**(5), 841–4; CPM-7507X0779

Gordeev, Yu. S.—Model of intersecting bands for interaction of closely approaching atomic particles —V. V. Afrosimov, Yu. S. Gordeev, and A. N. Zinov'ev. **39**(6), 950–5; CPM-7507X1178

Gordienko, V. A.—The electron configuration of the iron ions in the $NiFe_{2-x}Cr_xO_4$ ferrites —V. A. Gordienko, V. I. Nikolaev, and S. S. Yakimov. **39**(3), 551–3; CPM-7505X1547

Gordiets, B. F.—Vibrational kinetics of anharmonic oscillators under essentially nonequilibrium conditions —B. F. Gordiets, Sh. S. Mamedov, and L. A. Shelepin. **40**(4), 640–6; CPM-7510X0832

Gorelkin, V. N.—On the theory of precession of the polarization vector of μ^- mesons in mu-nucleonic atoms —V. N. Gorelkin and V. P. Smilga. **39**(4), 586–91; CPM-7506X0934

Gorenko, L. M.—Electromagnetic waves with a discrete spectrum in a metal in an external magnetic field —R. G. Khlebopros, L. M. Gorenko, and Yu. I. Man'kov. **40**(4), 720–1; CPM-7510X0912

Gorev, V. V.—Interaction of Langmuir solitons with plasma particles —V. V. Gorev and A. S. Kingsep. **39**(6), 1008–11; CPM-7507X1236

Gor'kov, L. P.—Possible phase transitions in systems of interacting metallic filaments (quasiunidimensional metals) —L. P. Gor'kov and I. E. Dzyaloshinskiĭ. **40**(1), 198–207; CPM-7509X1688

—Qualitative picture of the two-dimensional mixed state in type-I superconductors —L. P. Gor'kov and O. N. Dorokhov. **40**(5), 956–9; CPM-7511X0554

Gorobchenko, V. D.—Shapes of Mössbauer spectra in the rapid-relaxation limit —A. M. Afanas'ev and V. D. Gorobchenko. **39**(4), 690–6; CPM-7506X1038

—Resonant scattering of Mössbauer gamma quanta under relaxation conditions —A. M. Afanas'ev and V. D. Gorobchenko. **40**(6), 1114–20; CPM-7512X0116

Gorodetskiĭ, E. E.—Phase transitions in two–component systems —E. E. Gorodetskiĭ and M. A. Mikulinskiĭ. **39**(3), 480–4; CPM-7505X1476

Gorshenin, V. A.—Resonance stimulated Raman scattering of ultrashort light pulses —B. A. Medvedev, O. M. Parshkov, V. A. Gorshenin, and A. E. Dmitriev. **40**(1), 36–40; CPM-7509X1526

Gorshkov, V. G.—Incoherent photon scattering by hydrogen forbidden in the dipole approximation —V. G. Gorshkov, A. I. Mikhaĭlov, and S. G. Sherman. **39**(6), 995–8; CPM-7507X1223

Gracheva, M. E.—Similarity relations for strong fluctuations of the intensity of light propagating in a turbulent medium —M. E. Gracheva, A. S. Gurvich, S. S. Kashkarov, and V. V. Pokasov. **40**(6), 1011–6; CPM-7512X0013

Grankin, V. L.—Effect of domain structure on the nonlinear properties of ferrites —G. A. Melkov and V. L. Grankin. **40**(5), 870–3; CPM-7511X0468

—Nonlinear properties of ferrites at low temperatures —V. L. Grankin, G. A. Melkov, and S. M. Ryabchenko. **40**(6), 1105–8; CPM-7512X0107

Grazhulis, V. A.—Investigation of the properties of the dislocation EPR spectra in silicon —S. V. Broude, V. A. Grazhulis, V. V. Kveder, and Yu. A. Osip'yan. **39**(4), 721–5; CPM-7506X1069

Grebenyuk, V. M.—Measurement of the lifetime of the positive muon —M. P. Balandin, V. M. Grebenyuk, V. G. Zinov, A. D. Konin, and A. N. Ponomarev. **40**(5), 811–4; CPM-7511X0409

Grechushnikov, B. N.—Observation of paramagnetic resonance on an Fe^{2+} ion in a $CaCO_3$ lattice —V. F. Meshcheryakov, B. N. Grechushnikov, and I. N. Kalinkina. **39**(5), 920–3; CPM-7507X0858

Grigor'ev, V. N.—Diffusion of He^3 in bcc and hcp phases of solid solutions of helium isotopes —V. N. Grigor'ev, B. N. Esel'son, and V. A. Mikheev. **39**(1), 153–6; CPM-7504X0871

—Investigation of the magnetic scattering in a superconductor by the tunnel-effect method —V. N. Grigor'ev and N. V. Zavaritskiĭ. **39**(4), 705–8; CPM-7506X1053

Grigor'eva, L. I.—Investigation of large amplitude oscillations in an inhomogeneous plasma near ion cyclotron resonance —L. I. Grigor'eva, B. I. Smerdov, S. A. Sapogov, and V. V. Chechkin. **39**(2), 287–93; CPM-7505X0455

Grishaev, I. A.—Photodisintegration of C^{12} with 345–MeV bremsstrahlung —G. L. Bochek, I. A. Grishaev, N. L. Emets, N. I. Lapin, G. D. Pugachev, and Yu. N. Ranyuk. **39**(1), 7–9; CPM-7504X0725

—Coherent bremsstrahlung by electrons and positrons in silicon and niobium crystals —G. L. Bochek, I. A. Grishaev, N. P. Kalashnikov, G. D. Kovalenko, V. L. Morokhovskiĭ, and A. N. Fisun. **40**(2), 400–3; CPM-7510X0350

Grishchuk, L. P.—Drift of particles in the field of a gravitational wave —L. P. Grishchuk. **39**(3), 402–4; CPM-7505X1398

—Amplification of gravitational waves in an isotropic universe —L. P. Grishchuk. **40**(3), 409–15; CPM-7510X0489

Grozdev, K. I.—Effect of impurities on the phase–transition temperature in a two–dimensional Ising lattice with nearest–neighbor and non–nearest–neighbor interaction —K. I. Grozdev and A. M. Kosevich. **39**(6), 1119–23; CPM-7507X1347

Gubin, M. A.—Spectroscopy within the radiative linewidth —V. A. Alekseev, N. G. Basov, E. M. Belenov, M. I. Vol'nov, M. A. Gubin, V. V. Nikitin, and A. N. Nikolaenko. **39**(3), 429–32; CPM-7505X1425

Gudzenko, L. I.—Plasma lasers involving molecules with a dissociative ground state —L. I. Gudzenko, I. S. Lakoba, and S. I. Yakovlenko. **40**(6), 1005–10; CPM-7512X0007

Gufan, Yu. M.—Dependence of the resonant frequencies of antiferromagnets on the magnetic field; and antiferromagnetic resonance in CoF_2 —Yu. M. Gufan, K. N. Kocharyan, A. S. Prokhorov, and E. G. Rudashevskiĭ. **39**(3), 565–9; CPM-7505X1561

Gurevich, A. V.—Self–action of an electromagnetic wave in a plasma upon excitation of parametric instability —V. V. Vas'kov and A. V. Gurevich. **39**(5), 822–7; CPM-7507X0760

Gurevich, I. I.—Precession of positive muons in ferromagnets —I. I. Gurevich, A. I. Klimov, V. N. Maĭorov, E. A. Meleshko, I. A. Muratova, B. A. Nikol'skiĭ, V. S. Roganov, V. I. Selivanov, and V. A. Suetin. **39**(1), 178–80; CPM-7504X0896

Gurevich, V. L.—Thermoelectric effects in superconductors —Yu. M. Gal'perin, V. L. Gurevich, and V. I. Kozub. **39**(4), 680–5; CPM-7506X1028

Gurkovskiĭ, O. A.—Sign of conduction–electron polarization in iron —V. Ya. Gamlitskiĭ, O. A. Gurkovskiĭ, V. I. Nikolaev, I. N. Nikolaev, V. M. Cherepanov, and S. S. Yakimov. **40**(2), 374–6; CPM-7510X0324

Gurvich, A. S.—Similarity relations for strong fluctuations of the intensity of light propagating in a turbulent medium —M. E. Gracheva, A. S. Gurvich, S. S. Kashkarov, and V. V. Pokasov. **40**(6), 1011–6; CPM-7512X0013

Gurvich, Yu. A.—Inhomogeneous cyclotron resonance line broadening in semiconductors in a quantizing magnetic field —Yu. A. Gurvich. **39**(2), 322–7; CPM-7505X0490

—Cyclotron resonance of electrons in Ge in a quantizing magnetic field in the case of inelastic scattering by acoustic phonons —E. M. Gershenzon, Yu. A. Gurvich, S. L. Orlova, and N. G. Ptitsina. **40**(2), 311–5; CPM-7510X0261

Gurzhi, R. N.—Galvanomagnetic properties of metals with closed Fermi surfaces at low temperatures —R. N. Gurzhi and A. I. Kopeliovich. **40**(6), 1144–51; CPM-7512X0146

Gus'kov, S. Yu.—Breakdown of gases through laser radiation with high-energy quanta —É. M. Belenov, S. Yu. Gus'kov, V. A. Isakov, and A. N. Lobanov. **39**(2), 278–81; CPM-7505X0446

Gutovskiĭ, I. G.—The Mössbauer effect and magnetic structure of an invar alloy with manganese impurity —V. A. Makarov, I. M. Puzeĭ, T. V. Sakharova, and I. G. Gutovskiĭ. **40**(2), 382–5; CPM-7510X0332

H

Hantzsche, E.—A simple model for the acceleration of ions by high-current relativistic electron beams —K. Alexander, E. Hantzsche, and P. Siemroth. **40**(2), 280–5; CPM-7510X0230

I

Ignatchenko, V. A.—Dynamic hysteresis of a superparamagnet —V. A. Ignatchenko and R. S. Gekht. **40**(4), 750–4; CPM-7510X0942

Ignat'eva, T. A.—Effect of impurities and pressure on the superconducting transition temperature of thallium. V —T. A. Ignat'eva, V. I. Makarov, and Yu. A. Cherevan'. **40**(3), 492–7; CPM-7510X0572

Il'in, R. N.—Negative ion excited states and the determination of their binding energy by electron detachment by an electric field —V. A. Oparin, R. N. Il'in, I. T. Serenkov, and E. S. Solov'ev. **39**(6), 989–94; CPM-7507X1217

Il'inskiĭ, Yu. A.—Narrowing of gamma resonance lines in crystals by continuous radio-frequency fields —A. V. Andreev, Yu. A. Il'inskiĭ, and R. V. Khokhlov. **40**(5), 819–20; CPM-7511X0417

Imre, A. I.—Excitation of the resonance level of He^+ in electron–atom, electron–ion, and ion–atom collisions —A. I. Dashchenko, I. P. Zapesochnyĭ, A. I. Imre, V. S. Bukstich, F. F. Danch, and V. A. Kel'man. **40**(2), 249–51; CPM-7510X0199

Indenbom, V. L.—X-ray interferometer with narrow beam —V. L. Indenbom, I. Sh. Slobodetskiĭ, and K. G. Truni. **39**(3), 542–6; CPM-7505X1538

Ioffe, M. S.—Stabilization of cone instability of collisional plasma in a mirror trap —M. S. Ioffe, B. I. Kanaev, V. P. Pastukhov, and E. E. Yushmanov. **40**(6), 1064–9; CPM-7512X0066

Ipatova, I. P.—Long-wave optical-phonon spectrum in metals and heavily doped semiconductors —I. P. Ipatova and A. V. Subashiev. **39**(2), 349–54; CPM-7505X0517

Irkhin, Yu. P.—The Hubbard model for the transition metals and the anomalies in their specific heat and magnetic susceptibility —Yu. P. Irkhin. **39**(3), 490–6; CPM-7505X1486

Isakov, V. A.—Breakdown of gases through laser radiation with high-energy quanta —É. M. Belenov, S. Yu. Gus'kov, V. A. Isakov, and A. N. Lobanov. **39**(2), 278–81; CPM-7505X0446

Ishchenko, S. S.—Nuclear relaxation via electron-spin cross relaxation —A. B. Brik, N. P. Baran, S. S. Ishchenko, and L. A. Shul'man. **40**(1), 94–7; CPM-7509X1584

Istomin, Ya. N.—Evolution of a nonlinear Langmuir wave in a weakly inhomogeneous plasma —Ya. N. Istomin and V. I. Karpman. **40**(5), 843–6; CPM-7511X0441

Ivanchenko, Yu. M.—Excitation of paramagnetic impurities by a tunneling electron —Yu. M. Ivanchenko and A. A. Lisyanskiĭ. **39**(1), 139–44; CPM-7504X0857

—Current state of semimetals with paramagnetic impurities —Yu. M. Ivanchenko and G. I. Trush. **40**(1), 175–80; CPM-7509X1665

Ivanov, A. A.—Interaction between a plasma jet and a chemically active ionized gas target —A. A. Ivanov and V. V. Parail. **40**(1), 49–52; CPM-7509X1539

Ivanov, A. S.—Theory of Mossbauer spectra in an electric field —A. S. Ivanov, A. V. Kolpakov, and R. N. Kuz'min. **39**(2), 336–7; CPM-7505X0504

—Interference of hyperfine components in the emission spectrum of Mössbauer nuclei —A. S. Ivanov, A. V. Kolpakov, and R. N. Kuz'min. **40**(2), 328–9; CPM-7510X0278

Ivanov, B. A.—Sound absorption in an antiferromagnet in the vicinity of a spin-flop field —V. G. Bar'yakhtar and B. A. Ivanov. **39**(5), 907–8; CPM-7507X0845

Ivanov, L. I.—Change of electric conductivity of semiconductor crystals by passage of a shock wave from a laser pulse —L. I. Ivanov, Yu. N. Nikiforov, and V. A. Yanushkevich. **40**(1), 75–6; CPM-7509X1565

Ivanov, V. K.—Intershell and intersubshell effects in photoionization of atoms —M. Ya. Amus'ya, V. K. Ivanov, N. A. Cherepkov, and L. V. Chernysheva. **39**(5), 752–8; CPM-7507X0690

Ivanovskiĭ, V. I.—Observation of the magnetic compensation points in the spinel ferrites $MnFe_{2-x}Cr_xO_4$ —K. P. Belov, E. V. Talalaeva, L. A. Chernikova, A. S. Andreenko, and V. I. Ivanovskiĭ. **39**(2), 316–8; CPM-7505X0484

Ivanov-Smolenskiĭ, G. A.—Unidirectional anisotropy in Invar —O. S. Galkina, G. A. Ivanov-Smolenskiĭ, and E. I. Kondorskiĭ. **40**(1), 111–2; CPM-7509X1601

Ivchenko, E. L.—Determination of the sign of the g factor and observation of deformation of epitaxial films in the transverse effect of optical orientation in semiconductors —V. L. Vekua, R. I. Dzhioev, B. P. Zakharachenya, E. L. Ivchenko, and V. G. Fleisher. **39**(5), 879–82; CPM-7507X0817

K

Kadomstev, B. B.—Convection of plasma in the tokamak —B. B. Kadomstev and O. P. Pogutse. **39**(6), 1012–6; CPM-7507X1240

Kadomtseva, A. M.—Investigation of the magnetic properties and NMR in spin-reorientation transitions in $DyFe_{0.995}Co_{0.005}O_3$ crystals —A. V. Zalesskiĭ, A. M. Kadomtseva, A. M. Savvinov, M. M. Lukina, G. L. Ovchinnikova, and A. V. Abramov. **39**(5), 883–6; CPM-7507X0821

—New orientational transitions induced in orthoferrites by an external field —K. P. Belov, A. K. Zvezdin, A. M. Kadomtseva, and I. B. Krynetskiĭ. **40**(5), 980–4; CPM-7511X0578

Kagan, V. D.—Diagram technique for phonon turbulence —S. V. Gantsevich, V. D. Kagan, and P. Katilyus. **40**(5), 878–86; CPM-7511X0476

Kagan, Yu.—Theory of the resistivity and magnetoresistance of metals at low temperatures —Yu. Kagan and V. N. Flerov. **39**(4), 673–9; CPM-7506X1021

—Theory of channeling effect, III. Energy losses of fast particles —Yu. Kagan and Yu. V. Kononets. **39**(5), 832–40; CPM-7507X0770

—Influence of defects on phonon drag in metals —Yu. Kagan and V. N. Flerov. **40**(5), 994–7; CPM-7511X0592

Kaganov, M. I.—Resonance size effect in high-frequency conductivity of thin metallic plates in the absence of a static magnetic field —M. I. Kaganov and A. S. Mikhaĭlov. **40**(1), 113–6; CPM-7509X1603

—Distinctive features of sound absorption in a phase transition of order 2-1/2 —V. N. Davydov and M. I. Kaganov. **40**(4), 741–5; CPM-7510X0933

Kaĭtmazov, S. D.—Investigation of soft x-ray emission from a laser plasma in a magnetic field —T. B. Volyak, S. D. Kaĭtmazov, A. A. Medvedev, A. M. Prokhorov, and E. I. Shklovskiĭ. **40**(4), 671–3; CPM-7510X0863

Kalashnikov, N. P.—Coherent bremsstrahlung by electrons and positrons in silicon and niobium crystals —G. L. Bochek, I. A. Grishaev, N. P. Kalashnikov, G. D. Kovalenko, V. L. Morokhovskiĭ, and A. N. Fisun. **40**(2), 400–3; CPM-7510X0350

Kalinkina, I. N.—Observation of paramagnetic resonance on an Fe^{2+} ion in a $CaCO_3$ lattice —V. F. Meshcheryakov, B. N. Grechushnikov, and I. N. Kalinkina. **39**(5), 920–3; CPM-7507X0858

Kalinnikov, G. I.—Measurement of microwave scattering by low frequency turbulent plasma oscillations —V. K. Zhivotov, G. I. Kalinnikov, A. S. Kingsep, M. F. Krotov, V. V. Rusanov, and Yu. V. Tarasov. **40**(1), 43–5; CPM-7509X1533

Kamchatnov, A. M.—Theory of the radiative width of a highly excited nucleus —V. G. Nosov and A. M. Kamchatnov. **40**(2), 219–24; CPM-7510X0169

Kanaev, B. I.—Investigation of instability of a collision plasma in a mirror trap —B. I. Kanaev and E. E. Yushmanov. **40**(2), 290–7; CPM-7510X0240

—Stabilization of cone instability of collisional plasma in a mirror trap —M. S. Ioffe, B. I. Kanaev, V. P. Pastukhov, and E. E. Yushmanov. **40**(6), 1064–9; CPM-7512X0066

Kanash, O. V.—Phase transitions in submonolayer strontium films adsorbed on the (011) face of tungsten —O. V. Kanash, A. G. Naumovets, and A. G. Fedorus. **40**(5), 903–7; CPM-7511X0501

Kaner, É. A.—Retardation effect in cyclotron resonance —É. A. Kaner, O. I. Lyubimov, and N. M. Makarov. **40**(1), 158–65; CPM-7509X1648

Kapeliovich, B. L.—Electron emission from metal surfaces exposed to ultrashort laser pulses —S. I. Anisimov, B. L. Kapeliovich, and T. L. Perel'man. **39**(2), 375–7; CPM-7505X0543

Kapitza, P. L.—Plasma heating by magnetoacoustic oscillations —P. L. Kapitza and L. P. Pitaevskii. 40(4), 701–6; CPM-7510X0893
Kaplan, I. G.—Determination of allowed states of a multiparticle specified for given states of the subsystems —I. G. Kaplan and O. B. Rodimova. 39(5), 764–8; CPM-7507X0702
Kapustin, G. A.—Investigation of the galvanomagnetic properties of graphite in magnetic fields up to 500 kOe at low temperatures — N. B. Brandt, G. A. Kapustin, V. G. Karavaev, A. S. Kotosonov, and E. A. Svistova. 40(3), 564–9; CPM-7510X0644
Kapustina, O. A.—Investigation of the rheological properties of liquid crystals by means of acoustic flows —O. A. Kapustina and Yu. G. Statnikov. 39(2), 306–7; CPM-7505X0474
Karas', V. I.—Quasicrossing of levels and transformation of waves with diffuse states and dissipative factors —V. I. Karas', S. S. Moiseev, and V. E. Novikov. 40(5), 847–50; CPM-7511X0445
Karavaev, V. G.—Investigation of the galvanomagnetic properties of graphite in magnetic fields up to 500 kOe at low temperatures — N. B. Brandt, G. A. Kapustin, V. G. Karavaev, A. S. Kotosonov, and E. A. Svistova. 40(3), 564–9; CPM-7510X0644
Karimov, Yu. S.—Magnetically ordered state of two-dimensional ferromagnets with anisotropy of the "easy-plane" type —Yu. S. Karimov. 39(3), 547–50; CPM-7505X1543
Karlov, N. V.—Nutation effect in the molecular gases BCl_3 and SF_6 —S. S. Alimpiev and N. V. Karlov. 39(2), 260–4; CPM-7505X0428
Karmenyan, A. V.—Investigation of resonance polarization phenomena during the passage of laser radiation through potassium vapor —V. M. Arutyunyan, T. A. Papazyan, Yu. S. Chilingaryan, A. V. Karmenyan, and S. M. Sarkisyan. 39(2), 243–8; CPM-7505X0411
Karpman, V. I.—Nonlinear Landau damping in an inhomogeneous plasma —V. I. Karpman and D. R. Shklyar. 40(1), 53–6; CPM-7509X1543
—Evolution of a nonlinear Langmuir wave in a weakly inhomogeneous plasma —Ya. N. Istomin and V. I. Karpman. 40 (5), 843–6; CPM-7511X0441
Kasatkin, A. L.—Interference current in weakly coupled superconductors —A. F. Volkov and A. L. Kasatkin. 40(4), 760–2; CPM-7510X0952
Kashin, V. A.—Inhomogeneous states of antiferromagnetic and magnetoexcitonic semiconductors —V. A. Kashin and É. L. Nagaev. 39(6), 1036–41; CPM-7507X1264
Kashkarov, S. S.—Similarity relations for strong fluctuations of the intensity of light propagating in a turbulent medium —M. E. Gracheva, A. S. Gurvich, S. S. Kashkarov, and V. V. Pokasov. 40 (6), 1011–6; CPM-7512X0013
Katilyus, P.—Diagram technique for phonon turbulence —S. V. Gantsevich, V. D. Kagan, and P. Katilyus. 40(5), 878–86; CPM-7511X0476
Katkov, V. M.—The kinetics and integral characteristics of synchrotron radiation at high energies —V. N. Baĭer, V. M. Katkov, and V. M. Strakhovenko. 39(1), 36–42; CPM-7504X0754
—Operator approach to quantum electrodynamics in an external field: The mass operator —V. N. Baĭer, V. M. Katkov, and V. M. Strakhovenko. 40(2), 225–32; CPM-7510X0175
Katsnel'son, B. G.—Resonance scattering of a powerful electromagnetic pulse by a quantum system —B. A. Zon and B. G. Katsnel'son. 40(3), 462–6; CPM-7510X0542
Katsubo, L. P.—Space-time focusing of an ion beam that excites transverse Langmuir ion plasma oscillations —L. P. Katsubo, V. P. Kovalenko, and I. A. Soloshenko. 40(1), 57–60; CPM-7509X1547
Kaverin, A. M.—Experimental study of liquid argon in the metastable state —V. G. Baĭdakov, V. P. Skripov, and A. M. Kaverin. 40(2), 335–7; CPM-7510X0285
Kazantsev, A. P.—Radiation from an atom located in an external electromagnetic field —A. P. Kazantsev. 39(4), 601–4; CPM-7506X0949
—The acceleration of atoms by light —A. P. Kazantsev. 39(5), 784–90; CPM-7507X0722
—Recoil effect in a strong resonant field —A. P. Kazantsev. 40(5), 825–8; CPM-7511X0423
Kazarinov, R. F.—Heterodyne reception of light by an injection laser —R. F. Kazarinov and R. A. Suris. 39(3), 522–7; CPM-7505X1518
Kazarinov, Yu. M.—Description of high energy π N-scattering data by the complex Regge pole model —M. I. Dzhgarkava, Yu. M. Kazarinov, I. K. Potashnikova, and I. N. Silin. 40(3), 416–9; CPM-7510X0496
Keldysh, L. V.—Microwave breakdown and exciton condensation in germanium —L. V. Keldysh, A. A. Manenkov, V. A. Milyaev, and G. N. Mikhaĭlova. 39(6), 1072–8; CPM-7507X1300
Kel'man, V. A.—Excitation of the resonance level of He^+ in electron–atom, electron–ion, and ion–atom collisions —A. I. Dashchenko, I. P. Zapesochnyĭ, A. I. Imre, V. S. Bukstich, F. F. Danch, and V. A. Kel'man. 40(2), 249–51; CPM-7510X0199
Kessel', A. R.—Theory of magnetic resonance in the Ising model — G. O. Berim, M. M. Zaripov, and A. R. Kessel'. 39(2), 355–8; CPM-7505X0523
—Acoustic resonance saturation as a spin "bottleneck" effect —A. R. Kessel' and M. M. Shakirzyanov. 40(2), 316–20; CPM-7510X0266
—Theory of spin induction and conduction-electron echo in bulky metallic samples —V. A. Zhikharev and A. R. Kessel'. 40(5), 874–7; CPM-7511X0472
Khachatryan, A. M.—Polarization effects of the self-action of a light beam in a resonant medium —A. M. Khachatryan and N. V. Shakhnazaryan. 40(1), 27–9; CPM-7509X1517
Khaĭkin, M. S.—Quantum oscillations of magnetostriction and magnetic moment of tin under magnetic interaction conditions — V. M. Pudalov and M. S. Khaĭkin. 40(6), 1121–30; CPM-7512X0123
Khar'kov, A. A.—Damping law for the external fields of a collapsing body —A. Z. Patashinskiĭ, V. K. Pinus, and A. A. Khar'kov. 39(2), 187–92; CPM-7505X0355
—External fields in the gravitational collapse of rotating masses —A. A. Khar'kov. 39(5), 737–41; CPM-7507X0675
Kharlamov, A. A.—Effect of electron–hole transfers on the static skin effect in tungsten crystals —O. A. Panchenko, A. A. Kharlamov, and Yu. G. Ptushinskiĭ. 40(2), 386–9; CPM-7510X0336
Khattatov, V. U.—Self-induced transparency of a semiconductor —F. Brückner, Ya. T. Vasilev, V. S. Dneprovskiĭ, D. G. Koshchug, E. K. Silina, and V. U. Khattatov. 40(6), 1101–4; CPM-7512X0103
Khavronin, V. P.—Homogeneous magnetic relaxation near second-order phase transition —I. D. Luzyanin, P. D. Dobychin, and V. P. Khavronin. 39(3), 528–30; CPM-7505X1524
Khlebopros, R. G.—Electromagnetic waves with a discrete spectrum in a metal in an external magnetic field —R. G. Khlebopros, L. M. Gorenko, and Yu. I. Man'kov. 40(4), 720–1; CPM-7510X0912
Khmelevtsov, S. S.—Explosion of water drop bombarded by a series of optical-radiation pulses —V. V. Kostin, V. A. Pogodaev, S. S. Khmelevtsov, and L. K. Chistyakova. 39(6), 969–70; CPM-7507X1197
Khodovoĭ, V. A.—Changes in the absorption spectrum and of dispersion of a two-level system in a rotating monochromatic radiation field —A. M. Bonch-Bruevich, V. A. Khodovoĭ, and N. A. Chigir'. 40(6), 1027–31; CPM-7512X0029
Khokhlachev, S. B.—Equation of state of matter near the liquid–vapor critical point —S. V. Fomichev and S. B. Khokhlachev. 39(3), 478–9; CPM-7505X1474
Khokhlov, R. V.—Narrowing of gamma resonance lines in crystals by continuous radio-frequency fields —A. V. Andreev, Yu. A. Il'inskiĭ, and R. V. Khokhlov. 40(5), 819–20; CPM-7511X0417
Kholas, A.—A general method for integration of many-point ring diagrams for Fermi systems —E. G. Brovman and A. Kholas. 39 (5), 924–31; CPM-7507X0862
Khorev, A. A.—An upper limit on the density of gravitational radiation of extraterrestrial origin —V. B. Braginskiĭ, A. B. Manukin, E. I. Popov, V. N. Rudenko, and A. A. Khorev. 39(3), 387–92; CPM-7505X1383
Khrabrov, V. I.—Domain structure and magnetic properties of $YFeO_3$ particles below the single-domain critical size —V. I. Khrabrov, L. G. Onoprienko, and Ya. S. Shur. 40(1), 171–4; CPM-7509X1661
Khriplovich, I. B.—The gravitational radiation emitted by an ultrarelativistic charged particle in an external electromagnetic field —O. P. Sushkov and I. B. Khriplovich. 39(1), 1–3; CPM-7504X0719
Khukhareva, I. S.—Viscous resistance of vortices in type-II superconductors —I. N. Goncharov, G. L. Dorofeev, A. Nichitiu, L. V. Petrova, D. Fricsovszky, and I. S. Khukhareva. 40(6), 1109–13; CPM-7512X0111
Kichigin, G. N.—Turbulent shock wave in a low-density unmagnetized plasma —O. L. Volkov, V. G. Eselevich, G. N. Kichigin, and V. L. Papernyĭ. 40(5), 841–2; CPM-7511X0439
Kingsep, A. S.—Interaction of Langmuir solitons with plasma particles —V. V. Gorev and A. S. Kingsep. 39(6), 1008–11; CPM-7507X1236

—Measurement of microwave scattering by low frequency turbulent plasma oscillations —V. K. Zhivotov, G. I. Kalinnikov, A. S. Kingsep, M. F. Krotov, V. V. Rusanov, and Yu. V. Tarasov. 40(1), 43–5; CPM-7509X1533

Kirichenko, O. V.—Sondheimer oscillations of the galvanomagnetic characteristics of metals —O. V. Kirichenko, V. G. Peschanskiĭ, and S. N. Savel'eva. 40(4), 722–9; CPM-7510X0914

Kirillov, G. A.—Observation of optical inhomogeneities induced in xenon by shock–wave radiation —L. I. Zykov, G. A. Kirillov, S. B. Kormer, S. M. Kulikov, and S. A. Sukharev. 40(3), 447–8; CPM-7510X0527

Kirin, Yu. M.—Investigation of the four–photon resonance scattering of light —Yu. M. Kirin, S. G. Rautian, V. P. Safonov, and B. M. Chernobrod. 39(6), 956–61; CPM-7507X1184

Kirschner, I.—Magnetic properties of superconducting In–Bi alloys —I. Kirschner, J. Bankuti, Gy. Kiss, I. Kovacs, L. Laszloffy, Gy. Remenyi, and K. Sajo. 39(6), 1054–8; CPM-7507X1282

Kirzhnits, D. A.—Oscillations of the elastic parameters of compressed matter —D. A. Kirzhnits and G. V. Shpatakovskaya. 39(5), 899–906; CPM-7507X0837

—A relativistic phase transition —D. A. Kirzhnits and A. D. Linde. 40(4), 628–34; CPM-7510X0820

Kiss, Gy.—Magnetic properties of superconducting In–Bi alloys —I. Kirschner, J. Bankuti, Gy. Kiss, I. Kovacs, L. Laszloffy, Gy. Remenyi, and K. Sajo. 39(6), 1054–8; CPM-7507X1282

Kitsenko, A. B.—The nonlinear phase of monochromatic–oscillation excitation by a charged–particle beam in a plasma located in a magnetic field —A. B. Kitsenko, I. M. Pankratov, and K. N. Stepanov. 39(1), 77–81; CPM-7504X0795

—The parametric excitation of the electron cyclotron oscillations of a plasma located in an alternating electric field —A. B. Kitsenko, D. G. Lominadze, and K. N. Stepanov. 39(2), 294–8; CPM-7505X0462

—Nonlinear cyclotron resonance in a plasma —A. B. Kitsenko, I. M. Pankratov, and K. N. Stepanov. 40(5), 860–4; CPM-7511X0458

Kiyashko, S. V.—A model of turbulence —S. V. Kiyashko and M. I. Rabinovich. 39(5), 798–801; CPM-7507X0736

Klimontovich, Yu. L.—The effect of the polarization of a plasma on its kinetic properties in the presence of a strong electric field — Yu. L. Klimontovich and V. A. Puchkov. 40(2), 275–9; CPM-7510X0225

Klimov, A. I.—Precession of positive muons in ferromagnets —I. I. Gurevich, A. I. Klimov, V. N. Maĭorov, E. A. Meleshko, I. A. Muratova, B. A. Nikol'skiĭ, V. S. Roganov, V. I. Selivanov, and V. A. Suetin. 39(1), 178–80; CPM-7504X0896

Klok, O. D.—Injection of a relativistic electron beam into a plasma —O. D. Klok, V. I. Krementsov, P. S. Strelkov, and A. G. Shkvarunets. 40(4), 696–700; CPM-7510X0888

Kobzarev, I. Yu.—On the gravitational field of a massless particle — N. A. Voronov and I. Yu. Kobzarev. 39(4), 575–8; CPM-7506X0923

—Cosmological consequences of a spontaneous breakdown of a discrete symmetry —Ya. B. Zel'dovich, I. Yu. Kobzarev, and L. B. Okun'. 40(1), 1–5; CPM-7509X1491

—Graviton emission in collisions of high–energy hadrons —I. Yu. Kobzarev and P. I. Peshkov. 40(2), 213–4; CPM-7510X0163

Kocharyan, K. N.—Dependence of the resonant frequencies of antiferromagnets on the magnetic field, and antiferromagnetic resonance in CoF_2 —Yu. M. Gufan, K. N. Kocharyan, A. S. Prokhorov, and E. G. Rudashevskiĭ. 39(3), 565–9; CPM-7505X1561

Kocharyan, R. G.—Experimental investigation of the fine structure of the instability of nonlinear ferromagnetic resonance —A. V. Vashkovskiĭ, V. I. Zubkov, and R. G. Kocharyan. 39(1), 130–3; CPM-7504X0848

Kochelaev, B. I.—Stationary stimulated Mandel'shtam–Brillouin scattering in paramagnetic crystals under acoustic paramagnetic resonance conditions —R. G. Deminov and B. I. Kochelaev. 39(3), 440–2; CPM-7505X1436

Koĭdan, V. S.—Interaction of a high-intensity relativistic electron beam with plasma in a magnetic field —Yu. I. Abrashitov, V. S. Koĭdan, V. V. Ko.yukhov, V. M. Lagunov, V. N. Luk'yanov, K. I. Mekler, and D. D. Ryutov. 39(4), 647–53; CPM-7506X0995

Kol'chenko, A. P.—Velocity distribution relaxation due to inelastic collisions —A. P. Kol'chenko, S. I. Rautian, Yu. V. Troitskiĭ, and A. M. Shalagin. 39(3), 414–8; CPM-7505X1410

Kolesnichenko, Ya. I.—Nonlinear theory of thermonuclear Alfven instability in plasma —V. S. Belikov, Ya. I. Kolesnichenko, and V. N. Oraevskiĭ. 39(5), 828–31; CPM-7507X0766

Kolganov, V. A.—Contribution to the theory of parametric phenomena in antiferromagnetic substances —V. A. Kolganov. 40 (3), 533–6; CPM-7510X0613

Kolpakov, A. V.—Theory of Mossbauer spectra in an electric field — A. S. Ivanov, A. V. Kolpakov, and R. N. Kuz'min. 39(2), 336–7; CPM-7505X0504

—Interference of hyperfine components in the emission spectrum of Mössbauer nuclei —A. S. Ivanov, A. V. Kolpakov, and R. N. Kuz'min. 40(2), 328–9; CPM-7510X0278

Kompaneets, D. A.—Oscillations in films of superfluid solutions —D. A. Kompaneets. 40(1), 208–10; CPM-7509X1698

Kondorskiĭ, E. I.—Hall effect in rhenium single crystals at low temperatures in strong magnetic fields —E. I. Kondorskiĭ, O. S. Galkina, A. V. Cheremushkina, U. T. Usarov, and G. E. Chuprikov. 39(6), 1094–5; CPM-7507X1322

—Unidirectional anisotropy in Invar —O. S. Galkina, G. A. Ivanov-Smolenskiĭ, and E. I. Kondorskiĭ. 40(1), 111–2; CPM-7509X1601

Kondratenko, A. M.—The stability of the polarization of colliding beams —A. M. Kondratenko. 39(4), 592–5; CPM-7506X0940

Kondratenko, P. S.—Propagation of laser–radiation absorption waves in a transparent solid dielectric —P. S. Kondratenko and B. I. Makshantsev. 39(5), 851–3; CPM-7507X0789

—Theory of Bose quantum crystals —I. E. Dzyaloshinskiĭ and P. S. Kondratenko. 40(3), 594–600; CPM-7510X0674

Konin, A. D.—Measurement of the lifetime of the positive muon — M. P. Balandin, V. M. Grebenyuk, V. G. Zinov, A. D. Konin, and A. N. Ponomarev. 40(5), 811–4; CPM-7511X0409

Kononets, Yu. V.—Theory of channeling effect, III. Energy losses of fast particles —Yu. Kagan and Yu. V. Kononets. 39(5), 832–40; CPM-7507X0770

Konoplev, G. G.—On the theory of the luminescence of isolated molecules —G. G. Konoplev, A. A. Ovchinnikov, and V. G. Plotnikov. 39(6), 962–8; CPM-7507X1190

Konov, V. I.—Investigation of low–threshold gas breakdown near solid targets by CO_2 laser radiation —A. I. Barchukov, F. V. Bunkin, V. I. Konov, and A. A. Lyubin. 39(3), 469–77; CPM-7505X1465

—Photoacoustic cavitation in water —F. V. Bunkin, V. I. Konov, A. M. Prokhorov, V. V. Savranskiĭ, and V. B. Fedorov. 40(6), 1036–8; CPM-7512X0038

Konovalov, O. G.—Polarization of secondary protons from the reaction $\gamma + p \to \pi^0 + p$ in the region of the third resonance —A. I. Derebchinskiĭ, S. G. Tonapetyan, O. G. Konovalov, V. P. Nazyrov, and A. E. Tenishev. 39(1), 30–2; CPM-7504X0748

Kontsevoĭ, L. M.—Investigation of the dynamics of formation of electron beams in a linear discharge —E. I. Lutsenko, N. D. Sereda, and L. M. Kontsevoĭ. 40(3), 484–9; CPM-7510X0564

Konyukhov, V. K.—Relaxation of the vibrational energy of the (00^01) level of the CO_2 molecule —A. S. Biryukov, V. K. Konyukhov, A. I. Lukovnikov, and R. I. Serikov. 39(4), 610–4; CPM-7506X0958

Konyukhov, V. V.—Interaction of a high-intensity relativistic electron beam with plasma in a magnetic field —Yu. I. Abrashitov, V. S. Koĭdan, V. V. Konyukhov, V. M. Lagunov, V. N. Luk'yanov, K. I. Mekler, and D. D. Ryutov. 39(4), 647–53; CPM-7506X0995

Kopeliovich, A. I.—Galvanomagnetic properties of metals with closed Fermi surfaces at low temperatures —R. N. Gurzhi and A. I. Kopeliovich. 40(6), 1144–51; CPM-7512X0146

Kopylov, V. N.—Contributions of various phonon relaxation mechanisms to the thermal resistance of the crystal lattice of bismuth at temperatures below 2 °K —L. P. Mezhov–Deglin, V. N. Kopylov, and É. S. Medvedev. 40(3), 557–63; CPM-7510X0637

Kormer, S. B.—Observation of optical inhomogeneities induced in xenon by shock–wave radiation —L. I. Zykov, G. A. Kirillov, S. B. Kormer, S. M. Kulikov, and S. A. Sukharev. 40(3), 447–8; CPM-7510X0527

Korneev, V. V.—The Luttinger method in the theory of thermomagnetic phenomena —V. V. Korneev, A. N. Starostin, and W. Zimdahl. 39(6), 1104–7; CPM-7507X1332

Korolev, Yu. D.—Properties of a space discharge excited by an electron beam of 10^{-5} sec duration —Yu. I. Bychkov, S. A. Genkin, Yu. D. Korolev, Yu. E. Kreĭndel', G. A. Mesyats, and A. G. Filonov. 39(2), 299–300; CPM-7505X0467

Korolyuk, A. P.—Magnetoacoustic oscillations in zinc and cadmium —V. I. Beletskiĭ, A. P. Korolyuk, and M. A. Obolenskiĭ. **40**(4), 755–6; CPM-7510X0947

Koroteev, N. I.—Coherent active Raman spectroscopy using a tunable parametric oscillator —S. A. Akhmanov and N. I. Koroteev. **40**(4), 650–60; CPM-7510X0842

Korovina, L. I.—Spatial dispersion in the vicinity of cyclotron resonance in a semiconductor located in a magnetic field —L. I. Korovina and A. E. Shabad. **40**(3), 512–6; CPM-7510X0592

Kosachev, V. V.—Relativistic generalization of the Darwin Lagrangian —B. A. Trubnikov and V. V. Kosachev. **39**(4), 641–2; CPM-7506X0989

Kosevich, A. M.—Effect of concentration of active solution on the "melting" of a double polymer chain —A. M. Kosevich, V. L. Galkin, and I. N. Nechiporenko. **39**(1), 124–9; CPM-7504X0842

—Effect of impurities on the phase–transition temperature in a two–dimensional Ising lattice with nearest–neighbor and non–nearest–neighbor interaction —K. I. Grozdev and A. M. Kosevich. **39**(6), 1119–23; CPM-7507X1347

—Self-localization of vibrations in a one-dimensional anharmonic chain —A. M. Kosevich and A. S. Kovalev. **40**(5), 891–6; CPM-7511X0489

Koshchug, D. G.—Self-induced transparency of a semiconductor —F. Brückner, Ya. T. Vasilev, V. S. Dneprovskiĭ, D. G. Koshchug, E. K. Silina, and V. U. Khattatov. **40**(6), 1101–4; CPM-7512X0103

Kostin, V. V.—Explosion of water drop bombarded by a series of optical–radiation pulses —V. V. Kostin, V. A. Pogodaev, S. S. Khmelevtsov, and L. K. Chistyakova. **39**(6), 969–70; CPM-7507X1197

Kotosonov, A. S.—Investigation of the galvanomagnetic properties of graphite in magnetic fields up to 500 kOe at low temperatures —N. B. Brandt, G. A. Kapustin, V. G. Karavaev, A. S. Kotosonov, and E. A. Svistova. **40**(3), 564–9; CPM-7510X0644

Kovacs, I.—Magnetic properties of superconducting In–Bi alloys —I. Kirschner, J. Bankuti, Gy. Kiss, I. Kovacs, L. Laszloffy, Gy. Remenyi, and K. Sajo. **39**(6), 1054–8; CPM-7507X1282

Koval'chuk, B. A.—Scaling theory and the equation of state of argon in a wide region around the critical point —M. A. Anisimov, A. T. Berestov, L. S. Veksler, B. A. Koval'chuk, and V. A. Smirnov. **39**(2), 359–65; CPM-7505X0527

Kovalenko, G. D.—Coherent bremsstrahlung by electrons and positrons in silicon and niobium crystals —G. L. Bochek, I. A. Grishaev, N. P. Kalashnikov, G. D. Kovalenko, V. L. Morokhovskiĭ, and A. N. Fisun. **40**(2), 400–3; CPM-7510X0350

Kovalenko, V. P.—Space-time focusing of an ion beam that excites transverse Langmuir ion plasma oscillations —L. P. Katsubo, V. P. Kovalenko, and I. A. Soloshenko. **40**(1), 57–60; CPM-7509X1547

Kovalev, A. S.—Gain of a CO_2 N_2 He atmospheric-pressure gas mixture excited by a quasistationary non-self-sustaining discharge —E. P. Velikhov, Yu. K. Zemtsov, A. S. Kovalev, I. G. Persantsev, V. D. Pis'mennyĭ, and A. T. Rakhimov. **40**(5), 837–40; CPM-7511X0435

—Self-localization of vibrations in a one-dimensional anharmonic chain —A. M. Kosevich and A. S. Kovalev. **40**(5), 891–6; CPM-7511X0489

Kozlov, G. I.—Radiative losses by argon plasma and the emissive model of a continuous optical discharge —G. I. Kozlov, V. A. Kuznetsov, and V. A. Masyukov. **39**(3), 463–8; CPM-7505X1459

Kozlov, V. A.—High-frequency breakdown in *p*-type InSb —E. P. Dodin, V. A. Kozlov, and V. I. Piskarev. **39**(4), 671–2; CPM-7506X1019

Kozlov, V. P.—Noise spectrum of spontaneous emission —E. B. Aleksandrov, V. P. Kozlov, and V. N. Kulyasov. **39**(4), 620–6; CPM-7506X0968

Kozlova, T. M.—Anomalous Hall effect in holmium single crystal in the region of helicoidal magnetic ordering —D. I. Volkov, T. M. Kozlova, V. N. Prudnikov, N. A. Prudnikova, and N. I. Moreva. **40**(1), 98–100; CPM-7509X1588

Kozub, V. I.—Thermoelectric effects in superconductors —Yu. M. Gal'perin, V. L. Gurevich, and V. I. Kozub. **39**(4), 680–5; CPM-7506X1028

Kozyrev, Yu. N.—Formation of a nonlinear high-amplitude wave in the development of two-beam instability of an ion-ion plasma —Yu. N. Kozyrev and A. P. Naĭda. **40**(6), 1044–6; CPM-7512X0046

Krainov, V. P.—Resonance excitation of atomic levels in a strong electromagnetic field —D. F. Zaretskiĭ and V. P. Krainov. **39**(2), 257–9; CPM-7505X0425

—Resonance multiphoton excitation of atomic levels in a strong electromagnetic field —D. F. Zaretskiĭ and V. P. Krainov. **40**(4), 647–9; CPM-7510X0839

Krasnoperov, E. P.—NMR in $Nb_3Al_{1-x}Ge_x$ compounds —N. E. Alekseevskiĭ, R. A. Dautov, E. P. Krasnoperov, and K. S. Saĭkin. **39**(1), 149–52; CPM-7504X0867

Krasovitskiĭ, V. B.—Excitation of a nonlinear regular plasma wave by a charged particle beam —V. B. Krasovitskiĭ. **39**(1), 71–6; CPM-7504X0789

Krasovitskiĭ, Vit. B.—Experimental investigation of the "Hall" components of the magnetoresistance tensor of bismuth —Yu. A. Bogod, Vit. B. Krasovitskiĭ, and V. G. Gerasimenko. **39**(4), 667–70; CPM-7506X1015

Kravchenko, V. Ya.—Electromagnetic generation of sound in metals located in a magnetic field —G. I. Babkin and V. Ya. Kravchenko. **40**(3), 498–503; CPM-7510X0578

Kreĭndel', Yu. E.—Properties of a space discharge excited by an electron beam of 10^{-5} sec duration —Yu. I. Bychkov, S. A. Genkin, Yu. D. Korolev, Yu. E. Kreĭndel', G. A. Mesyats, and A. G. Filonov. **39**(2), 299–300; CPM-7505X0467

Kreines, N. M.—Magnetic birefringence of light in the antiferromagnetic $MnCO_3$, $CoCO_3$, and $CsMnF_3$ —A. S. Borovik–Romanov, N. M. Kreines, A. A. Pankov, and M. A. Talalaev. **39**(2), 378–82; CPM-7505X0546

Krementsov, V. I.—Injection of a relativistic electron beam into a plasma —O. D. Klok, V. I. Krementsov, P. S. Strelkov, and A. G. Shkvarunets. **40**(4), 696–700; CPM-7510X0888

Krinchik, G. S.—Magneto-optic investigation of magnetic structures under micron resolution conditions —G. S. Krinchik and O. M. Benidze. **40**(6), 1081–7; CPM-7512X0083

—Oscillatory effect of a magnetic field on the rate of a chemical reaction —G. S. Krinchik and R. A. Shvartsman. **40**(6), 1153–7; CPM-7512X0155

Krivnov, V. Ya.—One-dimensional Fermi gas with attraction between the electrons —V. Ya. Krivnov and A. A. Ovchinnikov. **40**(4), 781–6; CPM-7510X0973

Krivoruchko, S. M.—Solitary charge density waves in a magnetoactive plasma —S. M. Krivoruchko, Ya. B. Fainberg, V. D. Shapiro, and V. I. Shevchenko. **40**(6), 1039–43; CPM-7512X0041

Krokhin, O. N.—Anomalous interaction of strong laser radiation with dense plasma —N. G. Basov, O. N. Krokhin, V. V. Pustovalov, A. A. Rupasov, V. P. Silin, G. V. Sklizkov, V. T. Tikhonchuk, and A. S. Shikanov. **40**(1), 61–8; CPM-7509X1551

Krotov, M. F.—Measurement of microwave scattering by low frequency turbulent plasma oscillations —V. K. Zhivotov, G. I. Kalinnikov, A. S. Kingsep, M. F. Krotov, V. V. Rusanov, and Yu. V. Tarasov. **40**(1), 43–5; CPM-7509X1533

Krotova, Z. N.—Effects of stimulated scattering for an electromagnetic pulse incident on a plasma layer —Ya. I. Al'ber, Z. N. Krotova, N. A. Mityakov, V. O. Rapoport, and V. Yu. Trakhtengerts. **39**(2), 275–7; CPM-7505X0443

Krulikovskiĭ, B. K.—Concentration dependence of the electron paramagnetic resonance line-shape: The Cr^{3+} ion in $ZnWO_4$ —A. A. Bugaĭ, B. K. Krulikovskiĭ, V. M. Maksimenko, and A. B. Roĭtsin. **40**(2), 377–81; CPM-7510X0327

Krupnov, A. F.—Possibility of observing the rotational spectra of nonpolar molecules —A. V. Burenin and A. F. Krupnov. **40**(2), 252–3; CPM-7510X0202

Krupyanskiĭ, Yu. F.—Dimensional effects in small particles of Fe_3O_4 —Yu. F. Krupyanskiĭ and I. P. Suzdalev. **40**(2), 364–7; CPM-7510X0314

Krylov, I. P.—Electron scattering by a vortex lattice in a mixed-state superconductor —I. P. Krylov. **40**(1), 188–94; CPM-7509X1678

Krylov, S. Yu.—On the theory of the thermomagnetic effect in a Knudsen gas —S. Yu. Krylov, V. D. Borman, B. I. Nikolaev, and V. I. Troyan. **40**(6), 1053–7; CPM-7512X0055

Krynetskiĭ, I. B.—New orientational transitions induced in orthoferrites by an external field —K. P. Belov, A. K. Zvezdin, A. M. Kadomtseva, and I. B. Krynetskiĭ. **40**(5), 980–4; CPM-7511X0578

Kryukov, P. G.—Variation in the time structure of ultrashort pulses during propagation through a stable two–component medium —A. N. Zherikhin, P. G. Kryukov, E. V. Kurganova, Yu. A. Matveets, S. V. Chekalin, S. A. Churilova, and O. B. Shatberashvili. **39**(1), 52–6; CPM-7504X0770

Kulesko, G. I.—Temperature dependence of the cross section for electron scattering by dislocations in metals —V. F. Gantmakher and G. I. Kulesko. **40**(6), 1158–60; CPM-7512X0160
Kulik, I. O.—The theory of inhomogeneous tunnel junctions —I. O. Kulik, Yu. N. Mitsai, and A. N. Omel'yanchuk. **39**(3), 514–21; CPM-7505X1510
—Criteria for superconductivity and the macroscopic stability of electron–phonon systems —I. O. Kulik. **39**(6), 1096–103; CPM-7507X1324
Kulikov, I. B.—Behavior of zero-gap semiconductors with a linear dispersion law in strong magnetic fields —I. B. Kulikov. **40**(1), 104–5; CPM-7509X1594
Kulikov, S. M.—Observation of optical inhomogeneities induced in xenon by shock–wave radiation —L. I. Zykov, G. A. Kirillov, S. B. Kormer, S. M. Kulikov, and S. A. Sukharev. **40**(3), 447–8; CPM-7510X0527
Kulyasov, V. N.—Noise spectrum of spontaneous emission —E. B. Aleksandrov, V. P. Kozlov, and V. N. Kulyasov. **39**(4), 620–6; CPM-7506X0968
Kumakhov, M. A.—On the reciprocity principle for scattering of fast charged particles by crystals —V. V. Beloshitskiĭ and M. A. Kumakhov. **39**(5), 876–8; CPM-7507X0814
Kuraev, É. A.—The connection between various inclusive processes in quantum electrodynamics —É. A. Kuraev, L. N. Lipatov, and M. I. Strikman. **39**(3), 405–9; CPM-7505X1401
—Radiative corrections to e^+e^- pair production by a high–energy photon in the field of an electron or a nucleus —E. A. Vinokurov, É. A. Kuraev, and N. P. Merenkov. **39**(6), 942–5; CPM-7507X1170
Kurganova, E. V.—Variation in the time structure of ultrashort pulses during propagation through a stable two–component medium —A. N. Zherikhin, P. G. Kryukov, E. V. Kurganova, Yu. A. Matveets, S. V. Chekalin, S. A. Churilova, and O. B. Shatberashvili. **39**(1), 52–6; CPM-7504X0770
Kutovoĭ, N. G.—Two-photon absorption in the microwave band —N. G. Kutovoĭ, A. L. Lutsenko, and G. A. Melkov. **39**(4), 638–40; CPM-7506X0986
Kuz'menko, V. M.—Superconductivity of amorphous vanadium —V. M. Kuz'menko, V. G. Lazarev, V. I. Mel'nikov, and A. I. Sudovtsov. **40**(2), 396–9; CPM-7510X0346
Kuz'min, E. V.—Thermodynamics of the mixing of localized and collectivized electron states —G. M. Zaslavskiĭ, E. V. Kuz'min, and I. S. Sandalov. **40**(4), 707–12; CPM-7510X0899
Kuz'min, R. N.—Theory of Mossbauer spectra in an electric field — A. S. Ivanov, A. V. Kolpakov, and R. N. Kuz'min. **39**(2), 336–7; CPM-7505X0504
—Interference of hyperfine components in the emission spectrum of Mössbauer nuclei —A. S. Ivanov, A. V. Kolpakov, and R. N. Kuz'min. **40**(2), 328–9; CPM-7510X0278
Kuznetsov, E. A.—Three–dimensional solitons —V. E. Zakharov and E. A. Kuznetsov. **39**(2), 285–6; CPM-7505X0453
—The collapse of electromagnetic waves in a plasma —E. A. Kuznetsov. **39**(6), 1003–7; CPM-7507X1231
—Stability of stationary waves in nonlinear weakly dispersive media —E. A. Kuznetsov and A. V. Mikhailov. **40**(5), 855–9; CPM-7511X0453
Kuznetsov, V. A.—Radiative losses by argon plasma and the emissive model of a continuous optical discharge —G. I. Kozlov, V. A. Kuznetsov, and V. A. Masyukov. **39**(3), 463–8; CPM-7505X1459
Kveder, V. V.—Investigation of the properties of the dislocation EPR spectra in silicon —S. V. Broude, V. A. Grazhulis, V. V. Kveder, and Yu. A. Osip'yan. **39**(4), 721–5; CPM-7506X1069

L

Lagunov, V. M.—Interaction of a high-intensity relativistic electron beam with plasma in a magnetic field —Yu. I. Abrashitov, V. S. Koidan, V. V. Konyukhov, V. M. Lagunov, V. N. Luk'yanov, K. I. Mekler, and D. D. Ryutov. **39**(4), 647–53; CPM-7506X0995
Lakoba, I. S.—Plasma lasers involving molecules with a dissociative ground state —L. I. Gudzenko, I. S. Lakoba, and S. I. Yakovlenko. **40**(6), 1005–10; CPM-7512X0007
Lakoza, E. L.—Multiple scattering of light in an inhomogeneous medium near the critical point —E. L. Lakoza and A. V. Chalyĭ. **40**(3), 521–5; CPM-7510X0601
Landau, I. L.—Paramagnetic effect of the two-dimensional mixed state in type-I superconductors —I. L. Landau. **40**(1), 126–31; CPM-7505X1616
Lapin, N. I.—Photodisintegration of C^{12} with 345–MeV bremsstrahlung —G. L. Bochek, I. A. Grishaev, N. L. Emets, N. I. Lapin, G. D. Pugachev, and Yu. N. Ranyuk. **39**(1), 7–9; CPM-7504X0725
Larkin, A. I.—Effect of fluctuations on the transition temperature in quasi–one–dimensional superconductors —K. B. Efetov and A. I. Larkin. **39**(6), 1129–34; CPM-7507X1357
—Fluctuation–induced magnetic susceptibility of superconductors and normal metals —L. G. Aslamazov and A. I. Larkin. **40**(2), 321–7; CPM-7510X0271
Laszloffy, L.—Magnetic properties of superconducting In–Bi alloys — I. Kirschner, J. Bankuti, Gy. Kiss, I. Kovacs, L. Laszloffy, Gy. Remenyi, and K. Sajo. **39**(6), 1054–8; CPM-7507X1282
Lavrinovich, N. N.—The possibility of the laser effect in stellar atmospheres —N. N. Lavrinovich and V. S. Letokhov. **40**(5), 800–5; CPM-7511X0398
Lavrova, V. V.—Doppler shifted cyclotron resonance and electromagnetic waves in copper —V. V. Lavrova, C. V. Medvedev, V. G. Skobov, L. M. Fisher, A. S. Chernov, and V. A. Yudin. **39**(2), 338–44; CPM-7505X0506
Lazarev, V. G.—Superconductivity of amorphous vanadium —V. M. Kuz'menko, V. G. Lazarev, V. I. Mel'nikov, and A. I. Sudovtsov. **40**(2), 396–9; CPM-7510X0346
Lazebnik, I. M.—Magnetic ordering in dilute PdFe alloys —G. P. Gordeev, G. M. Drabkin, I. M. Lazebnik, and L. A. Aksel'rod. **39** (5), 841–4; CPM-7507X0779
Laz'ko, V. S.—Effect of a magnetic field on heat transport in tenuous molecular gases —V. D. Borman, V. S. Laz'ko, and B. I. Nikolaev. **39**(4), 657–60; CPM-7506X1005
Lebedev, V. V.—Deformation thermomagnetic effect —V. V. Lebedev. **40**(3), 577–9; CPM-7510X0657
Leĭko, G. A.—Elementary processes of variation of particle charge states in He^{2+}–He interaction —V. V. Afrosimov, G. A. Leĭko, Yu. A. Mamaev, and M. N. Panov. **40**(4), 661–6; CPM-7510X0853
Lesnikov, V. P.—Thermal fluctuations and molecular scattering of light in a liquid near the state of convective instability —V. P. Lesnikov and I. Z. Fisher. **40**(4), 667–70; CPM-7510X0859
Letokhov, V. S.—Effect of laser radiation on nuclear decay processes —V. I. Gol'danskiĭ and V. S. Letokhov. **40**(2), 254–5; CPM-7510X0204
—The possibility of the laser effect in stellar atmospheres —N. N. Lavrinovich and V. S. Letokhov. **40**(5), 800–5; CPM-7511X0398
Levanyuk, A. P.—The distinctive features of the loss of stability of metastable phases in solids —A. P. Levanyuk. **39**(6), 1111–4; CPM-7507X1339
Leviev, G. I.—Plasma echo in metals —S. M. Dikman and G. I. Leviev. **40**(5), 916–22; CPM-7511X0514
Levin, Yu. V.—Electromagnetic excitation of ultrasound and the transparency of semimetals —I. A. Gilinskiĭ, M. B. Sultanov, and Yu. V. Levin. 39(1), 106–10; CPM-7504X0824
Levinson, I. B.—Elementary excitations and Raman scattering in a system of nonequilibrium phonons —S. A. Bulgadaev and I. B. Levinson. **40**(6), 1161–6; CPM-7512X0163
Levitin, R. Z.—Magnetic anisotropy of yttrium-holmium iron-garnets —A. K. Gapeev, R. Z. Levitin, A. S. Markosyan, B. V. Mill', and T. M. Perekalina. **40**(1), 117–20; CPM-7509X1607
Linde, A. D.—A relativistic phase transition —D. A. Kirzhnits and A. D. Linde. **40**(4), 628–34; CPM-7510X0820
Lipatov, L. N.—The connection between various inclusive processes in quantum electrodynamics —É. A. Kuraev, L. N. Lipatov, and M. I. Strikman. **39**(3), 405–9; CPM-7505X1401
Lisitsa, V. S.—Optical and radiative collisions —V. S. Lisitsa and S. I. Yakovlenko. **39**(5), 759–63; CPM-7507X0697
—Resonance of discrete states against the background of a continuous spectrum —V. S. Lisitsa and S. I. Yakovlenko. **39**(6), 975–80; CPM-7507X1203
Lisyanskiĭ, A. A.—Excitation of paramagnetic impurities by a tunneling electron —Yu. M. Ivanchenko and A. A. Lisyanskiĭ. **39** (1), 139–44; CPM-7504X0857
Lobanov, A. N.—Breakdown of gases through laser radiation with high–energy quanta —É. M. Belenov, S. Yu. Gus'kov, V. A. Isakov, and A. N. Lobanov. **39**(2), 278–81; CPM-7505X0446
Loladze, Ts. D.—Nonlinear theory of excitation of electromagnetic waves in a dielectric medium by a nonrelativistic electron beam — Ts. D. Loladze, A. A. Rukhadze, and M. E. Chogovadze. **40**(3), 433–5; CPM-7510X0513

Lominadze, D. G.—The parametric excitation of the electron cyclotron oscillations of a plasma located in an alternating electric field —A. B. Kitsenko, D. G. Lominadze, and K. N. Stepanov. **39** (2), 294–8; CPM-7505X0462

Lomonos, O. I.—Deviations from the Matthiessen rule in the case of tin- and indium-base alloys —O. I. Lomonos, B. N. Aleksandrov, and A. P. Zhernov. **40**(3), 552–6; CPM-7510X0632

Lukash, V. N.—The isotropization of the cosmological expansion owing to particle production —V. N. Lukash and A. A. Starobinskiĭ. **39**(5), 742–7; CPM-7507X0680

—Gravitational waves that conserve the homogeneity of space —V. N. Lukash. **40**(5), 792–9; CPM-7511X0390

Lukashevich, I. I.—Anomalous temperature dependence of the effective field at the nuclei of Dy^{3+} ions in DySb —V. G. Stankevich, I. I. Lukashevich, N. I. Filippov, and I. A. Gladkikh. **39**(1), 134–8; CPM-7504X0852

Lukashin, A. V.—The knot problem in statistical mechanics of polymer chains —A. V. Vologodskiĭ, A. V. Lukashin, M. D. Frank-Kamenetskiĭ, and V. V. Anshelevich. **39**(6), 1059–63; CPM-7507X1287

—Topological interaction between polymer chains —A. V. Vologodskiĭ, A. V. Lukashin, and M. D. Frank-Kamenetskiĭ. **40**(5), 932–6; CPM-7511X0530

Lukina, M. M.—Investigation of the magnetic properties and NMR in spin–reorientation transitions in $DyFe_{0.998}Co_{0.002}O_3$ crystals —A. V. Zalesskiĭ, A. M. Kadomtseva, A. M. Savvinov, M. M. Lukina, G. L. Ovchinnikova, and A. V. Abramov. **39**(5), 883–6; CPM-7507X0821

Lukovnikov, A. I.—Relaxation of the vibrational energy of the (00^01) level of the CO_2 molecule —A. S. Biryukov, V. K. Konyukhov, A. I. Lukovnikov, and R. I. Serikov. **39**(4), 610–4; CPM-7506X0958

Luk'yanov, V. N.—Interaction of a high-intensity relativistic electron beam with plasma in a magnetic field —Yu. I. Abrashitov, V. S. Koĭdan, V. V. Konyukhov, V. M. Lagunov, V. N. Luk'yanov, K. I. Mekler, and D. D. Ryutov. **39**(4), 647–53; CPM-7506X0995

Lundin, A. G.—Double nuclear magnetic resonance in a two-spin system in a solid —A. G. Lundin and V. I. Trofimov. **39**(4), 686–9; CPM-7506X1034

Lur'e, M. A.—Cyclotron resonance in thin conductors —M. A. Lur'e and V. G. Peschanskiĭ. **39**(1), 114–20; CPM-7504X0832

—Weakly damped electromagnetic waves in thin conductors under conditions of strong spatial dispersion —M. A. Lur'e and A. S. Rozhavskiĭ. **39**(2), 319–21; CPM-7505X0487

—Anomalous penetration of electromagnetic field into a metal near cyclotron resonance —A. S. Rozhavskiĭ and M. A. Lur'e. **40**(3), 580–3; CPM-7510X0660

Lutsenko, A. L.—Two-photon absorption in the microwave band —N. G. Kutovoĭ, A. L. Lutsenko, and G. A. Melkov. **39**(4), 638–40; CPM-7506X0986

Lutsenko, E. I.—Investigation of the dynamics of formation of electron beams in a linear discharge —E. I. Lutsenko, N. D. Sereda, and L. M. Kontsevoĭ. **40**(3), 484–9; CPM-7510X0564

Lutsishin, P. P.—Static skin effect on atomically pure tungsten and molybdenum surfaces —O. A. Panchenko, P. P. Lutsishin, and Yu. G. Ptushinskiĭ. **39**(6), 1079–82; CPM-7507X1307

Luzyanin, I. D.—Homogeneous magnetic relaxation near second–order phase transition —I. D. Luzyanin, P. D. Dobychin, and V. P. Khavronin. **39**(3), 528–30; CPM-7505X1524

L'vov, V. S.—Nonlinear theory of parametric excitation of spin waves in antiferromagnets —V. S. L'vov and M. I. Shirokov. **40**(5), 960–7; CPM-7511X0558

Lyakhov, G. A.—Effects of inhomogeneity of optical pumping in lasers and in stimulated scattering: Self–excitation due to distributed feedback —S. A. Akhmanov and G. A. Lyakhov. **39**(1), 43–8; CPM-7504X0761

—Difference-frequency excitation in nonlinear optics and the conditions for Cerenkov-radiation emission —U. A. Abdullin, G. A. Lyakhov, O. V. Rudenko, and A. S. Chirkin. **39**(4), 633–7; CPM-7506X0981

Lyamov, V. E.—An acoustic heterodyne detector of gravitational radiation —V. E. Lyamov and V. N. Rudenko. **40**(5), 787–91; CPM-7511X0385

Lyubimov, O. I.—Retardation effect in cyclotron resonance —É. A. Kaner, O. I. Lyubimov, and N. M. Makarov. **40**(1), 158–65; CPM-7509X1648

Lyubin, A. A.—Investigation of low–threshold gas breakdown near solid targets by CO_2 laser radiation —A. I. Barchukov, F. V. Bunkin, V. I. Konov, and A. A. Lyubin. **39**(3), 469–77; CPM-7505X1465

Lyul'ka, V. A.—Quantum effects in an intense electromagnetic field —V. A. Lyul'ka. **40**(5), 815–8; CPM-7511X0413

M

Maĭorov, V. N.—Precession of positive muons in ferromagnets —I. I. Gurevich, A. I. Klimov, V. N. Maiorov, E. A. Meleshko, I. A. Muratova, B. A. Nikol'skiĭ, V. S. Roganov, V. I. Selivanov, and V. A. Suetin. **39**(1), 178–80; CPM-7504X0896

Makarevich, L. A.—Compressibility of SF_6 along the critical isochore (on the value of the critical exponent γ) —L. A. Makarevich, O. N. Sokolova, and A. M. Rozen. **40**(2), 305–7; CPM-7510X0255

Makarov, E. F.—Mössbauer observation of radio–frequency striction of the paraprocess in invar alloys —Yu. V. Baldokhin, E. F. Makarov, V. A. Povitskiĭ, and V. A. Makarov. **39**(5), 873–5; CPM-7507X0811

Makarov, N. M.—Retardation effect in cyclotron resonance —É. A. Kaner, O. I. Lyubimov, and N. M. Makarov. **40**(1), 158–65; CPM-7509X1648

Makarov, V. A.—Mössbauer observation of radio–frequency striction of the paraprocess in invar alloys —Yu. V. Baldokhin, E. F. Makarov, V. A. Povitskiĭ, and V. A. Makarov. **39**(5), 873–5; CPM-7507X0811

—The Mössbauer effect and magnetic structure of an invar alloy with manganese impurity —V. A. Makarov, I. M. Puzeĭ, T. V. Sakharova, and I. G. Gutovskiĭ. **40**(2), 382–5; CPM-7510X0332

Makarov, V. I.—Effect of scattering processes on the anomalies in the thermodynamic characteristics of superconductors under pressure —V. I. Makarov, V. G. Bar'yakhtar, and V. V. Gann. **40** (1), 85–9; CPM-7509X1575

—Effect of impurities and pressure on the superconducting transition temperature of thallium. V —T. A. Ignat'eva, V. I. Makarov, and Yu. A. Cherevan'. **40**(3), 492–7; CPM-7510X0572

Makshantsev, B. I.—Propagation of laser–radiation absorption waves in a transparent solid dielectric —P. S. Kondratenko and B. I. Makshantsev. **39**(5), 851–3; CPM-7507X0789

Maksimenko, V. M.—Concentration dependence of the electron paramagnetic resonance line shape: The Cr^{3+} ion in $ZnWO_4$ —A. A. Bugai, B. K. Krulikovskiĭ, V. M. Maksimenko, and A. B. Roĭtsin. **40**(2), 377–81; CPM-7510X0327

Maksimov, L. A.—Quasiclassical kinetic equation for gases with rotational degrees of freedom —V. D. Borman, A. S. Bruev, and L. A. Maksimov. **40**(3), 472–9; CPM-7510X0552

Malakhov, A. N.—Probabilistic description of random fields satisfying simplest equations of the hydrodynamic type —A. N. Malakhov and A. I. Saichev. **40**(3), 467–71; CPM-7510X0547

—Kinetic equation for a light wave: intensity fluctuations —A. N. Malakhov and A. I. Saichev. **40**(6), 1032–5; CPM-7512X0034

Maleev, S. V.—Magnetic dipole forces and critical dynamics of ferromagnets above the Curie point —S. V. Maleev. **39**(5), 889–95; CPM-7507X0827

Malkin, I. A.—Calculations of the Stark effect in hydrogen atoms by using the dynamical symmetry $O(2, 2) \times O(2)$ —S. P. Alliluev and I. A. Malkin. **39**(4), 627–32; CPM-7506X0975

Malov, A. D.—Instability of electron–hole semiconductor plasma in a strong magnetic field following interband absorption of light —A. D. Gladun, A. D. Malov, and V. I. Ryzhiĭ. **39**(6), 1049–53; CPM-7507X1277

Mamaev, Yu. A.—Elementary processes of variation of particle charge states in He^{2+}–He interaction —V. V. Afrosimov, G. A. Leĭko, Yu. A. Mamaev, and M. N. Panov. **40**(4), 661–6; CPM-7510X0853

Mamedov, Sh. S.—Vibrational kinetics of anharmonic oscillators under essentially nonequilibrium conditions —B. F. Gordiets, Sh. S. Mamedov, and L. A. Shelepin. **40**(4), 640–6; CPM-7510X0832

Manakov, S. V.—Complete integrability and stochastization of discrete dynamical systems —S. V. Manakov. **40**(2), 269–74; CPM-7510X0219

Manenkov, A. A.—Microwave breakdown and exciton condensation in germanium —L. V. Keldysh, A. A. Manenkov, V. A. Milyaev, and G. N. Mikhaĭlova. **39**(6), 1072–8; CPM-7507X1300

Man'kov, Yu. I.—Electromagnetic waves with a discrete spectrum in a metal in an external magnetic field —R. G. Khlebopros, L. M. Gorenko, and Yu. I. Man'kov. **40**(4), 720–1; CPM-7510X0912

Manukin, A. B.—An upper limit on the density of gravitational radiation of extraterrestrial origin —V. B. Braginskiĭ, A. B. Manukin, E. I. Popov, V. N. Rudenko, and A. A. Khorev. 39(3), 387–92; CPM-7505X1383

Mar'in, V. P.—Mössbauer effect in the CO_2MnSn alloy under pressure —I. N. Nikolaev, V. P. Potapov, and V. P. Mar'in. 40(3), 591–3; CPM-7510X0671

Marinov, M. S.—An alternate version of the WKB method and a calculation of the critical nuclear charge —M. S. Marinov and V. S. Popov. 40(4), 621–7; CPM-7510X0813

Markin, O. A.—The pion spectrum in nuclear matter and pion condensation —A. B. Migdal, O. A. Markin, and I. I. Mishustin. 39(2), 212–21; CPM-7505X0380

Markosyan, A. S.—Magnetic anisotropy of yttrium-holmium iron-garnets —A. K. Gapeev, R. Z. Levitin, A. S. Markosyan, B. V. Mill', and T. M. Perekalina. 40(1), 117–20; CPM-7509X1607

Markus, A. M.—Diffusion interpretation of effects accompanying the penetration of proton through a crystal —Ya. E. Geguzin, A. L. Fainshtein, and A. M. Markus. 40(4), 738–40; CPM-7510X0930

Martsenyuk, M. A.—Magnetic viscosity of a suspension of ferromagnetic particles —M. A. Martsenyuk. 39(6), 1124–8; CPM-7507X1352

Martynets, V. G.—Determination of the parameters of the Migdal equation of state —V. G. Martynets and É. V. Matizen. 40(2), 301–4; CPM-7510X0251

—Equation of state and diffusion near the critical point —V. G. Martynets and É. V. Matizen. 40(3), 507–8; CPM-7510X0587

Marushko, I. A.—Possible application of the nuclear γ-resonance technique to the investigation of the elastic properties of liquids —I. A. Marushko and V. N. Dubinin. 39(4), 665–6; CPM-7506X1013

Masyukov, V. A.—Radiative losses by argon plasma and the emissive model of a continuous optical discharge —G. I. Kozlov, V. A. Kuznetsov, and V. A. Masyukov. 39(3), 463–8; CPM-7505X1459

Matizen, É. V.—Determination of the parameters of the Migdal equation of state —V. G. Martynets and É. V. Matizen. 40(2), 301–4; CPM-7510X0251

—Equation of state and diffusion near the critical point —V. G. Martynets and É. V. Matizen. 40(3), 507–8; CPM-7510X0587

Matsevich, V. G.—Energy spectra of helium ions scattered from the (100) surface of a PbS crystal —V. G. Matsevich and G. K. Zyryanov. 39(1), 121–3; CPM-7504X0839

Matveenko, I. I.—Magnetic phase transition in yttrium othovanadite —V. G. Zubkov, A. S. Borukhovich, G. V. Bazuev, I. I. Matveenko, and G. P. Shveĭkin. 39(5), 896–8; CPM-7507X0834

Matveets, Yu. A.—Variation in the time structure of ultrashort pulses during propagation through a stable two-component medium —A. N. Zherikhin, P. G. Kryukov, E. V. Kurganova, Yu. A. Matveets, S. V. Chekalin, S. A. Churilova, and O. B. Shatberashvili. 39(1), 52–6; CPM-7504X0770

Matyushkin, É. V.—Birefringence of light following excitation of nonlinear ferromagnetic resonance in yttrium iron garnets —V. N. Venitskiĭ, V. V. Eremenko, and É. V. Matyushkin. 40(4), 713–6; CPM-7510X0905

Medvedev, A. A.—Investigation of soft x-ray emission from a laser plasma in a magnetic field —T. B. Volyak, S. D. Kaĭtmazov, A. A. Medvedev, A. M. Prokhorov, and E. I. Shklovskiĭ. 40(4), 671–3; CPM-7510X0863

Medvedev, B. A.—Resonance stimulated Raman scattering of ultrashort light pulses —B. A. Medvedev, O. M. Parshkov, V. A. Gorshenin, and A. E. Dmitriev. 40(1), 36–40; CPM-7509X1526

Medvedev, C. V.—Doppler shifted cyclotron resonance and electromagnetic waves in copper —V. V. Lavrova, C. V. Medvedev, V. G. Skobov, L. M. Fisher, A. S. Chernov, and V. A. Yudin. 39(2), 338–44; CPM-7505X0506

Medvedev, É. S.—Contributions of various phonon relaxation mechanisms to the thermal resistance of the crystal lattice of bismuth at temperatures below 2 °K —L. P. Mezhov-Deglin, V. N. Kopylov, and É. S. Medvedev. 40(3), 557–63; CPM-7510X0637

Meĭerovich, A. É.—Internal friction in solid helium —A. É. Meĭerovich. 40(2), 368–73; CPM-7510X0318

—Theory of charge and impurity transfer in quantum crystals —A. F. Andreev and A. É. Meĭerovich. 40(4), 776–80; CPM-7510X0968

Meĭerovich, B. E.—Anomalous skin effect in a plasma with a diffuse boundary in a magnetic field —A. N. Vasil'ev and B. E. Meĭerovich. 40(5), 865–9; CPM-7511X0463

Meĭlikhov, E. Z.—Helicon propagation in semiconductors in a quantizing magnetic field —B. A. Aronzon and E. Z. Meĭlikhov. 40(1), 139–43; CPM-7509X1629

Mekler, K. I.—Interaction of a high-intensity relativistic electron beam with plasma in a magnetic field —Yu. I. Abrashitov, V. S. Koĭdan, V. V. Konyukhov, V. M. Lagunov, V. N. Luk'yanov, K. I. Mekler, and D. D. Ryutov. 39(4), 647–53; CPM-7506X0995

Meleshko, E. A.—Precession of positive muons in ferromagnets —I. I. Gurevich, A. I. Klimov, V. N. Maĭorov, E. A. Meleshko, I. A. Muratova, B. A. Nikol'skiĭ, V. S. Roganov, V. I. Selivanov, and V. A. Suetin. 39(1), 178–80; CPM-7504X0896

Melkov, G. A.—Two-photon absorption in the microwave band —N. G. Kutovoĭ, A. L. Lutsenko, and G. A. Melkov. 39(4), 638–40; CPM-7506X0986

—Effect of domain structure on the nonlinear properties of ferrites — G. A. Melkov and V. L. Grankin. 40(5), 870–3; CPM-7511X0468

—Nonlinear properties of ferrites at low temperatures —V. L. Grankin, G. A. Melkov, and S. M. Ryabchenko. 40(6), 1105–8; CPM-7512X0107

Mel'nikov, V. I.—Superconductivity of amorphous vanadium —V. M. Kuz'menko, V. G. Lazarev, V. I. Mel'nikov, and A. I. Sudovtsov. 40(2), 396–9; CPM-7510X0346

Merenkov, N. P.—Radiative corrections to e^+e^- pair production by a high-energy photon in the field of an electron or a nucleus —E. A. Vinokurov, É. A. Kuraev, and N. P. Merenkov. 39(6), 942–5; CPM-7507X1170

Merkulov, I. A.—Influence of exciton effect on electroabsorption in semiconductors —I. A. Merkulov. 39(6), 1140–4; CPM-7507X1368

Meshcheryakov, V. F.—Observation of paramagnetic resonance on an Fe^{2+} ion in a $CaCO_3$ lattice —V. F. Meshcheryakov, B. N. Grechushnikov, and I. N. Kalinkina. 39(5), 920–3; CPM-7507X0858

Mesyats, G. A.—Properties of a space discharge excited by an electron beam of 10^{-9} sec duration —Yu. I. Bychkov, S. A. Genkin, Yu. D. Korolev, Yu. E. Kreĭndel', G. A. Mesyats, and A. G. Filonov. 39(2), 299–300; CPM-7505X0467

Mezhov-Deglin, L. P.—Contributions of various phonon relaxation mechanisms to the thermal resistance of the crystal lattice of bismuth at temperatures below 2 °K —L. P. Mezhov-Deglin, V. N. Kopylov, and É. S. Medvedev. 40(3), 557–63; CPM-7510X0637

Migdal, A. A.—A theory of interacting pomerons and hadronic reactions at high energies —A. A. Migdal, A. M. Polyakov, and K. A. Ter-Martirosyan. 40(3), 420–9; CPM-7510X0500

—Multiple production of particles and s-channel unitarity in the pomeron strong-coupling region —A. A. Migdal, A. M. Polyakov, and K. A. Ter-Martirosyan. 40(6), 999–1004; CPM-7512X0001

Migdal, A. B.—The pion spectrum in nuclear matter and pion condensation —A. B. Migdal, O. A. Markin, and I. I. Mishustin. 39(2), 212–21; CPM-7505X0380

Mikhaĭlov, A. I.—Incoherent photon scattering by hydrogen forbidden in the dipole approximation —V. G. Gorshkov, A. I. Mikhaĭlov, and S. G. Sherman. 39(6), 995–8; CPM-7507X1223

Mikhaĭlov, A. S.—Resonance size effect in high-frequency conductivity of thin metallic plates in the absence of a static magnetic field —M. I. Kaganov and A. S. Mikhaĭlov. 40(1), 113–6; CPM-7509X1603

Mikhaĭlov, A. V.—Stability of stationary waves in nonlinear weakly dispersive media —E. A. Kuznetsov and A. V. Mikhaĭlov. 40(5), 855–9; CPM-7511X0453

Mikhaĭlova, G. N.—Microwave breakdown and exciton condensation in germanium —L. V. Keldysh, A. A. Manenkov, V. A. Milyaev, and G. N. Mikhaĭlova. 39(6), 1072–8; CPM-7507X1300

Mikhaĭlovskiĭ, A. B.—Self-stabilization of high-pressure plasma in toroidal traps —A. B. Mikhaĭlovskiĭ and V. D. Shafranov. 39(1), 88–92; CPM-7504X0806

Mikheev, V. A.—Diffusion of He^3 in bcc and hcp phases of solid solutions of helium isotopes —V. N. Grigor'ev, B. N. Esel'son, and V. A. Mikheev. 39(1), 153–6; CPM-7504X0871

Mikulinskiĭ, M. A.—Phase transitions in two-component systems — E. E. Gorodetskiĭ and M. A. Mikulinskiĭ. 39(3), 480–4; CPM-7505X1476

Mill', B. V.—Magnetic anisotropy of yttrium-holmium iron-garnets —A. K. Gapeev, R. Z. Levitin, A. S. Markosyan, B. V. Mill', and T. M. Perekalina. 40(1), 117–20; CPM-7509X1607

Milyaev, V. A.—Microwave breakdown and exciton condensation in germanium —L. V. Keldysh, A. A. Manenkov, V. A. Milyaev, and G. N. Mikhaĭlova. 39(6), 1072–8; CPM-7507X1300

Minaĭchev, E. V.—The effects of electrolytes on the depolarization of positive muons —E. V. Minaĭchev, G. G. Myasishcheva, Yu. V. Obukhov, V. S. Roganov, G. I. Savel'ev, V. P. Smilga, and V. G. Firsov. **39**(6), 946–9; CPM-7507X1174

Mineev, V. N.—Shock compression and magnetic effects in a magnetodielectric based on iron —V. V. Novikov and V. N. Mineev. **40**(4), 717–9; CPM-7510X0909

Mineev, V. P.—The theory of the solution of two near-ideal Bose gases —V. P. Mineev. **40**(1), 132–6; CPM-7509X1622

—Some problems in the hydrodynamics of solutions of two superfluid liquids —V. P. Mineev. **40**(2), 338–41; CPM-7510X0288

—Two-dimensional and layered crystals —V. P. Mineev. **40**(5), 941–4; CPM-7511X0539

Mishustin, I. I.—The pion spectrum in nuclear matter and pion condensation —A. B. Migdal, O. A. Markin, and I. I. Mishustin. **39**(2), 212–21; CPM-7505X0380

Mitsaĭ, Yu. N.—The theory of inhomogeneous tunnel junctions —I. O. Kulik, Yu. N. Mitsaĭ, and A. N. Omel'yanchuk. **39**(3), 514–21; CPM-7505X1510

Mityakov, N. A.—Effects of stimulated scattering for an electromagnetic pulse incident on a plasma layer —Ya. I. Al'ber, Z. N. Krotova, N. A. Mityakov, V. O. Rapoport, and V. Yu. Trakhtengerts. **39**(2), 275–7; CPM-7505X0443

Moiseev, S. S.—Quasicrossing of levels and transformation of waves with diffuse states and dissipative factors —V. I. Karas', S. S. Moiseev, and V. E. Novikov. **40**(5), 847–50; CPM-7511X0445

Molin, V. N.—Superconductivity in polycrystalline bismuth films —V. I. Petrosyan, V. N. Molin, O. I. Vasin, P. A. Skripkina, S. I. Stenin, and E. G. Batyev. **39**(3), 485–9; CPM-7505X1481

Moreva, N. I.—Anomalous Hall effect in holmium single crystal in the region of helicoidal magnetic ordering —D. I. Volkov, T. M. Kozlova, V. N. Prudnikov, N. A. Prudnikova, and N. I. Moreva. **40**(1), 98–100; CPM-7509X1588

Morokhovskiĭ, V. L.—Coherent bremsstrahlung by electrons and positrons in silicon and niobium crystals —G. L. Bochek, I. A. Grishaev, N. P. Kalashnikov, G. D. Kovalenko, V. L. Morokhovskiĭ, and A. N. Fisun. **40**(2), 400–3; CPM-7510X0350

Moshenskiĭ, A. A.—Effect of injection of helium atoms on the superconducting properties of indium films —N. Ya. Fogel', A. A. Moshenskiĭ, I. M. Dmitrenko, L. P. Tishchenko, T. I. Peregon, and Ya. M. Fogel'. **39**(2), 301–5; CPM-7505X0469

Moskalev, A. N.—Some parity-nonconservation effects in emission by hydrogenlike atoms —Ya. I. Azimov, A. A. Ansel'm, A. N. Moskalev, and R. M. Ryndin. **40**(1), 8–13; CPM-7509X1498

Muratova, I. A.—Precession of positive muons in ferromagnets —I. I. Gurevich, A. I. Klimov, V. N. Maĭorov, E. A. Meleshko, I. A. Muratova, B. A. Nikol'skiĭ, V. S. Roganov, V. I. Selivanov, and V. A. Suetin. **39**(1), 178–80; CPM-7504X0896

Myasishcheva, G. G.—The effects of electrolytes on the depolarization of positive muons —E. V. Minaĭchev, G. G. Myasishcheva, Yu. V. Obukhov, V. S. Roganov, G. I. Savel'ev, V. P. Smilga, and V. G. Firsov. **39**(6), 946–9; CPM-7507X1174

Myasnikhanyan, V. V.—Changes in Cerenkov radiation caused by an external field —V. V. Mysakhanyan and A. I. Nikishov. **39**(4), 615–9; CPM-7506X0963

N

Nagaev, É. L.—Inhomogeneous states of antiferromagnetic and magnetoexcitonic semiconductors —V. A. Kashin and É. L. Nagaev. **39**(6), 1036–41; CPM-7507X1264

Naĭda, A. P.—Formation of a nonlinear high-amplitude wave in the development of two-beam instability of an ion-ion plasma —Yu. N. Kozyrev and A. P. Naĭda. **40**(6), 1044–6; CPM-7512X0046

Nakhan'kov, V. G.—Dynamics of the formation and interaction of Langmuir solitons and strong turbulence —L. M. Degtyarev, V. G. Nakhan'kov, and L. I. Rudakov. **40**(2), 264–8; CPM-7510X0214

Natsik, V. D.—Dislocation slowing down by electrons in metals in strong magnetic fields —V. D. Natsik and L. G. Potemina. **40**(1), 121–5; CPM-7509X1611

Naumovets, A. G.—Phase transitions in submonolayer strontium films adsorbed on the (011) face of tungsten —O. V. Kanash, A. G. Naumovets, and A. G. Fedorus. **40**(5), 903–7; CPM-7511X0501

Nazyrov, V. P.—Polarization of secondary protons from the reaction $\gamma+p\to\pi^0+p$ in the region of the third resonance —A. I. Derebchinskiĭ, S. G. Tonapetyan, O. G. Konovalov, V. P. Nazyrov, and A. E. Tenishev. **39**(1), 30–2; CPM-7504X0748

Nechiporenko, I. N.—Effect of concentration of active solution on the "melting" of a double polymer chain —A. M. Kosevich, V. L. Galkin, and I. N. Nechiporenko. **39**(1), 124–9; CPM-7504X0842

Nedel'ko, V. I.—The Al^{27} Knight shift and magnetic properties of Fe, Co, and Ni monoaluminides —V. I. Chechernikov, V. I. Nedel'ko, A. F. Prun, and F. A. Sidorenko. **40**(2), 342–3; CPM-7510X0292

Nedorezov, S. S.—Theory of the de Haas–van Alphen effect in a plate —S. S. Nedorezov. **40**(4), 769–72; CPM-7510X0961

Nichitiu, A.—Viscous resistance of vortices in type-II superconductors —I. N. Goncharov, G. L. Dorofeev, A. Nichitiu, L. V. Petrova, D. Fricsovszky, and I. S. Khukhareva. **40**(6), 1109–13; CPM-7512X0111

Nikiforov, Yu. N.—Change of electric conductivity of semiconductor crystals by passage of a shock wave from a laser pulse —L. I. Ivanov, Yu. N. Nikiforov, and V. A. Yanushkevich. **40**(1), 75–6; CPM-7509X1565

Nikishov, A. I.—Changes in Cerenkov radiation caused by an external field —V. V. Mysakhanyan and A. I. Nikishov. **39**(4), 615–9; CPM-7506X0963

Nikitenko, V. I.—Investigation of the nature of the diode effect on dislocations in silicon —V. G. Eremenko, V. I. Nikitenko, and E. B. Yakimov. **40**(3), 570–6; CPM-7510X0650

Nikitin, V. V.—Spectroscopy within the radiative linewidth —V. A. Alekseev, N. G. Basov, É. M. Belenov, M. I. Vol'nov, M. A. Gubin, V. V. Nikitin, and A. N. Nikolaenko. **39**(3), 429–32; CPM-7505X1425

Nikolaenko, A. N.—Spectroscopy within the radiative linewidth —V. A. Alekseev, N. G. Basov, É. M. Belenov, M. I. Vol'nov, M. A. Gubin, V. V. Nikitin, and A. N. Nikolaenko. **39**(3), 429–32; CPM-7505X1425

Nikolaev, B. I.—Effect of a magnetic field on heat transport in tenuous molecular gases —V. D. Borman, V. S. Laz'ko, and B. I. Nikolaev. **39**(4), 657–60; CPM-7506X1005

—Investigation of the thermal conductivity of oxygen in parallel stationary and alternating magnetic fields at low pressure —V. D. Borman, B. I. Nikolaev, and V. A. Ryabov. **40**(4), 684–8; CPM-7510X0876

—On the theory of the thermomagnetic effect in a Knudsen gas —S. Yu. Krylov, V. D. Borman, B. I. Nikolaev, and V. I. Troyan. **40**(6), 1053–7; CPM-7512X0055

Nikolaev, I. N.—Sign of conduction–electron polarization in iron —V. Ya. Gamlitskiĭ, O. A. Gurkovskiĭ, V. I. Nikolaev, I. N. Nikolaev, V. M. Cherepanov, and S. S. Yakimov. **40**(2), 374–6; CPM-7510X0324

—Mössbauer effect in the CO_2MnSn alloy under pressure —I. N. Nikolaev, V. P. Potapov, and V. P. Mar'in. **40**(3), 591–3; CPM-7510X0671

Nikolaev, V. I.—The electron configuration of the iron ions in the $NiFe_{2-x}Cr_xO_4$ ferrites —V. A. Gordienko, V. I. Nikolaev, and S. S. Yakimov. **39**(3), 551–3; CPM-7505X1547

—Sign of conduction–electron polarization in iron —V. Ya. Gamlitskiĭ, O. A. Gurkovskiĭ, V. I. Nikolaev, I. N. Nikolaev, V. M. Cherepanov, and S. S. Yakimov. **40**(2), 374–6; CPM-7510X0324

Nikolaev, V. S.—Experimental study of the loss and capture of electrons by fast unexcited and metastable heliumlike ions in ion-atomic collisions —I. S. Dmitriev, V. S. Nikolaev, Yu. A. Tashaev, and Ya. A. Teplova. **40**(6), 1017–24; CPM-7512X0019

Nikol'skiĭ, B. A.—Precession of positive muons in ferromagnets —I. I. Gurevich, A. I. Klimov, V. N. Maĭorov, E. A. Meleshko, I. A. Muratova, B. A. Nikol'skiĭ, V. S. Roganov, V. I. Selivanov, and V. A. Suetin. **39**(1), 178–80; CPM-7504X0896

Nosov, V. G.—Theory of the radiative width of a highly excited nucleus —V. G. Nosov and A. M. Kamchatnov. **40**(2), 219–24; CPM-7510X0169

Novikov, I. D.—Quantum effects in white holes —Ya. B. Zel'dovich, I. D. Novikov, and A. A. Starobinskiĭ. **39**(6), 933–9; CPM-7507X1161

Novikov, S. P.—Periodic and conditionally periodic analogs of the many-soliton solutions of the Korteweg–de Vries equation —B. A. Dubrovin and S. P. Novikov. **40**(6), 1058–63; CPM-7512X0060

Novikov, V. E.—Quasicrossing of levels and transformation of waves with diffuse states and dissipative factors —V. I. Karas', S. S. Moiseev, and V. E. Novikov. **40**(5), 847–50; CPM-7511X0445

Novikov, V. P.—Multimagnon absorption of antiferromagnetic $RbMnF_3$ in the optical spectrum —V. V. Eremenko, V. P. Novikov, and É. G. Petrov. **39**(6), 1030–5; CPM-7507X1258

Novikov, V. V.—Shock compression and magnetic effects in a magnetodielectric based on iron —V. V. Novikov and V. N. Mineev. 40(4), 717–9; CPM-7510X0909
Novikov, Yu. N.—Nuclear magnetic resonance of chlorine in the internal field of a magnetically ordered layered compound of graphite with $NiCl_2$ —F. V. Bragin, Yu. N. Novikov, and S. M. Ryabchenko. 39(1), 172–4; CPM-7504X0890

O

Obolenskiĭ, M. A.—Magnetoacoustic oscillations in zinc and cadmium —V. I. Beletskiĭ, A. P. Korolyuk, and M. A. Obolenskiĭ. 40(4), 755–6; CPM-7510X0947
Obukhov, Yu. V.—Depolarization of negative muons in condensed molecular media —A. A. Dzhuraev, V. S. Evseev, Yu. V. Obukhov, and V. S. Roganov. 39(2), 207–11; CPM-7505X0375
—The effects of electrolytes on the depolarization of positive muons —E. V. Minaichev, G. G. Myasishcheva, Yu. V. Obukhov, V. S. Roganov, G. I. Savel'ev, V. P. Smilga, and V. G. Firsov. 39(6), 946–9; CPM-7507X1174
Oganesyan, K. O.—Measurement of the muon capture rate in gaseous hydrogen —V. M. Bystritskiĭ, V. P. Dzhelepov, P. F. Ermolov, K. O. Oganesyan, M. N. Omel'yanenko, S. Yu. Porokhovoĭ, V. S. Roganov, A. I. Rudenko, and V. V. Fil'chenkov. 39(1), 19–26; CPM-7504X0737
—Study of the fusion reaction $d\mu+d\rightarrow He^3+n+\mu$ in gaseous deuterium —V. M. Bystritskiĭ, V. P. Dzhelepov, K. O. Oganesyan, M. N. Omel'yanenko, S. Yu. Porokhovoĭ, A. I. Rudenko, and V. V. Fil'chenkov. 39(1), 27–9; CPM-7504X0745
Okulov, V. I.—Boundary condition for the distribution function of conduction electrons scattered by a metal surface —V. I. Okulov and V. V. Ustinov. 40(3), 584–90; CPM-7510X0664
Okun', L. B.—Cosmological consequences of a spontaneous breakdown of a discrete symmetry —Ya. B. Zel'dovich, I. Yu. Kobzarev, and L. B. Okun'. 40(1), 1–5; CPM-7509X1491
Okunevich, A. I.—Parametric relaxation resonance of optically oriented atoms in a transverse magnetic field —A. I. Okunevich. 39(5), 773–4; CPM-7507X0711
—Paramagnetic relaxation resonance of optically oriented metastable He^4 atoms in an effective magnetic field —A. I. Okunevich. 40(3), 436–40; CPM-7510X0516
Olënik, V. P.—Multiphoton transitions in a hydrogenlike atom —V. P. Olënik and M. M. Chumachkova. 40(3), 460–1; CPM-7510X0540
Omel'yanchuk, A. N.—The theory of inhomogeneous tunnel junctions —I. O. Kulik, Yu. N. Mitsaĭ, and A. N. Omel'yanchuk. 39(3), 514–21; CPM-7505X1510
Omel'yanenko, M. N.—Measurement of the muon capture rate in gaseous hydrogen —V. M. Bystritskiĭ, V. P. Dzhelepov, P. F. Ermolov, K. O. Oganesyan, M. N. Omel'yanenko, S. Yu. Porokhovoĭ, V. S. Roganov, A. I. Rudenko, and V. V. Fil'chenkov. 39(1), 19–26; CPM-7504X0737
—Study of the fusion reaction $d\mu+d\rightarrow He^3+n+\mu$ in gaseous deuterium —V. M. Bystritskiĭ, V. P. Dzhelepov, K. O. Oganesyan, M. N. Omel'yanenko, S. Yu. Porokhovoĭ, A. I. Rudenko, and V. V. Fil'chenkov. 39(1), 27–9; CPM-7504X0745
Onoprienko, L. G.—Domain structure and magnetic properties of $YFeO_3$ particles below the single-domain critical size —V. I. Khrabrov, L. G. Onoprienko, and Ya. S. Shur. 40(1), 171–4; CPM-7509X1661
Oparin, V. A.—Negative ion excited states and the determination of their binding energy by electron detachment by an electric field —V. A. Oparin, R. N. Il'in, I. T. Serenkov, and E. S. Solov'ev. 39(6), 989–94; CPM-7507X1217
Oraevskiĭ, V. N.—Stabilization of shock instability at the expense of the inhomgeneity of the medium —T. A. Davydova and V. N. Oraevskiĭ. 39(5), 791–5; CPM-7507X0729
—Nonlinear theory of thermonuclear Alfven instability in plasma —V. S. Belikov, Ya. I. Kolesnichenko, and V. N. Oraevskiĭ. 39(5), 828–31; CPM-7507X0766
Orlova, S. L.—Cyclotron resonance of electrons in Ge in a quantizing magnetic field in the case of inelastic scattering by acoustic phonons —E. M. Gershenzon, Yu. A. Gurvich, S. L. Orlova, and N. G. Ptitsina. 40(2), 311–5; CPM-7510X0261
Osherov, V. I.—Nonadiabatic transitions in triatomic systems —A. I. Voronin and V. I. Osherov. 39(1), 62–6; CPM-7504X0780
Osip'yan, Yu. A.—Investigation of the properties of the dislocation EPR spectra in silicon —S. V. Broude, V. A. Grazhulis, V. V. Kveder, and Yu. A. Osip'yan. 39(4), 721–5; CPM-7506X1069
Ostrovskiĭ, V. N.—Transitions between the degenerate states of an excited hydrogenlike ion during distant collisions with a charged particle —Yu. N. Demkov, V. N. Ostrovskiĭ, and E. A. Solov'ev. 39(1), 57–61; CPM-7504X0775
—Scattering of electrons by long linear molecules. The effect of approximate translational symmetry —Yu. N. Demkov, V. N. Ostrovskiĭ, and E. A. Solov'ev. 39(2), 239–42; CPM-7505X0407
—Mixing of degenerate states of an excited hydrogen atom in long-range collisions with a charged particle —V. N. Ostrovskiĭ and E. A. Solov'ev. 39(5), 779–83; CPM-7507X0717
Ovchinnikov, A. A.—On the theory of the luminescence of isolated molecules —G. G. Konoplev, A. A. Ovchinnikov, and V. G. Plotnikov. 39(6), 962–8; CPM-7507X1190
—Motion of a quantum particle in a stochastic medium —A. A. Ovchinnikov and N. S. Érikhman. 40(4), 733–7; CPM-7510X0925
—One-dimensional Fermi gas with attraction between the electrons — V. Ya. Krivnov and A. A. Ovchinnikov. 40(4), 781–6; CPM-7510X0973
Ovchinnikov, Yu. N.—Conductivity of type-II superconductors near the critical field H_{c2} for arbitrary free paths —Yu. N. Ovchinnikov. 39(3), 538–41; CPM-7505X1534
Ovchinnikova, G. L.—Investigation of the magnetic properties and NMR in spin-reorientation transitions in $DyFe_{0.995}Co_{0.005}O_3$ crystals —A. V. Zalesskiĭ, A. M. Kadomtseva, A. M. Savvinov, M. M. Lukina, G. L. Ovchinnikova, and A. V. Abramov. 39(5), 883–6; CPM-7507X0821
Ovchinnikova, M. Ya.—The classical *S* matrix of a linear triatomic system —M. Ya. Ovchinnikova. 40(4), 635–9; CPM-7510X0827
Oyamada, K.—Nonlinear effects in thin conductors —V. G. Peschanskiĭ, K. Oyamada, and V. V. Polevich. 40(5), 988–93; CPM-7511X0586
Ozhogin, V. I.—Parametric pairs in antiferromagnet with easy plane anisotropy —V. I. Ozhogin and A. Yu. Yakubovskiĭ. 40(1), 144–53; CPM-7509X1634
—Effect of anisotropy on field-induced antiferromagnetism in $YFeO_3$ —V. I. Ozhogin, V. M. Cherepanov, and S. S. Yakimov. 40(3), 517–20; CPM-7510X0597

P

Panchenko, O. A.—Static skin effect on atomically pure tungsten and molybdenum surfaces —O. A. Panchenko, P. P. Lutsishin, and Yu. G. Ptushinskiĭ. 39(6), 1079–82; CPM-7507X1307
—Effect of electron–hole transfers on the static skin effect in tungsten crystals —O. A. Panchenko, A. A. Kharlamov, and Yu. G. Ptushinskiĭ. 40(2), 386–9; CPM-7510X0336
Panev, G. S.—Resonant charge exchange of alkali-earth ions —G. S. Panev, A. N. Zavilopulo, I. P. Zapesochnyĭ, and O. B. Shpenik. 40 (1), 23–6; CPM-7509X1513
Panikovskaya, T. N.—Temperature dependence of magnetic-susceptibility anisotropy of transition-metal crystals with a hexagonal close-packed structure —M. V. Volkenshtein, É. V. Galoshina, and T. N. Panikovskaya. 40(4), 730–2; CPM-7510X0922
Pankov, A. A.—Magnetic birefringence of light in the antiferromagnetic $MnCO_3$, $CoCO_3$, and $CsMnF_3$ —A. S. Borovik-Romanov, N. M. Kreines, A. A. Pankov, and M. A. Talalaev. 39(2), 378–82; CPM-7505X0546
Pankratov, I. M.—The nonlinear phase of monochromatic-oscillation excitation by a charged-particle beam in a plasma located in a magnetic field —A. B. Kitsenko, I. M. Pankratov, and K. N. Stepanov. 39(1), 77–81; CPM-7504X0795
—Nonlinear cyclotron resonance in a plasma —A. B. Kitsenko, I. M. Pankratov, and K. N. Stepanov. 40(5), 860–4; CPM-7511X0458
Panov, M. N.—Elementary processes of variation of particle charge states in He^{3+}-He interaction —V. V. Afrosimov, G. A. Leĭko, Yu. A. Mamaev, and M. N. Panov. 40(4), 661–6; CPM-7510X0853
Papazyan, T. A.—Investigation of resonance polarization phenomena during the passage of laser radiation through potassium vapor —V. M. Arutyunyan, T. A. Papazyan, Yu. S. Chilingaryan, A. V. Karmenyan, and S. M. Sarkisyan. 39(2), 243–8; CPM-7505X0411
Papernyĭ, V. L.—Turbulent shock wave in a low-density unmagnetized plasma —O. L. Volkov, V. G. Eselevich, G. N. Kichigin, and V. L. Papernyĭ. 40(5), 841–2; CPM-7511X0439
Parail, V. V.—Interaction between a plasma jet and a chemically active ionized gas target —A. A. Ivanov and V. V. Parail. 40(1), 49–52; CPM-7509X1539

Parfenova, V. P.—Magnetic hyperfine interaction for ^{60}Co in alloys containing palladium and platinum —A. L. Erzinkyan and V. P. Parfenova. **40**(5), 937–40; CPM-7511X0535

Parshkov, O. M.—Resonance stimulated Raman scattering of ultrashort light pulses —B. A. Medvedev, O. M. Parshkov, V. A. Gorshenin, and A. E. Dmitriev. **40**(1), 36–40; CPM-7509X1526

Pasmanik, G. A.—Linewidth of a traveling-wave Raman laser excited by nonmonochromatic radiation —G. A. Pasmanik and M. S. Sandler. **39**(1), 33–5; CPM-7504X0751

—Self-interaction of incoherent light beams —G. A. Pasmanik. **39**(2), 234–8; CPM-7505X0402

Pastukhov, V. P.—Drift-cone instability in the presence of a cold-ion source —V. P. Pastukhov. **39**(1), 85–7; CPM-7504X0803

—Stabilization of cone instability of collisional plasma in a mirror trap —M. S. Ioffe, B. I. Kanaev, V. P. Pastukhov, and E. E. Yushmanov. **40**(6), 1064–9; CPM-7512X0066

Pastur, L. A.—Wave transmittance for a thick layer of a randomly inhomogeneous medium —L. A. Pastur and É. P. Fel'dman. **40**(2), 241–3; CPM-7510X0191

Patashinskiĭ, A. Z.—Damping law for the external fields of a collapsing body —A. Z. Patashinskiĭ, V. K. Pinus, and A. A. Khar'kov. **39**(2), 187–92; CPM-7505X0355

Pavlov, G. G.—Photoeffect in strong magnetic fields and x-ray emission from neutron stars —Yu. N. Gnedin, G. G. Pavlov, and A. I. Tsygan. **39**(2), 201–6; CPM-7505X0369

Pavlov, L. I.—Statistical phenomena in Raman scattering stimulated by a broad-band pump —S. A. Akhmanov, Yu. E. D'yakov, and L. I. Pavlov. **39**(2), 249–56; CPM-7505X0417

Pekar, V. S.—Theory of spontaneous and stimulated emission of electromagnetic waves in unidimensionally inhomogeneous media and resonators —V. S. Pekar. **40**(2), 233–7; CPM-7510X0183

Peregon, T. I.—Effect of injection of helium atoms on the superconducting properties of indium films —N. Ya. Fogel', A. A. Moshenskiĭ, I. M. Dmitrenko, L. P. Tishchenko, T. I. Peregon, and Ya. M. Fogel'. **39**(2), 301–5; CPM-7505X0469

Perekalina, T. M.—Magnetic anisotropy of yttrium-holmium iron-garnets —A. K. Gapeev, R. Z. Levitin, A. S. Markosyan, B. V. Mill', and T. M. Perekalina. **40**(1), 117–20; CPM-7509X1607

Perel', V. I.—Optical effects due to polarization of nuclei in semiconductors —M. I. D'yakonov, V. I. Perel', V. L. Berkovits, and V. I. Safarov. **40**(5), 950–5; CPM-7511X0548

Perel'man, T. L.—Electron emission from metal surfaces exposed to ultrashort laser pulses —S. I. Anisimov, B. L. Kapeliovich, and T. L. Perel'man. **39**(2), 375–7; CPM-7505X0543

—A modified Korteweg–de Vries equation in electrohydrodynamics —T. L. Perel'man, A. Kh. Fridman, and M. M. El'yashevich. **39**(4), 643–6; CPM-7506X0991

Persantsev, I. G.—Gain of a CO_2 N_2 He atmospheric-pressure gas mixture excited by a quasistationary non-self-sustaining discharge —E. P. Velikhov, Yu. K. Zemtsov, A. S. Kovalev, I. G. Persantsev, V. D. Pis'mennyĭ, and A. T. Rakhimov. **40**(5), 837–40; CPM-7511X0435

Perstnev, I. P.—Interference of nuclear transitions in pure nuclear diffraction of 14.4-keV gamma rays by hematite —E. P. Stepanov, A. N. Artem'ev, I. P. Perstnev, V. V. Sklyarevskiĭ, and G. V. Smirnov. **39**(3), 562–4; CPM-7505X1558

Peschanskiĭ, V. G.—Cyclotron resonance in thin conductors —M. A. Lur'e and V. G. Peschanskiĭ. **39**(1), 114–20; CPM-7504X0832

—Sondheimer oscillations of the galvanomagnetic characteristics of metals —O. V. Kirichenko, V. G. Peschanskiĭ, and S. N. Savel'eva. **40**(4), 722–9; CPM-7510X0914

—Nonlinear effects in thin conductors —V. G. Peschanskiĭ, K. Oyamada, and V. V. Polevich. **40**(5), 988–93; CPM-7511X0586

Peshkov, P. I.—Graviton emission in collisions of high-energy hadrons —I. Yu. Kobzarev and P. I. Peshkov. **40**(2), 213–4; CPM-7510X0163

Petelin, A. N.—The dynamical Stark effect in diatomic molecules —P. A. Braun and A. N. Petelin. **39**(5), 775–8; CPM-7507X0713

Petrashov, V. T.—Effect of lead impurity on the temperature dependence of the electric resistance of indium —A. D. Bronnikov, E. P. Vol'skiĭ, V. T. Petrashov, I. I. Razgonov, and V. S. Tsoi. **40**(2), 357–9; CPM-7510X0307

Petrosyan, V. I.—Superconductivity in polycrystalline bismuth films —V. I. Petrosyan, V. N. Molin, O. I. Vasin, P. A. Skripkina, S. I. Stenin, and E. G. Batyev. **39**(3), 485–9; CPM-7505X1481

Petrov, É. G.—Multimagnon absorption of antiferromagnetic $RbMnF_3$ in the optical spectrum —V. V. Eremenko, V. P. Novikov, and É. G. Petrov. **39**(6), 1030–5; CPM-7507X1258

Petrov, G. D.—Determination of the electron velocity distribution by the Thomson scattering method —V. A. Zhuravlev, G. D. Petrov, and É. F. Yurchuk. **39**(5), 796–7; CPM-7507X0734

Petrova, L. N.—Thermal properties of iron in solid solutions of silicon in iron near the Curie point —V. E. Zinov'ev, Sh. Sh. Abel'skiĭ, M. I. Sandakova, E. G. Dik, L. N. Petrova, and P. V. Gel'd. **39**(1), 169–71; CPM-7504X0887

Petrova, L. V.—Viscous resistance of vortices in type-II superconductors —I. N. Goncharov, G. L. Dorofeev, A. Nichitiu, L. V. Petrova, D. Fricsovszky, and I. S. Khukhareva. **40**(6), 1109–13; CPM-7512X0111

Pikin, S. A.—Instability of Poiseuille flow of a nematic fluid —S. A. Pikin and V. G. Chigrinov. **40**(6), 1131–3; CPM-7512X0133

Pikus, G. E.—Optical orientation of excitons in cubic crystals —G. E. Pikus and G. L. Bir. **40**(2), 390–5; CPM-7510X0340

Pil'shchikov, A. I.—Instability of spin waves in a sample with domain structure —A. I. Pil'shchikov. **39**(2), 328–30; CPM-7505X0496

Pinus, V. K.—Damping law for the external fields of a collapsing body —A. Z. Patashinskiĭ, V. K. Pinus, and A. A. Khar'kov. **39**(2), 187–92; CPM-7505X0355

Piskarev, V. I.—High-frequency breakdown in *p*-type InSb —E. P. Dodin, V. A. Kozlov, and V. I. Piskarev. **39**(4), 671–2; CPM-7506X1019

Pis'mennyĭ, V. D.—Gain of a CO_2 N_2 He atmospheric-pressure gas mixture excited by a quasistationary non-self-sustaining discharge —E. P. Velikhov, Yu. K. Zemtsov, A. S. Kovalev, I. G. Persantsev, V. D. Pis'mennyĭ, and A. T. Rakhimov. **40**(5), 837–40; CPM-7511X0435

Pitaevskiĭ, L. P.—Plasma heating by magnetoacoustic oscillations —P. L. Kapitza and L. P. Pitaevskiĭ. **40**(4), 701–6; CPM-7510X0893

Plotnikov, V. G.—On the theory of the luminescence of isolated molecules —G. G. Konoplev, A. A. Ovchinnikov, and V. G. Plotnikov. **39**(6), 962–8; CPM-7507X1190

Podlubnyĭ, L. I.—Equilibrium properties of electrons in dense systems of correlated scatterers —L. I. Podlubnyĭ. **39**(2), 331–5; CPM-7505X0499

Pogodaev, V. A.—Explosion of water drop bombarded by a series of optical-radiation pulses —V. V. Kostin, V. A. Pogodaev, S. S. Khmelevtsov, and L. K. Chistyakova. **39**(6), 969–70; CPM-7507X1197

Pogutse, O. P.—Convection of plasma in the tokamak —B. B. Kadomstev and O. P. Pogutse. **39**(6), 1012–6; CPM-7507X1240

Pokasov, V. V.—Similarity relations for strong fluctuations of the intensity of light propagating in a turbulent medium —M. E. Gracheva, A. S. Gurvich, S. S. Kashkarov, and V. V. Pokasov. **40**(6), 1011–6; CPM-7512X0013

Pokatilov, V. S.—Ferromagnetic resonance in iron–nickel single crystals —V. S. Pokatilov and I. M. Puzeĭ. **39**(3), 502–5; CPM-7505X1498

Polevich, V. V.—Nonlinear effects in thin conductors —V. G. Peschanskiĭ, K. Oyamada, and V. V. Polevich. **40**(5), 988–93; CPM-7511X0586

Polinger, V. Z.—Jahn–Teller effect for T terms —I. B. Bersuker and V. Z. Polinger. **39**(6), 1023–9; CPM-7507X1251

Polnikov, V. G.—Galvanomagnetic phenomena in thin conductor layers —V. G. Polnikov and V. A. Ryaboshapko. **40**(2), 352–6; CPM-7510X0302

Polovov, V. M.—Specific heat of chromium single crystal at tempertures 80–345 °K —V. M. Polovov. **39**(6), 1064–71; CPM-7507X1292

Polyakov, A. M.—Non-Hamiltonian approach to conformal quantum field theory —A. M. Polyakov. **39**(1), 10–8; CPM-7504X0728

—A theory of interacting pomerons and hadronic reactions at high energies —A. A. Migdal, A. M. Polyakov, and K. A. Ter-Martirosyan. **40**(3), 420–9; CPM-7510X0500

—Multiple production of particles and *s*-channel unitarity in the pomeron strong-coupling region —A. A. Migdal, A. M. Polyakov, and K. A. Ter-Martirosyan. **40**(6), 999–1004; CPM-7512X0001

Ponomarev, A. N.—Measurement of the lifetime of the positive muon —M. P. Balandin, V. M. Grebenyuk, V. G. Zinov, A. D. Konin, and A. N. Ponomarev. **40**(5), 811–4; CPM-7511X0409

Ponomarev, B. K.—Magnetization of $Fe_{64}(Ni_{1-x}Mn_x)_{32}$ alloys in fields up to 350 kOe —B. K. Ponomarev and S. V. Aleksandrovich. **40**(5), 976–9; CPM-7511X0574

Ponomarev, Ya. G.—Gapless state produced in $Hg_{1-x}Cd_xTe$ alloys under pressure —N. B. Brandt, O. N. Belousova, L. A. Bovina, V. I. Stafeev, and Ya. G. Ponomarev. **39**(1), 157–65; CPM-7504X0875

Popov, A. K.—Influence of elastic collisions on nonlinear interference effects —V. I. Barantsov, L. T. Bolotskikh, and A. K. Popov. **39** (3), 419–22; CPM-7505X1415

—Possibility of four–photon parametric generation of light in gases — V. I. Barantsov, A. K. Popov, and G. Kh. Tartakovskiĭ. **40**(3), 449–56; CPM-7510X0529

Popov, E. I.—An upper limit on the density of gravitational radiation of extraterrestrial origin —V. B. Braginskiĭ, A. B. Manukin, E. I. Popov, V. N. Rudenko, and A. A. Khorev. **39**(3), 387–92; CPM-7505X1383

Popov, V. S.—An alternate version of the WKB method and a calculation of the critical nuclear charge —M. S. Marinov and V. S. Popov. **40**(4), 621–7; CPM-7510X0813

Porokhovoĭ, S. Yu.—Measurement of the muon capture rate in gaseous hydrogen —V. M. Bystritskiĭ, V. P. Dzhelepov, P. F. Ermolov, K. O. Oganesyan, M. N. Omel'yanenko, S. Yu. Porokhovoĭ, V. S. Roganov, A. I. Rudenko, and V. V. Fil'chenkov. **39**(1), 19–26; CPM-7504X0737

—Study of the fusion reaction $d\mu + d \rightarrow He^3 + n + \mu$ in gaseous deuterium —V. M. Bystritskiĭ, V. P. Dzhelepov, K. O. Oganesyan, M. N. Omel'yanenko, S. Yu. Porokhovoĭ, A. I. Rudenko, and V. V. Fil'chenkov. **39**(1), 27–9; CPM-7504X0745

Potapov, V. P.—Mössbauer effect in the CO_2MnSn alloy under pressure —I. N. Nikolaev, V. P. Potapov, and V. P. Mar'in. **40**(3), 591–3; CPM-7510X0671

Potashnikova, I. K.—Description of high energy π N–scattering data by the complex Regge pole model —M. I. Dzhgarkava, Yu. M. Kazarinov, I. K. Potashnikova, and I. N. Silin. **40**(3), 416–9; CPM-7510X0496

Potemina, L. G.—Dislocation slowing down by electrons in metals in strong magnetic fields —V. D. Natsik and L. G. Potemina. **40**(1), 121–5; CPM-7509X1611

Povitskiĭ, V. A.—Mössbauer observation of radio–frequency striction of the paraprocess in invar alloys —Yu. V. Baldokhin, E. F. Makarov, V. A. Povitskiĭ, and V. A. Makarov. **39**(5), 873–5; CPM-7507X0811

Prekul, A. F.—Localized spin fluctuations and singularities of the electric resistance of Ti_xV_{1-x} alloys —V. A. Rassokhin, N. V. Volkenshtein, E. P. Romanov, and A. F. Prekul. **39**(1), 166–8; CPM-7504X0884

—Effect of spin fluctuations on the superconducting and normal properties of alloys of Ti containing V, Nb, or Ta —A. F. Prekul, V. A. Rassokhin, and N. V. Volkenshtein. **40**(6), 1134–6; CPM-7512X0136

Prokhorov, A. M.—Investigation of soft x-ray emission from a laser plasma in a magnetic field —T. B. Volyak, S. D. Kaĭtmazov, A. A. Medvedev, A. M. Prokhorov, and E. I. Shklovskiĭ. **40**(4), 671–3; CPM-7510X0863

—A recombination laser based on electron transitions in diatomic molecules —A. S. Biryukov, A. M. Prokhorov, L. A. Shelepin, and N. N. Shirokov. **40**(6), 1025–6; CPM-7512X0027

—Photoacoustic cavitation in water —F. V. Bunkin, V. I. Konov, A. M. Prokhorov, V. V. Savranskiĭ, and V. B. Fedorov. **40**(6), 1036–8; CPM-7512X0038

Prokhorov, A. S.—Dependence of the resonant frequencies of antiferromagnets on the magnetic field, and antiferromagnetic resonance in CoF_2 —Yu. M. Gufan, K. N. Kocharyan, A. S. Prokhorov, and E. G. Rudashevskiĭ. **39**(3), 565–9; CPM-7505X1561

—Antiferromagnetic resonance in $FeBO_3$ —L. V. Velikov, A. S. Prokhorov, E. G. Rudashevskiĭ, and V. N. Seleznev. **39**(5), 909–15; CPM-7507X0847

Prokhorov, I. A.—Thermal expansion and crystal structure of Pr, Nd, and Sm in the 87–1073 °K range —Yu. N. Smirnov and I. A. Prokhorov. **40**(3), 504–6; CPM-7510X0584

Prozorova, L. A.—Investigation of the stationary state of parametrically excited spin waves in antiferromagnetic $MnCO_3$ — L. A. Prozorova and A. I. Smirnov. **40**(5), 970–5; CPM-7511X0568

Prudnikov, V. N.—Anomalous Hall effect in holmium single crystal in the region of helicoidal magnetic ordering —D. I. Volkov, T. M. Kozlova, V. N. Prudnikov, N. A. Prudnikova, and N. I. Moreva. **40**(1), 98–100; CPM-7509X1588

Prudnikova, N. A.—Anomalous Hall effect in holmium single crystal in the region of helicoidal magnetic ordering —D. I. Volkov, T. M. Kozlova, V. N. Prudnikov, N. A. Prudnikova, and N. I. Moreva. **40**(1), 98–100; CPM-7509X1588

Prun, A. F.—The Al^{27} Knight shift and magnetic properties of Fe, Co, and Ni monoaluminides —V. I. Chechernikov, V. I. Nedel'ko, A. F. Prun, and F. A. Sidorenko. **40**(2), 342–3; CPM-7510X0292

Ptitsina, N. G.—Cyclotron resonance of electrons in Ge in a quantizing magnetic field in the case of inelastic scattering by acoustic phonons —E. M. Gershenzon, Yu. A. Gurvich, S. L. Orlova, and N. G. Ptitsina. **40**(2), 311–5; CPM-7510X0261

Ptushinskiĭ, Yu. G.—Static skin effect on atomically pure tungsten and molybdenum surfaces —O. A. Panchenko, P. P. Lutsishin, and Yu. G. Ptushinskiĭ. **39**(6), 1079–82; CPM-7507X1307

—Effect of electron–hole transfers on the static skin effect in tungsten crystals —O. A. Panchenko, A. A. Kharlamov, and Yu. G. Ptushinskiĭ. **40**(2), 386–9; CPM-7510X0336

Puchkov, V. A.—The effect of the polarization of a plasma on its kinetic properties in the presence of a strong electric field —Yu. L. Klimontovich and V. A. Puchkov. **40**(2), 275–9; CPM-7510X0225

Pudalov, V. M.—Quantum oscillations of magnetostriction and magnetic moment of tin under magnetic interaction conditions — V. M. Pudalov and M. S. Khaĭkin. **40**(6), 1121–30; CPM-7512X0123

Pugachev, G. D.—Photodisintegration of C^{12} with 345–MeV bremsstrahlung —G. L. Bochek, I. A. Grishaev, N. L. Emets, N. I. Lapin, G. D. Pugachev, and Yu. N. Ranyuk. **39**(1), 7–9; CPM-7504X0725

Pustovalov, V. V.—Nonstationary turbulence of parametrically unstable plasma —V. V. Pustovalov, V. P. Silin, and V. T. Tikhonchuk. **39**(3), 452–8; CPM-7505X1448

—Anomalous interaction of strong laser radiation with dense plasma —N. G. Basov, O. N. Krokhin, V. V. Pustovalov, A. A. Rupasov, V. P. Silin, G. V. Sklizkov, V. T. Tikhonchuk, and A. S. Shikanov. **40**(1), 61–8; CPM-7509X1551

Puzeĭ, I. M.—Ferromagnetic resonance in iron–nickel single crystals —V. S. Pokatilov and I. M. Puzeĭ. **39**(3), 502–5; CPM-7505X1498

—The Mössbauer effect and magnetic structure of an invar alloy with manganese impurity —V. A. Makarov, I. M. Puzeĭ, T. V. Sakharova, and I. G. Gutovskiĭ. **40**(2), 382–5; CPM-7510X0332

R

Rabinovich, M. I.—A model of turbulence —S. V. Kiyashko and M. I. Rabinovich. **39**(5), 798–801; CPM-7507X0736

—Coalescence of wave pulses or beams in explosive instability —M. I. Rabinovich, V. P. Reutov, and A. A. Tsvetkov. **40**(2), 260–3; CPM-7510X0210

Raĭkher, Yu. L.—Theory of dispersion of the magnetic susceptibility of fine ferromagnetic particles —Yu. L. Raĭkher and M. I. Shliomis. **40**(3), 526–32; CPM-7510X0606

Rakhimov, A. T.—Gain of a CO_2 N_2 He atmospheric-pressure gas mixture excited by a quasistationary non-self-sustaining discharge —E. P. Velikhov, Yu. K. Zemtsov, A. S. Kovalev, I. G. Persantsev, V. D. Pis'mennyĭ, and A. T. Rakhimov. **40**(5), 837–40; CPM-7511X0435

Ranyuk, Yu. N.—Photodisintegration of C^{12} with 345–MeV bremsstrahlung —G. L. Bochek, I. A. Grishaev, N. L. Emets, N. I. Lapin, G. D. Pugachev, and Yu. N. Ranyuk. **39**(1), 7–9; CPM-7504X0725

Rapoport, V. O.—Effects of stimulated scattering for an electromagnetic pulse incident on a plasma layer —Ya. I. Al'ber, Z. N. Krotova, N. A. Mityakov, V. O. Rapoport, and V. Yu. Trakhtengerts. **39**(2), 275–7; CPM-7505X0443

Rashba, É. I.—Theory of the bound states of phonons with impurity centers —É. I. Rashba and A. B. Zimin. **39**(4), 726–31; CPM-7506X1074

Rassokhin, V. A.—Localized spin fluctuations and singularities of the electric resistance of Ti_xV_{1-x} alloys —V. A. Rassokhin, N. V. Volkenshtein, E. P. Romanov, and A. F. Prekul. **39**(1), 166–8; CPM-7504X0884

—Effect of spin fluctuations on the superconducting and normal properties of alloys of Ti containing V, Nb, or Ta —A. F. Prekul, V. A. Rassokhin, and N. V. Volkenshtein. **40**(6), 1134–6; CPM-7512X0136

Rautian, S. G.—Investigation of the four–photon resonance scattering of light —Yu. M. Kirin, S. G. Rautian, V. P. Safonov, and B. M. Chernobrod. **39**(6), 956–61; CPM-7507X1184

Rautian, S. I.—Velocity distribution relaxation due to inelastic collisions —A. P. Kol'chenko, S. I. Rautian, Yu. V. Troitskiĭ, and A. M. Shalagin. **39**(3), 414–8; CPM-7505X1410

Razgonov, I. I.—Effect of lead impurity on the temperature dependence of the electric resistance of indium —A. D. Bronnikov, E. P. Vol'skiĭ, V. T. Petrashov, I. I. Razgonov, and V. S. Tsoĭ. **40**(2), 357–9; CPM-7510X0307

Remenyi, Gy.—Magnetic properties of superconducting In–Bi alloys —I. Kirschner, J. Bankuti, Gy. Kiss, I. Kovacs, L. Laszloffy, Gy. Remenyi, and K. Sajo. **39**(6), 1054–8; CPM-7507X1282

Reutov, V. P.—Coalescence of wave pulses or beams in explosive instability —M. I. Rabinovich, V. P. Reutov, and A. A. Tsvetkov. **40**(2), 260–3; CPM-7510X0210

Rodimova, O. B.—Determination of allowed states of a multiparticle specified for given states of the subsystems —I. G. Kaplan and O. B. Rodimova. **39**(5), 764–8; CPM-7507X0702

Roganov, V. S.—Measurement of the muon capture rate in gaseous hydrogen —V. M. Bystritskiĭ, V. P. Dzhelepov, P. F. Ermolov, K. O. Oganesyan, M. N. Omel'yanenko, S. Yu. Porokhovoĭ, V. S. Roganov, A. I. Rudenko, and V. V. Fil'chenkov. **39**(1), 19–26; CPM-7504X0737

—Precession of positive muons in ferromagnets —I. I. Gurevich, A. I. Klimov, V. N. Maĭorov, E. A. Meleshko, I. A. Muratova, B. A. Nikol'skiĭ, V. S. Roganov, V. I. Selivanov, and V. A. Suetin. **39**(1), 178–80; CPM-7504X0896

—Depolarization of negative muons in condensed molecular media — A. A. Dzhuraev, V. S. Evseev, Yu. V. Obukhov, and V. S. Roganov. **39**(2), 207–11; CPM-7505X0375

—The effects of electrolytes on the depolarization of positive muons —E. V. Minaĭchev, G. G. Myasishcheva, Yu. V. Obukhov, V. S. Roganov, G. I. Savel'ev, V. P. Smilga, and V. G. Firsov. **39**(6), 946–9; CPM-7507X1174

Roĭkhvarger, Z. B.—Evolutionality of magnetohydrodynamic discontinuities with allowance for dissipative waves —Z. B. Roĭkhvarger and S. I. Syrovatskiĭ. **39**(4), 654–6; CPM-7506X1002

Roĭtsin, A. B.—Concentration dependence of the electron paramagnetic resonance line shape: The Cr^{3+} ion in $ZnWO_4$ —A. A. Bugaĭ, B. K. Krulikovskiĭ, V. M. Maksimenko, and A. B. Roĭtsin. **40**(2), 377–81; CPM-7510X0327

Romanov, E. P.—Localized spin fluctuations and singularities of the electric resistance of Ti_xV_{1-x} alloys —V. A. Rassokhin, N. V. Volkenshtein, E. P. Romanov, and A. F. Prekul. **39**(1), 166–8; CPM-7504X0884

Romanyuk, L. I.—Wave–barrier transmission for electron plasma waves in inhomogeneous plasma —L. I. Romanyuk, N. E. Svavil'nyĭ, and V. V. Ustalov. **40**(2), 286–9; CPM-7510X0236

Rosinskiĭ, S. E.—On the theory of relativistic-electron-beam injection into a spatially confined plasma —S. E. Rosinskiĭ, É. V. Rostomyan, A. A. Rukhadze, and V. G. Rukhlin. **39**(4), 661–4; CPM-7506X1009

Rostomyan, É. V.—On the theory of relativistic-electron-beam injection into a spatially confined plasma —S. E. Rosinskiĭ, É. V. Rostomyan, A. A. Rukhadze, and V. G. Rukhlin. **39**(4), 661–4; CPM-7506X1009

—Injection of a relativistic electron beam into a plasma with strong spatial dispersion —É. V. Rostomyan, A. A. Rukhadze, and V. B. Semikoz. **40**(3), 490–1; CPM-7510X0570

Rozen, A. M.—Compressibility of SF_6 along the critical isochore (on the value of the critical exponent γ) —L. A. Makarevich, O. N. Sokolova, and A. M. Rozen. **40**(2), 305–7; CPM-7510X0255

Rozhavskiĭ, A. S.—Weakly damped electromagnetic waves in thin conductors under conditions of strong spatial dispersion —M. A. Lur'e and A. S. Rozhavskiĭ. **39**(2), 319–21; CPM-7505X0487

—Anomalous penetration of electromagnetic field into a metal near cyclotron resonance —A. S. Rozhavskiĭ and M. A. Lur'e. **40**(3), 580–3; CPM-7510X0660

Rubenchik, A. M.—High-frequency plasma heating in a strong magnetic field —A. M. Rubenchik, I. Ya. Rybak, and B. I. Sturman. **40**(4), 678–83; CPM-7510X0870

Rudakov, L. I.—Dynamics of the formation and interaction of Langmuir solitons and strong turbulence —L. M. Degtyarev, V. G. Nakhan'kov, and L. I. Rudakov. **40**(2), 264–8; CPM-7510X0214

Rudashevskiĭ, E. G.—Dependence of the resonant frequencies of antiferromagnets on the magnetic field, and antiferromagnetic resonance in CoF_2 —Yu. M. Gufan, K. N. Kocharyan, A. S. Prokhorov, and E. G. Rudashevskiĭ. **39**(3), 565–9; CPM-7505X1561

—Antiferromagnetic resonance in $FeBO_3$ —L. V. Velikov, A. S. Prokhorov, E. G. Rudashevskiĭ, and V. N. Seleznev. **39**(5), 909–15; CPM-7507X0847

Rudavskiĭ, É. Ya.—Absorption of first sound in concentrated superfluid He^3–He^4 solutions —N. E. Dyumin, B. N. Esel'son, and É. Ya. Rudavskiĭ. **40**(2), 344–8; CPM-7510X0294

Rudenko, A. I.—Measurement of the muon capture rate in gaseous hydrogen —V. M. Bystritskiĭ, V. P. Dzhelepov, P. F. Ermolov, K. O. Oganesyan, M. N. Omel'yanenko, S. Yu. Porokhovoĭ, V. S. Roganov, A. I. Rudenko, and V. V. Fil'chenkov. **39**(1), 19–26; CPM-7504X0737

—Study of the fusion reaction $d\mu + d \rightarrow He^3 + n + \mu$ in gaseous deuterium —V. M. Bystritskiĭ, V. P. Dzhelepov, K. O. Oganesyan, M. N. Omel'yanenko, S. Yu. Porokhovoĭ, A. I. Rudenko, and V. V. Fil'chenkov. **39**(1), 27–9; CPM-7504X0745

Rudenko, O. V.—Difference-frequency excitation in nonlinear optics and the conditions for Cerenkov-radiation emission —U. A. Abdullin, G. A. Lyakhov, O. V. Rudenko, and A. S. Chirkin. **39** (4), 633–7; CPM-7506X0981

—Theory of nonlinear interaction between monochromatic and noise waves in weakly dispersive media —O. V. Rudenko and A. S. Chirkin. **40**(5), 945–9; CPM-7511X0543

Rudenko, V. N.—An upper limit on the density of gravitational radiation of extraterrestrial origin —V. B. Braginskiĭ, A. B. Manukin, E. I. Popov, V. N. Rudenko, and A. A. Khorev. **39**(3), 387–92; CPM-7505X1383

—An acoustic heterodyne detector of gravitational radiation —V. E. Lyamov and V. N. Rudenko. **40**(5), 787–91; CPM-7511X0385

Rudzskiĭ, M. A.—Nonequilibrium beta processes and the role of excited states of nuclei —G. S. Bisnovatyĭ-Kogan, M. A. Rudzskiĭ, and Z. F. Seidov. **40**(5), 806–10; CPM-7511X0404

Rukhadze, A. A.—On the theory of relativistic-electron-beam injection into a spatially confined plasma —S. E. Rosinskiĭ, É. V. Rostomyan, A. A. Rukhadze, and V. G. Rukhlin. **39**(4), 661–4; CPM-7506X1009

—Nonlinear theory of excitation of electromagnetic waves in a dielectric medium by a nonrelativistic electron beam —Ts. D. Loladze, A. A. Rukhadze, and M. E. Chogovadze. **40**(3), 433–5; CPM-7510X0513

—Injection of a relativistic electron beam into a plasma with strong spatial dispersion —É. V. Rostomyan, A. A. Rukhadze, and V. B. Semikoz. **40**(3), 490–1; CPM-7510X0570

Rukhlin, V. G.—On the theory of relativistic-electron-beam injection into a spatially confined plasma —S. E. Rosinskiĭ, É. V. Rostomyan, A. A. Rukhadze, and V. G. Rukhlin. **39**(4), 661–4; CPM-7506X1009

Rupasov, A. A.—Anomalous interaction of strong laser radiation with dense plasma —N. G. Basov, O. N. Krokhin, V. V. Pustovalov, A. A. Rupasov, V. P. Silin, G. V. Sklizkov, V. T. Tikhonchuk, and A. S. Shikanov. **40**(1), 61–8; CPM-7509X1551

Rusanov, V. V.—Measurement of microwave scattering by low frequency turbulent plasma oscillations —V. K. Zhivotov, G. I. Kalinnikov, A. S. Kingsep, M. F. Krotov, V. V. Rusanov, and Yu. V. Tarasov. **40**(1), 43–5; CPM-7509X1533

Ryabchenko, S. M.—Nuclear magnetic resonance of chlorine in the internal field of a magnetically ordered layered compound of graphite with $NiCl_2$ —F. V. Bragin, Yu. N. Novikov, and S. M. Ryabchenko. **39**(1), 172–4; CPM-7504X0890

—Nonlinear properties of ferrites at low temperatures —V. L. Grankin, G. A. Melkov, and S. M. Ryabchenko. **40**(6), 1105–8; CPM-7512X0107

Ryaboshapko, V. A.—Galvanomagnetic phenomena in thin conductor layers —V. G. Polnikov and V. A. Ryaboshapko. **40**(2), 352–6; CPM-7510X0302

Ryabov, V. A.—Quantum theory of the inelastic scattering of channeled particles —V. A. Ryabov. **40**(1), 77–81; CPM-7509X1567

—Investigation of the thermal conductivity of oxygen in parallel stationary and alternating magnetic fields at low pressure —V. D. Borman, B. I. Nikolaev, and V. A. Ryabov. **40**(4), 684–8; CPM-7510X0876

Rybak, I. Ya.—High-frequency plasma heating in a strong magnetic field —A. M. Rubenchik, I. Ya. Rybak, and B. I. Sturman. **40**(4), 678–83; CPM-7510X0870

Ryndin, R. M.—Some parity-nonconservation effects in emission by hydrogenlike atoms —Ya. I. Azimov, A. A. Ansel'm, A. N. Moskalev, and R. M. Ryndin. **40**(1), 8–13; CPM-7509X1498

Ryutov, D. D.—Interaction of a high-intensity relativistic electron beam with plasma in a magnetic field —Yu. I. Abrashitov, V. S. Koĭdan, V. V. Konyukhov, V. M. Lagunov, V. N. Luk'yanov, K. I. Mekler, and D. D. Ryutov. **39**(4), 647–53; CPM-7506X0995

Ryutova, M. P.—Long-range part of a localized Langmuir perturbation in an electron plasma —M. P. Ryutova. **40**(6), 1072–4; CPM-7512X0074

Ryzhiĭ, V. I.—Instability of electron–hole semiconductor plasma in a strong magnetic field following interband absorption of light —A. D. Gladun, A. D. Malov, and V. I. Ryzhiĭ. **39**(6), 1049–53; CPM-7507X1277

S

Sadovskiĭ, M. V.—A model of a disordered system (A contribution to the theory of "liquid semiconductors") —M. V. Sadovskiĭ. **39**(5), 845–50; CPM-7507X0783

Safarov, V. I.—Optical effects due to polarization of nuclei in semiconductors —M. I. D'yakonov, V. I. Perel', V. L. Berkovits, and V. I. Safarov. **40**(5), 950–5; CPM-7511X0548

Safonov, V. P.—Investigation of the four–photon resonance scattering of light —Yu. M. Kirin, S. G. Rautian, V. P. Safonov, and B. M. Chernobrod. **39**(6), 956–61; CPM-7507X1184

Sagdeev, R. Z.—Nonlinear penetration of a plasma by an electromagnetic wave and nondecay mechanisms of its energy dissipation —R. Z. Sagdeev and V. D. Shapiro. **39**(5), 811–8; CPM-7507X0749

Saichev, A. I.—Probabilistic description of random fields satisfying simplest equations of the hydrodynamic type —A. N. Malakhov and A. I. Saichev. **40**(3), 467–71; CPM-7510X0547

—Kinetic equation for a light wave: intensity fluctuations —A. N. Malakhov and A. I. Saichev. **40**(6), 1032–5; CPM-7512X0034

Saĭkin, K. S.—NMR in $Nb_3Al_{1-x}Ge_x$ compounds —N. E. Alekseevskiĭ, R. A. Dautov, E. P. Krasnoperov, and K. S. Saĭkin. **39**(1), 149–52; CPM-7504X0867

Sajo, K.—Magnetic properties of superconducting In–Bi alloys —I. Kirschner, J. Bankuti, Gy. Kiss, I. Kovacs, L. Laszloffy, Gy. Remenyi, and K. Sajo. **39**(6), 1054–8; CPM-7507X1282

Sakharova, T. V.—The Mössbauer effect and magnetic structure of an invar alloy with manganese impurity —V. A. Makarov, I. M. Puzei, T. V. Sakharova, and I. G. Gutovskiĭ. **40**(2), 382–5; CPM-7510X0332

Sanadze, T. I.—Investigation of the hyperfine interaction of U^{3+} in CaF_2 by the method of radio–frequency discrete saturation —T. A. Abramovskaya, B. G. Berulava, and T. I. Sanadze. **39**(1), 145–8; CPM-7504X0863

Sandakova, M. I.—Thermal properties of iron in solid solutions of silicon in iron near the Curie point —V. E. Zinov'ev, Sh. Sh. Abel'skiĭ, M. I. Sandakova, E. G. Dik, L. N. Petrova, and P. V. Gel'd. **39**(1), 169–71; CPM-7504X0887

Sandalov, I. S.—Thermodynamics of the mixing of localized and collectivized electron states —G. M. Zaslavskiĭ, E. V. Kuz'min, and I. S. Sandalov. **40**(4), 707–12; CPM-7510X0899

Sandler, M. S.—Linewidth of a traveling–wave Raman laser excited by nonmonochromatic radiation —G. A. Pasmanik and M. S. Sandler. **39**(1), 33–5; CPM-7504X0751

Sanikidze, D. G.—Sound absorption in a He^3–He^4 solution near the λ point —D. G. Sanikidze. **39**(2), 345–8; CPM-7505X0513

Sapogov, S. A.—Investigation of large amplitude oscillations in an inhomogeneous plasma near ion cyclotron resonance —L. I. Grigor'eva, B. I. Smerdov, S. A. Sapogov, and V. V. Chechkin. **39**(2), 287–93; CPM-7505X0455

Saprykin, É. G.—On the theory of polarization phenomena in the spectroscopy of two–quantum transitions —A. I. Burshtein, É. G. Saprykin, and G. I. Smirnov. **39**(5), 769–72; CPM-7507X0707

Sarkisyan, S. M.—Investigation of resonance polarization phenomena during the passage of laser radiation through potassium vapor —V. M. Arutyunyan, T. A. Papazyan, Yu. S. Chilingaryan, A. V. Karmenyan, and S. M. Sarkisyan. **39**(2), 243–8; CPM-7505X0411

Savchenko, A. N.—Ruby breakdown by pulse trains and single ultrashort pulses —V. M. Baev, A. N. Savchenko, and E. A. Sviridenkov. **39**(3), 443–6; CPM-7505X1439

Savel'ev, G. I.—The effects of electrolytes on the depolarization of positive muons —E. V. Minaichev, G. G. Myasishcheva, Yu. V. Obukhov, V. S. Roganov, G. I. Savel'ev, V. P. Smilga, and V. G. Firsov. **39**(6), 946–9; CPM-7507X1174

Savel'eva, S. N.—Sondheimer oscillations of the galvanomagnetic characteristics of metals —O. V. Kirichenko, V. G. Peschanskiĭ, and S. N. Savel'eva. **40**(4), 722–9; CPM-7510X0914

Savranskiĭ, V. V.—Photoacoustic cavitation in water —F. V. Bunkin, V. I. Konov, A. M. Prokhorov, V. V. Savranskiĭ, and V. B. Fedorov. **40**(6), 1036–8; CPM-7512X0038

Savvinov, A. M.—Investigation of the magnetic properties and NMR in spin–reorientation transitions in $DyFe_{0.993}Co_{0.007}O_3$ crystals —A. V. Zalesskiĭ, A. M. Kadomtseva, A. M. Savvinov, M. M. Lukina, G. L. Ovchinnikova, and A. V. Abramov. **39**(5), 883–6; CPM-7507X0821

Sazonov, V. N.—Bremsstrahlung instability and coherent amplification of polarized radiation in plasma located in a magnetic field —V. N. Sazonov and V. F. Tuganov. **40**(6), 1070–1; CPM-7512X0072

Seĭdov, Z. F.—Nonequilibrium beta processes and the role of excited states of nuclei —G. S. Bisnovatyi-Kogan, M. A. Rudzskiĭ, and Z. F. Seĭdov. **40**(5), 806–10; CPM-7511X0404

Seleznev, V. N.—Antiferromagnetic resonance in $FeBO_3$ —L. V. Velikov, A. S. Prokhorov, E. G. Rudashevskiĭ, and V. N. Seleznev. **39**(5), 909–15; CPM-7507X0847

Selivanov, V. I.—Precession of positive muons in ferromagnets —I. I. Gurevich, A. I. Klimov, V. N. Maĭorov, E. A. Meleshko, I. A. Muratova, B. A. Nikol'skiĭ, V. S. Roganov, V. I. Selivanov, and V. A. Suetin. **39**(1), 178–80; CPM-7504X0896

Semenchenko, V. K.—On the possibility of a critical transition in para–azoxyanisole —V. Ya. Baskakov, V. K. Semenchenko, and V. M. Byankin. **39**(2), 383–5; CPM-7505X0551

Semikoz, V. B.—Injection of a relativistic electron beam into a plasma with strong spatial dispersion —É. V. Rostomyan, A. A. Rukhadze, and V. B. Semikoz. **40**(3), 490–1; CPM-7510X0570

Sereda, N. D.—Investigation of the dynamics of formation of electron beams in a linear discharge —E. I. Lutsenko, N. D. Sereda, and L. M. Kontsevoĭ. **40**(3), 484–9; CPM-7510X0564

Serenkov, I. T.—Negative ion excited states and the determination of their binding energy by electron detachment by an electric field —V. A. Oparin, R. N. Il'in, I. T. Serenkov, and E. S. Solov'ev. **39**(6), 989–94; CPM-7507X1217

Serikov, R. I.—Relaxation of the vibrational energy of the $(00^0 1)$ level of the CO_2 molecule —A. S. Biryukov, V. K. Konyukhov, A. I. Lukovnikov, and R. I. Serikov. **39**(4), 610–4; CPM-7506X0958

Shabad, A. E.—Spatial dispersion in the vicinity of cyclotron resonance in a semiconductor located in a magnetic field —L. I. Korovina and A. E. Shabad. **40**(3), 512–6; CPM-7510X0592

Shafranov, V. D.—Self–stabilization of high–pressure plasma in toroidal traps —A. B. Mikhaĭlovskiĭ and V. D. Shafranov. **39**(1), 88–92; CPM-7504X0806

Shakhnazaryan, N. V.—Polarization effects of the self-action of a light beam in a resonant medium —A. M. Khachatryan and N. V. Shakhnazaryan. **40**(1), 27–9; CPM-7509X1517

Shakirzyanov, M. M.—Acoustic resonance saturation as a spin "bottleneck" effect —A. R. Kessel' and M. M. Shakirzyanov. **40**(2), 316–20; CPM-7510X0266

Shalagin, A. M.—Velocity distribution relaxation due to inelastic collisions —A. P. Kol'chenko, S. I. Rautian, Yu. V. Troitskiĭ, and A. M. Shalagin. **39**(3), 414–8; CPM-7505X1410

Shanskiĭ, V. F.—Theta pinch in germanium —V. V. Vladimirov, L. V. Dubovoĭ, V. A. Smirnov, and V. F. Shanskiĭ. **39**(1), 111–3; CPM-7504X0829

Shapiro, V. D.—The modified decay of Langmuir waves —V. D. Shapiro. **39**(3), 459–62; CPM-7505X1455

—Nonlinear penetration of a plasma by an electromagnetic wave and nondecay mechanisms of its energy dissipation —R. Z. Sagdeev and V. D. Shapiro. **39**(5), 811–8; CPM-7507X0749

—Solitary charge density waves in a magnetoactive plasma —S. M. Krivoruchko, Ya. B. Faĭnberg, V. D. Shapiro, and V. I. Shevchenko. **40**(6), 1039–43; CPM-7512X0041

Sharapov, É I.—Measurement of the amplitdues for scattering of slow neutrons by praseodymium nuclei —G. G. Akopyan, V. P. Alfimenkov, and É I. Sharapov. **40**(3), 430–2; CPM-7510X0510

Shatberashvili, O. B.—Variation in the time structure of ultrashort pulses during propagation through a stable two–component medium —A. N. Zherikhin, P. G. Kryukov, E. V. Kurganova, Yu. A. Matveets, S. V. Chekalin, S. A. Churilova, and O. B. Shatberashvili. **39**(1), 52–6; CPM-7504X0770

Shavrov, V. G.—Effect of pressure of magnetoacoustic resonance in uniaxial antiferromagnets —I. E. Dikshtein, V. V. Tarasenko, and V. G. Shavrov. **40**(2), 404–7; CPM-7510X0354

Shcherbakov, I. S.—Effect of broadening of spectral lines on the migration of electron excitation along impurity centers in crystals —T. T. Basiev, Yu. K. Voron'ko, and I. S. Shcherbakov. **39**(6), 1042–8; CPM-7507X1270

Shcherbakov, Yu. I.—Anisotropy of linear magneto-optical effects in thulium orthoferrite —M. V. Chetkin, Yu. I. Shcherbakov, A. P. Volenko, and L. D. Shevchuk. **40**(3), 509–11; CPM-7510X0589

Shelepin, L. A.—Vibrational kinetics of anharmonic oscillators under essentially nonequilibrium conditions —B. F. Gordiets, Sh. S. Mamedov, and L. A. Shelepin. **40**(4), 640–6; CPM-7510X0832

—A recombination laser based on electron transitions in diatomic molecules —A. S. Biryukov, A. M. Prokhorov, L. A. Shelepin, and N. N. Shirokov. **40**(6), 1025–6; CPM-7512X0027

Shender, E. F.—Ising model in transverse magnetic field and the properties of singlet ferromagnets of the praseodymium type —E. F. Shender. **39**(6), 1083–9; CPM-7507X1311

Sherman, S. G.—Incoherent photon scattering by hydrogen forbidden in the dipole approximation —V. G. Gorshkov, A. I. Mikhaĭlov, and S. G. Sherman. **39**(6), 995–8; CPM-7507X1223

Shevchenko, V. I.—Solitary charge density waves in a magnetoactive plasma —S. M. Krivoruchko, Ya. B. Fainberg, V. D. Shapiro, and V. I. Shevchenko. **40**(6), 1039–43; CPM-7512X0041

Shevchuk, L. D.—Anisotropy of linear magneto-optical effects in thulium orthoferrite —M. V. Chetkin, Yu. I. Shcherbakov, A. P. Volenko, and L. D. Shevchuk. **40**(3), 509–11; CPM-7510X0589

Shiksnov, A. S.—Anomalous interaction of strong laser radiation with dense plasma —N. G. Basov, O. N. Krokhin, V. V. Pustovalov, A. A. Rupasov, V. P. Silin, G. V. Sklizkov, V. T. Tikhonchuk, and A. S. Shikanov. **40**(1), 61–8; CPM-7509X1551

Shikin, I. S.—An investigation of a class of gravitational fields for a charged dustlike medium —I. S. Shikin. **40**(2), 215–8; CPM-7510X0165

Shikin, V. B.—Thermodynamic phenomena on vortex filaments in helium —V. B. Shikin. **40**(6), 1137–43; CPM-7512X0139

Shirokov, M. I.—Nonlinear theory of parametric excitation of spin waves in antiferromagnets —V. S. L'vov and M. I. Shirokov. **40**(5), 960–7; CPM-7511X0558

Shirokov, N. N.—A recombination laser based on electron transitions in diatomic molecules —A. S. Biryukov, A. M. Prokhorov, L. A. Shelepin, and N. N. Shirokov. **40**(6), 1025–6; CPM-7512X0027

Shishov, V. I.—Saturated fluctuations in the laser radiation intensity in a turbulent medium —K. S. Gochelashvili and V. I. Shishov. **39**(4), 605–9; CPM-7506X0953

Shklovskiĭ, E. I.—Investigation of soft x-ray emission from a laser plasma in a magnetic field —T. B. Volyak, S. D. Kaĭtmazov, A. A. Medvedev, A. M. Prokhorov, and E. I. Shklovskiĭ. **40**(4), 671–3; CPM-7510X0863

Shklyar, D. R.—Nonlinear Landau damping in an inhomogeneous plasma —V. I. Karpman and D. R. Shklyar. **40**(1), 53–6; CPM-7509X1543

Shkorina, N. V.—Excitation of ion oscillations in plasma by a fast beam of negative ions —M. D. Gabovich, L. S. Simonenko, I. A. Soloshenko, and N. V. Shkorina. **40**(5), 851–4; CPM-7511X0449

Shkvarunets, A. G.—Injection of a relativistic electron beam into a plasma —O. D. Klok, V. I. Krementsov, P. S. Strelkov, and A. G. Shkvarunets. **40**(4), 696–700; CPM-7510X0888

Shliomis, M. I.—Concerning one gyromagnetic effect in a liquid paramagnet —M. I. Shliomis. **39**(4), 701–4; CPM-7506X1049

—Theory of dispersion of the magnetic susceptibility of fine ferromagnetic particles —Yu. L. Raĭkher and M. I. Shliomis. **40**(3), 526–32; CPM-7510X0606

Shneider, V. E.—Correlation function for a plane Ising lattice —V. E. Shneĭder. **39**(2), 308–11; CPM-7505X0476

Shpatakovskaya, G. V.—Oscillations of the elastic parameters of compressed matter —D. A. Kirzhnits and G. V. Shpatakovskaya. **39**(5), 899–906; CPM-7507X0837

Shpenik, O. B.—Resonant charge exchange of alkali-earth ions —G. S. Panev, A. N. Zavilopulo, I. P. Zapesochnyĭ, and O. B. Shpenik. **40**(1), 23–6; CPM-7509X1513

Shul'man, L. A.—Nuclear relaxation via electron-spin cross relaxation —A. B. Brik, N. P. Baran, S. S. Ishchenko, and L. A. Shul'man. **40**(1), 94–7; CPM-7509X1584

Shur, Ya. S.—Domain structure and magnetic properties of $YFeO_3$ particles below the single-domain critical size —V. I. Khrabrov, L. G. Onoprienko, and Ya. S. Shur. **40**(1), 171–4; CPM-7509X1661

Shuryak, É. V.—Two-photon correlations in synchrotron radiation as a method of studying the beam —É. V. Shuryak. **40**(1), 30–1; CPM-7509X1520

—The possibilities of producing a γ layer —V. F. Dmitriev and É. V. Shuryak. **40**(2), 244–8; CPM-7510X0194

Shvartsburg, A. B.—Self-action of a bounded wave beam in nonlinear geometric optics (two-dimensional problem) —A. B. Shvartsburg. **39**(3), 447–51; CPM-7505X1443

Shvartsman, R. A.—Oscillatory effect of a magnetic field on the rate of a chemical reaction —G. S. Krinchik and R. A. Shvartsman. **40**(6), 1153–7; CPM-7512X0155

Shvartsman, V. F.—An estimate of the size of the universe from a topological point of view —D. D. Sokolov and V. F. Shvartsman. **39**(2), 196–200; CPM-7505X0364

Shveĭkin, G. P.—Magnetic phase transition in yttrium othovanadite —V. G. Zubkov, A. S. Borukhovich, G. V. Bazuev, I. I. Matveenko, and G. P. Shveĭkin. **39**(5), 896–8; CPM-7507X0834

Sibgatullin, N. R.—The interaction of short gravitational waves with electromagnetic waves in arbitrary external electromagnetic fields —N. R. Sibgatullin. **39**(4), 579–85; CPM-7506X0927

—Wave fields outside a collapsing charged star —N. R. Sibgatullin and G. A. Alekseev. **40**(4), 613–20; CPM-7510X0805

Sibirkina, T. N.—Energy of a Fermi system in an external field with radiation corrections taken into account —M. A. Braun and T. N. Sibirkina. **39**(6), 1017–22; CPM-7507X1245

Sidorenko, F. A.—The Al^{27} Knight shift and magnetic properties of Fe, Co, and Ni monoaluminides —V. I. Chechernikov, V. I. Nedel'ko, A. F. Prun, and F. A. Sidorenko. **40**(2), 342–3; CPM-7510X0292

Siemroth, P.—A simple model for the acceleration of ions by high-current relativistic electron beams —K. Alexander, E. Hantzsche, and P. Siemroth. **40**(2), 280–5; CPM-7510X0230

Sigal, M. A.—Ferromagnetic resonance in uniaxial crystals with cylindrical domain structures —M. A. Sigal. **39**(5), 866–72; CPM-7507X0804

Silin, I. N.—Description of high energy π N–scattering data by the complex Regge pole model —M. I. Dzhgarkava, Yu. M. Kazarinov, I. K. Potashnikova, and I. N. Silin. **40**(3), 416–9; CPM-7510X0496

Silin, V. P.—Propagation of electromagnetic waves in an inhomogeneous nonlinear medium —V. M. Eleonskiĭ and V. P. Silin. **39**(1), 67–70; CPM-7504X0785

—Absolute parametric instability of inhomogeneous plasma —V. P. Silin and A. N. Starodub. **39**(1), 82–4; CPM-7504X0800

—Nonstationary turbulence of parametrically unstable plasma —V. V. Pustovalov, V. P. Silin, and V. T. Tikhonchuk. **39**(3), 452–8; CPM-7505X1448

—Anomalous interaction of strong laser radiation with dense plasma —N. G. Basov, O. N. Krokhin, V. V. Pustovalov, A. A. Rupasov, V. P. Silin, G. V. Sklizkov, V. T. Tikhonchuk, and A. S. Shikanov. **40**(1), 61–8; CPM-7509X1551

—A kinetic equation for a plasma in a high-frequency field —V. Yu. Bychenkov and V. P. Silin. **40**(1), 69–74; CPM-7509X1559

—Stimulated Raman scattering in an inhomogeneous plasma —V. P. Silin and A. N. Starodub. **40**(6), 1047–52; CPM-7512X0049

Silina, E. K.—Self-induced transparency of a semiconductor —F. Brückner, Ya. T. Vasilev, V. S. Dneprovskiĭ, D. G. Koshchug, E. K. Silina, and V. U. Khattatov. **40**(6), 1101–4; CPM-7512X0103

Simonenko, L. S.—Excitation of ion oscillations in plasma by a fast beam of negative ions —M. D. Gabovich, L. S. Simonenko, I. A. Soloshenko, and N. V. Shkorina. **40**(5), 851–4; CPM-7511X0449

Sinaĭ, Ya. G.—Critical indices for systems with slowly decaying interaction —P. M. Blekher and Ya. G. Sinaĭ. **40**(1), 195–7; CPM-7509X1685

Sizov, R. A.—Noncollinear spin ordering in a hexagonal ferrite of type W —R. A. Sizov and K. N. Zaĭtsev. **39**(1), 175–7; CPM-7504X0893

Sklizkov, G. V.—Anomalous interaction of strong laser radiation with dense plasma —N. G. Basov, O. N. Krokhin, V. V. Pustovalov, A. A. Rupasov, V. P. Silin, G. V. Sklizkov, V. T. Tikhonchuk, and A. S. Shikanov. **40**(1), 61–8; CPM-7509X1551

Sklyarevskiĭ, V. V.—Interference of nuclear transitions in pure nuclear diffraction of 14.4–keV gamma rays by hematite —E. P. Stepanov, A. N. Artem'ev, I. P. Perstnev, V. V. Sklyarevskiĭ, and G. V. Smirnov. **39**(3), 562–4; CPM-7505X1558

Skobov, V. G.—Doppler shifted cyclotron resonance and electromagnetic waves in copper —V. V. Lavrova, C. V. Medvedev, V. G. Skobov, L. M. Fisher, A. S. Chernov, and V. A. Yudin. **39**(2), 338–44; CPM-7505X0506

—Multiple dopplerons in aluminum —V. G. Skobov, L. M. Fisher, A. S. Chernov, and V. A. Yudin. **40**(3), 605–12; CPM-7510X0685

Skrebnev, V. A.—Observation of the heating of the dipole-dipole interaction pool of impurity ions in nuclear relaxation —I. I. Valeev, F. L. Aukhadeev, and V. A. Skrebnev. **40**(1), 101–3; CPM-7509X1591

Skripkina, P. A.—Superconductivity in polycrystalline bismuth films —V. I. Petrosyan, V. N. Molin, O. I. Vasin, P. A. Skripkina, S. I. Stenin, and E. G. Batyev. **39**(3), 485–9; CPM-7505X1481

Skripov, V. P.—Experimental study of liquid argon in the metastable state —V. G. Baidakov, V. P. Skripov, and A. M. Kaverin. **40**(2), 335–7; CPM-7510X0285

Slobodetskiĭ, I. Sh.—X-ray interferometer with narrow beam —V. L. Indenbom, I. Sh. Slobodetskiĭ, and K. G. Truni. **39**(3), 542–6; CPM-7505X1538

Smerdov, B. I.—Investigation of large amplitude oscillations in an inhomogeneous plasma near ion cyclotron resonance —L. I. Grigor'eva, B. I. Smerdov, S. A. Sapogov, and V. V. Chechkin. **39**(2), 287–93; CPM-7505X0455

Smilga, V. P.—On the theory of precession of the polarization vector of μ^- mesons in mu-nucleonic atoms —V. N. Gorelkin and V. P. Smilga. **39**(4), 586–91; CPM-7506X0934

—The effects of electrolytes on the depolarization of positive muons —E. V. Minaichev, G. G. Myasishcheva, Yu. V. Obukhov, V. S. Roganov, G. I. Savel'ev, V. P. Smilga, and V. G. Firsov. **39**(6), 946–9; CPM-7507X1174

Smirnov, A. I.—Properties of electromagnetic radiation emitted by an electron diffracted in a single crystal —V. V. Fedorov and A. I. Smirnov. **39**(2), 271–4; CPM-7505X0439

—Investigation of the stationary state of parametrically excited spin waves in antiferromagnetic $MnCO_3$ —L. A. Prozorova and A. I. Smirnov. **40**(5), 970–5; CPM-7511X0568

Smirnov, G. I.—On the theory of polarization phenomena in the spectroscopy of two-quantum transitions —A. I. Burshtein, É. G. Saprykin, and G. I. Smirnov. **39**(5), 769–72; CPM-7507X0707

Smirnov, G. V.—Interference of nuclear transitions in pure nuclear diffraction of 14.4-keV gamma rays by hematite —E. P. Stepanov, A. N. Artem'ev, I. P. Perstnev, V. V. Sklyarevskiĭ, and G. V. Smirnov. **39**(3), 562–4; CPM-7505X1558

Smirnov, V. A.—Theta pinch in germanium —V. V. Vladimirov, L. V. Dubovoĭ, V. A. Smirnov, and V. F. Shanskiĭ. **39**(1), 111–3; CPM-7504X0829

—Scaling theory and the equation of state of argon in a wide region around the critical point —M. A. Anisimov, A. T. Berestov, L. S. Veksler, B. A. Koval'chuk, and V. A. Smirnov. **39**(2), 359–65; CPM-7505X0527

Smirnov, Yu. N.—Thermal expansion and crystal structure of Pr, Nd, and Sm in the 87–1073 °K range —Yu. N. Smirnov and I. A. Prokhorov. **40**(3), 504–6; CPM-7510X0584

Sokolov, D. D.—An estimate of the size of the universe from a topological point of view —D. D. Sokolov and V. F. Shvartsman. **39**(2), 196–200; CPM-7505X0364

Sokolov, I. V.—Angular correlation of photons in superradiance —I. V. Sokolov and E. D. Trifonov. **40**(2), 238–40; CPM-7510X0188

Sokolova, O. N.—Compressibility of SF_6 along the critical isochore (on the value of the critical exponent γ) —L. A. Makarevich, O. N. Sokolova, and A. M. Rozen. **40**(2), 305–7; CPM-7510X0255

Soloshenko, I. A.—Space-time focusing of an ion beam that excites transverse Langmuir ion plasma oscillations —L. P. Katsubo, V. P. Kovalenko, and I. A. Soloshenko. **40**(1), 57–60; CPM-7509X1547

—Excitation of ion oscillations in plasma by a fast beam of negative ions —M. D. Gabovich, L. S. Simonenko, I. A. Soloshenko, and N. V. Shkorina. **40**(5), 851–4; CPM-7511X0449

Solov'ev, E. A.—Transitions between the degenerate states of an excited hydrogenlike ion during distant collisions with a charged particle —Yu. N. Demkov, V. N. Ostrovskiĭ, and E. A. Solov'ev. **39**(1), 57–61; CPM-7504X0775

—Scattering of electrons by long linear molecules. The effect of approximate translational symmetry —Yu. N. Demkov, V. N. Ostrovskiĭ, and E. A. Solov'ev. **39**(2), 239–42; CPM-7505X0407

—Mixing of degenerate states of an excited hydrogen atom in long-range collisions with a charged particle —V. N. Ostrovskiĭ and E. A. Solov'ev. **39**(5), 779–83; CPM-7507X0717

Solov'ev, E. S.—Negative ion excited states and the determination of their binding energy by electron detachment by an electric field —V. A. Oparin, R. N. Il'in, I. T. Serenkov, and E. S. Solov'ev. **39**(6), 989–94; CPM-7507X1217

Stafeev, V. I.—Gapless state produced in $Hg_{1-x}Cd_xTe$ alloys under pressure —N. B. Brandt, O. N. Belousova, L. A. Bovina, V. I. Stafeev, and Ya. G. Ponomarev. **39**(1), 157–65; CPM-7504X0875

Stankevich, V. G.—Anomalous temperature dependence of the effective field at the nuclei of Dy^{3+} ions in DySb —V. G. Stankevich, I. I. Lukashevich, N. I. Filippov, and I. A. Gladkikh. **39**(1), 134–8; CPM-7504X0852

Stanyukovich, K. P.—Self-similar motions in general relativity for a spherically symmetric reference system in special coordinates —K. P. Stanyukovich. **39**(3), 399–401; CPM-7505X1395

Starobinskiĭ, A. A.—The isotropization of the cosmological expansion owing to particle production —V. N. Lukash and A. A. Starobinskiĭ. **39**(5), 742–7; CPM-7507X0680

—Quantum effects in white holes —Ya. B. Zel'dovich, I. D. Novikov, and A. A. Starobinskiĭ. **39**(6), 933–9; CPM-7507X1161

Starodub, A. N.—Absolute parametric instability of inhomogeneous plasma —V. P. Silin and A. N. Starodub. **39**(1), 82–4; CPM-7504X0800

—Stimulated Raman scattering in an inhomogeneous plasma —V. P. Silin and A. N. Starodub. **40**(6), 1047–52; CPM-7512X0049

Starostin, A. N.—The Luttinger method in the theory of thermomagnetic phenomena —V. V. Korneev, A. N. Starostin, and W. Zimdahl. **39**(6), 1104–7; CPM-7507X1332

Starunov, V. S.—Fine structure of the Rayleigh line wing and the propagation of transverse hypersound in liquids —V. S. Starunov and I. L. Fabelinskiĭ. **39**(5), 854–61; CPM-7507X0792

Statnikov, Yu. G.—Investigation of the rheological properties of liquid crystals by means of acoustic flows —O. A. Kapustina and Yu. G. Statnikov. **39**(2), 306–7; CPM-7505X0474

Stenin, S. I.—Superconductivity in polycrystalline bismuth films —V. I. Petrosyan, V. N. Molin, O. I. Vasin, P. A. Skripkina, S. I. Stenin, and E. G. Batyev. **39**(3), 485–9; CPM-7505X1481

Stepanov, E. P.—Interference of nuclear transitions in pure nuclear diffraction of 14.4-keV gamma rays by hematite —E. P. Stepanov, A. N. Artem'ev, I. P. Perstnev, V. V. Sklyarevskiĭ, and G. V. Smirnov. **39**(3), 562–4; CPM-7505X1558

Stepanov, K. N.—The nonlinear phase of monochromatic-oscillation excitation by a charged-particle beam in a plasma located in a magnetic field —A. B. Kitsenko, I. M. Pankratov, and K. N. Stepanov. **39**(1), 77–81; CPM-7504X0795

—The parametric excitation of the electron cyclotron oscillations of a plasma located in an alternating electric field —A. B. Kitsenko, D. G. Lominadze, and K. N. Stepanov. **39**(2), 294–8; CPM-7505X0462

—Nonlinear cyclotron resonance in a plasma —A. B. Kitsenko, I. M. Pankratov, and K. N. Stepanov. **40**(5), 860–4; CPM-7511X0458

Strakhovenko, V. M.—The kinetics and integral characteristics of synchrotron radiation at high energies —V. N. Baier, V. M. Katkov, and V. M. Strakhovenko. **39**(1), 36–42; CPM-7504X0754

—Operator approach to quantum electrodynamics in an external field: The mass operator —V. N. Baier, V. M. Katkov, and V. M. Strakhovenko. **40**(2), 225–32; CPM-7510X0175

Strekalov, M. L.—Spectral exchange in collision broadening of rotational structure —A. I. Burshtein, M. L. Strekalov, and S. I. Temkin. **39**(3), 433–9; CPM-7505X1429

Strelkov, P. S.—Injection of a relativistic electron beam into a plasma —O. D. Klok, V. I. Krementsov, P. S. Strelkov, and A. G. Shkvarunets. **40**(4), 696–700; CPM-7510X0888

Strikman, M. I.—The connection between various inclusive processes in quantum electrodynamics —É. A. Kuraev, L. N. Lipatov, and M. I. Strikman. **39**(3), 405–9; CPM-7505X1401

Sturman, B. I.—High-frequency plasma heating in a strong magnetic field —A. M. Rubenchik, I. Ya. Rybak, and B. I. Sturman. **40**(4), 678–83; CPM-7510X0870

Subashiev, A. V.—Long-wave optical-phonon spectrum in metals and heavily doped semiconductors —I. P. Ipatova and A. V. Subashiev. **39**(2), 349–54; CPM-7505X0517

Sudovtsov, A. I.—Superconductivity of amorphous vanadium —V. M. Kuz'menko, V. G. Lazarev, V. I. Mel'nikov, and A. I. Sudovtsov. **40**(2), 396–9; CPM-7510X0346

Suetin, V. A.—Precession of positive muons in ferromagnets —I. I. Gurevich, A. I. Klimov, V. N. Maiorov, E. A. Meleshko, I. A. Muratova, B. A. Nikol'skiĭ, V. S. Roganov, V. I. Selivanov, and V. A. Suetin. **39**(1), 178–80; CPM-7504X0896

Sukharev, S. A.—Observation of optical inhomogeneities induced in xenon by shock-wave radiation —L. I. Zykov, G. A. Kirillov, S. B. Kormer, S. M. Kulikov, and S. A. Sukharev. **40**(3), 447–8; CPM-7510X0527

Sultanov, M. B.—Electromagnetic excitation of ultrasound and the transparency of semimetals —I. A. Gilinskiĭ, and M. B. Sultanov, and Yu. V. Levin. **39**(1), 106–10; CPM-7504X0824

Suris, R. A.—Heterodyne reception of light by an injection laser —R. F. Kazarinov and R. A. Suris. **39**(3), 522–7; CPM-7505X1518

Sushchinskiĭ, M. M.—Investigation of four–photon processes in stimulated Raman scattering (SRS) —A. N. Arbatskaya and M. M. Sushchinskiĭ. **39**(6), 981–4; CPM-7507X1209

Sushkov, O. P.—The gravitational radiation emitted by an ultrarelativistic charged particle in an external electromagnetic field —O. P. Sushkov and I. B. Khriplovich. **39**(1), 1–3; CPM-7504X0719

Suzdalev, I. P.—Dimensional effects in small particles of Fe_3O_4 — Yu. F. Krupyanskiĭ and I. P. Suzdalev. **40**(2), 364–7; CPM-7510X0314

Svavil'nyĭ, N. E.—Wave–barrier transmission for electron plasma waves in inhomogeneous plasma —L. I. Romanyuk, N. E. Svavil'nyĭ, and V. V. Ustalov. **40**(2), 286–9; CPM-7510X0236

Sviridenkov, E. A.—Ruby breakdown by pulse trains and single ultrashort pulses —V. M. Baev, A. N. Savchenko, and E. A. Sviridenkov. **39**(3), 443–6; CPM-7505X1439

Svistova, E. A.—Investigation of the galvanomagnetic properties of graphite in magnetic fields up to 500 kOe at low temperatures — N. B. Brandt, G. A. Kapustin, V. G. Karavaev, A. S. Kotosonov, and E. A. Svistova. **40**(3), 564–9; CPM-7510X0644

Svistunov, V. M.—Determination of the energy gap parameter and of the electron–phonon interaction in superconductors from the tunnel data —A. A. Galkin, A. I. D'yachenko, and V. M. Svistunov. **39**(6), 1115–8; CPM-7507X1343

Syrovatskiĭ, S. I.—Evolutionality of magnetohydrodynamic discontinuities with allowance for dissipative waves —Z. B. Roĭkhvarger and S. I. Syrovatskiĭ. **39**(4), 654–6; CPM-7506X1002

T

Takhtadzhyan, L. A.—Exact theory of propagation of ultrashort optical pulses in two–level media —L. A. Takhtadzhyan. **39**(2), 228–33; CPM-7505X0396

Talalaev, M. A.—Magnetic birefringence of light in the antiferromagnetic $MnCO_3$, $CoCO_3$, and $CsMnF_3$ —A. S. Borovik–Romanov, N. M. Kreines, A. A. Pankov, and M. A. Talalaev. **39**(2), 378–82; CPM-7505X0546

Talalaeva, E. V.—Observation of the magnetic compensation points in the spinel ferrites $MnFe_{2-x}Cr_xO_4$ —K. P. Belov, E. V. Talalaeva, L. A. Chernikova, A. S. Andreenko, and V. I. Ivanovskiĭ. **39**(2), 316–8; CPM-7505X0484

Tarasenko, V. V.—Effect of pressure of magnetoacoustic resonance in uniaxial antiferromagnets —I. E. Dikshtein, V. V. Tarasenko, and V. G. Shavrov. **40**(2), 404–7; CPM-7510X0354

Tarasov, Yu. V.—Measurement of microwave scattering by low frequency turbulent plasma oscillations —V. K. Zhivotov, G. I. Kalinnikov, A. S. Kingsep, M. F. Krotov, V. V. Rusanov, and Yu. V. Tarasov. **40**(1), 43–5; CPM-7509X1533

Tartakovskiĭ, G. Kh.—Possibility of four–photon parametric generation of light in gases —V. I. Barantsov, A. K. Popov, and G. Kh. Tartakovskiĭ. **40**(3), 449–56; CPM-7510X0529

Tashaev, Yu. A.—Experimental study of the loss and capture of electrons by fast unexcited and metastable heliumlike ions in ion-atomic collisions —I. S. Dmitriev, V. S. Nikolaev, Yu. A. Tashaev, and Ya. A. Teplova. **40**(6), 1017–24; CPM-7512X0019

Tatarskiĭ, V. I.—Investigation of photocounting statistics without the use of perturbation theory —V. I. Tatarskiĭ. **39**(3), 423–8; CPM-7505X1419

Temkin, S. I.—Spectral exchange in collision broadening of rotational structure —A. I. Burshtein, M. L. Strekalov, and S. I. Temkin. **39** (3), 433–9; CPM-7505X1429

Tenishev, A. E.—Polarization of secondary protons from the reaction $\gamma+p\rightarrow\pi^0+p$ in the region of the third resonance —A. I. Derebchinskiĭ, S. G. Tonapetyan, O. G. Konovalov, V. P. Nazyrov, and A. E. Tenishev. **39**(1), 30–2; CPM-7504X0748

Teplova, Ya. A.—Experimental study of the loss and capture of electrons by fast unexcited and metastable heliumlike ions in ion-atomic collisions —I. S. Dmitriev, V. S. Nikolaev, Yu. A. Tashaev, and Ya. A. Teplova. **40**(6), 1017–24; CPM-7512X0019

Ter-Martirosyan, K. A.—A theory of interacting pomerons and hadronic reactions at high energies —A. A. Migdal, A. M. Polyakov, and K. A. Ter–Martirosyan. **40**(3), 420–9; CPM-7510X0500

—Multiple production of particles and s-channel unitarity in the pomeron strong-coupling region —A. A. Migdal, A. M. Polyakov, and K. A. Ter-Martirosyan. **40**(6), 999–1004; CPM-7512X0001

Tikhonchuk, V. T.—Nonstationary turbulence of parametrically unstable plasma —V. V. Pustovalov, V. P. Silin, and V. T. Tikhonchuk. **39**(3), 452–8; CPM-7505X1448

—Anomalous interaction of strong laser radiation with dense plasma —N. G. Basov, O. N. Krokhin, V. V. Pustovalov, A. A. Rupasov, V. P. Silin, G. V. Sklizkov, V. T. Tikhonchuk, and A. S. Shikanov. **40**(1), 61–8; CPM-7509X1551

Tikhonov, N. A.—Invariants of the nonlinear oscillation equation — N. A. Tikhonov. **39**(1), 49–51; CPM-7504X0767

Tishchenko, L. P.—Effect of injection of helium atoms on the superconducting properties of indium films —N. Ya. Fogel', A. A. Moshenskiĭ, I. M. Dmitrenko, L. P. Tishchenko, T. I. Peregon, and Ya. M. Fogel'. **39**(2), 301–5; CPM-7505X0469

Tkachenko, V. K.—Properties of rotating helium —V. K. Tkachenko. **40**(5), 985–7; CPM-7511X0583

Tonapetyan, S. G.—Polarization of secondary protons from the reaction $\gamma+p\rightarrow\pi^0+p$ in the region of the third resonance —A. I. Derebchinskiĭ, S. G. Tonapetyan, O. G. Konovalov, V. P. Nazyrov, and A. E. Tenishev. **39**(1), 30–2; CPM-7504X0748

Trakhtengerts, V. Yu.—Effects of stimulated scattering for an electromagnetic pulse incident on a plasma layer —Ya. I. Al'ber, Z. N. Krotova, N. A. Mityakov, V. O. Rapoport, and V. Yu. Trakhtengerts. **39**(2), 275–7; CPM-7505X0443

—Turbulent dispersion of a fast particle cloud in plasma —B. A. Bespalov and V. Yu. Trakhtengerts. **40**(3), 480–3; CPM-7510X0560

Trifonov, E. D.—Angular correlation of photons in superradiance —I. V. Sokolov and E. D. Trifonov. **40**(2), 238–40; CPM-7510X0188

Trofimov, V. I.—Double nuclear magnetic resonance in a two-spin system in a solid —A. G. Lundin and V. I. Trofimov. **39**(4), 686–9; CPM-7506X1034

Troitskiĭ, Yu. V.—Velocity distribution relaxation due to inelastic collisions —A. P. Kol'chenko, S. I. Rautian, Yu. V. Troitskiĭ, and A. M. Shalagin. **39**(3), 414–8; CPM-7505X1410

Troyan, V. I.—On the theory of the thermomagnetic effect in a Knudsen gas —S. Yu. Krylov, V. D. Borman, B. I. Nikolaev, and V. I. Troyan. **40**(6), 1053–7; CPM-7512X0055

Trubnikov, B. A.—Relativistic generalization of the Darwin Lagrangian —B. A. Trubnikov and V. V. Kosachev. **39**(4), 641–2; CPM-7506X0989

Truni, K. G.—X–ray interferometer with narrow beam —V. L. Indenbom, I. Sh. Slobodetskiĭ, and K. G. Truni. **39**(3), 542–6; CPM-7505X1538

Trush, G. I.—Current state of semimetals with paramagnetic impurities —Yu. M. Ivanchenko and G. I. Trush. **40**(1), 175–80; CPM-7509X1665

Tsebro, V. I.—Mössbauer effect in superconducting films of tin evaporated jointly with a tin complex of etioporphyrin —N. E. Alekseevskiĭ and V. I. Tsebro. **39**(4), 697–700; CPM-7506X1045

Tsendin, L. D.—Energy distribution of electrons in a weakly ionized current–carrying plasma with a transverse inhomogeneity —L. D. Tsendin. **39**(5), 805–10; CPM-7507X0743

Tsoĭ, V. S.—Effect of lead impurity on the temperature dependence of the electric resistance of indium —A. D. Bronnikov, E. P. Vol'skiĭ, V. T. Petrashov, I. I. Razgonov, and V. S. Tsoĭ. **40**(2), 357–9; CPM-7510X0307

Tsvetkov, A. A.—Coalescence of wave pulses or beams in explosive instability —M. I. Rabinovich, V. P. Reutov, and A. A. Tsvetkov. **40**(2), 260–3; CPM-7510X0210

Tsygan, A. I.—Photoeffect in strong magnetic fields and x–ray emission from neutron stars —Yu. N. Gnedin, G. G. Pavlov, and A. I. Tsygan. **39**(2), 201–6; CPM-7505X0369

Tuganov, V. F.—Bremsstrahlung instability and coherent amplification of polarized radiation in plasma located in a magnetic field —V. N. Sazonov and V. F. Tuganov. **40**(6), 1070–1; CPM-7512X0072

Tyuterev, V. G.—Microscopic dielectric constant of a semiconductor —V. G. Tyuterev. **40**(4), 773–5; CPM-7510X0965

U

Ugulava, A. I.—Strong EPR saturation under phonon–bottleneck conditions —L. L. Buishvili, N. P. Giorgadze, M. Z. Zviadadze, and A. I. Ugulava. **40**(2), 330–4; CPM-7510X0280

Usarov, U. T.—Hall effect in rhenium single crystals at low temperatures in strong magnetic fields —E. I. Kondorskiĭ, O. S. Galkina, A. V. Cheremushkina, U. T. Usarov, and G. E. Chuprikov. **39**(6), 1094–5; CPM-7507X1322

Ustalov, V. V.—Wave-barrier transmission for electron plasma waves in inhomogeneous plasma —L. I. Romanyuk, N. E. Svavil'nyĭ, and V. V. Ustalov. **40**(2), 286–9; CPM-7510X0236

Ustinov, V. V.—Boundary condition for the distribution function of conduction electrons scattered by a metal surface —V. I. Okulov and V. V. Ustinov. **40**(3), 584–90; CPM-7510X0664

V

Vaganov, A. B.—Determination of the properties of iron films during evaporation —A. B. Vaganov and V. V. Zav'yalov. **40**(6), 1075–80; CPM-7512X0077

Vaĭnshteĭn, L. A.—Role of exchange in the excitation of ions by electrons —L. A. Vaĭnshteĭn. **40**(1), 32–5; CPM-7509X1522

Vaĭnshteĭn, S. I.—Possible generation of a magnetic field by Langmuir oscillations —S. I. Vaĭnshteĭn. **40**(2), 256–9; CPM-7510X0206

Vaks, V. G.—Theory of antiferromagnetic impurities in magnets —B. Ya. Balagurov and V. G. Vaks. **39**(3), 554–61; CPM-7505X1550

—Theory of phase transitions in solid solutions —V. G. Vaks and N. E. Zein. **40**(3), 537–45; CPM-7510X0617

Valeev, I. I.—Observation of the heating of the dipole-dipole interaction pool of impurity ions in nuclear relaxation —I. I. Valeev, F. L. Aukhadeev, and V. A. Skrebnev. **40**(1), 101–3; CPM-7509X1591

Varfolomeev, A. A.—Effect of the medium on the bremsstrahlung of an electron in the optical frequency range —V. A. Bazylev, A. A. Varfolomeev, and N. K. Zhevago. **39**(2), 222–7; CPM-7505X0390

—Nonlinear processes in a system of resonantly interacting atoms — A. A. Varfolomeev. **39**(6), 985–8; CPM-7507X1213

—Spectral and angular distribution of bremsstrahlung produced by high energy electrons in a dense medium —A. A. Varfolomeev and N. K. Zhevago. **40**(3), 441–6; CPM-7510X0521

Vashkovskiĭ, A. V.—Experimental investigation of the fine structure of the instability of nonlinear ferromagnetic resonance —A. V. Vashkovskiĭ, V. I. Zubkov, and R. G. Kocharyan. **39**(1), 130–3; CPM-7504X0848

Vasil'ev, A. N.—Anomalous skin effect in a plasma with a diffuse boundary in a magnetic field —A. N. Vasil'ev and B. E. Meierovich. **40**(5), 865–9; CPM-7511X0463

Vasilev, Ya. T.—Self-induced transparency of a semiconductor —F. Brückner, Ya. T. Vasilev, V. S. Dneprovskiĭ, D. G. Koshchug, E. K. Silina, and V. U. Khattatov. **40**(6), 1101–4; CPM-7512X0103

Vasin, O. I.—Superconductivity in polycrystalline bismuth films —V. I. Petrosyan, V. N. Molin, O. I. Vasin, P. A. Skripkina, S. I. Stenin, and E. G. Batyev. **39**(3), 485–9; CPM-7505X1481

Vas'kov, V. V.—Self-action of an electromagnetic wave in a plasma upon excitation of parametric instability —V. V. Vas'kov and A. V. Gurevich. **39**(5), 822–7; CPM-7507X0760

Vekshteĭn, G. E.—Nonlinear effects in the problem of anomalous plasma resistance —G. E. Vekshteĭn. **39**(2), 282–4; CPM-7505X0450

Veksler, L. S.—Scaling theory and the equation of state of argon in a wide region around the critical point —M. A. Anisimov, A. T. Berestov, L. S. Veksler, B. A. Koval'chuk, and V. A. Smirnov. **39**(2), 359–65; CPM-7505X0527

Vekua, V. L.—Determination of the sign of the g factor and observation of deformation of epitaxial films in the transverse effect of optical orientation in semiconductors —V. L. Vekua, R. I. Dzhioev, B. P. Zakharachenya, E. L. Ivchenko, and V. G. Fleisher. **39**(5), 879–82; CPM-7507X0817

Velikhov, E. P.—Gain of a CO_2 N_2 He atmospheric-pressure gas mixture excited by a quasistationary non-self-sustaining discharge —E. P. Velikhov, Yu. K. Zemtsov, A. S. Kovalev, I. G. Persantsev, V. D. Pis'mennyĭ, and A. T. Rakhimov. **40**(5), 837–40; CPM-7511X0435

Velikov, L. V.—Antiferromagnetic resonance in $FeBO_3$ —L. V. Velikov, A. S. Prokhorov, E. G. Rudashevskiĭ, and V. N. Seleznev. **39**(5), 909–15; CPM-7507X0847

Venitskiĭ, V. N.—Birefringence of light following excitation of nonlinear ferromagnetic resonance in yttrium iron garnets —V. N. Venitskiĭ, V. V. Eremenko, and É. V. Matyushkin. **40**(4), 713–6; CPM-7510X0905

Vilenkin, A. V.—The correspondence principle in the problem of the self-energy of the electron —A. V. Vilenkin and P. I. Fomin. **40**(1), 6–7; CPM-7509X1496

Vinokurov, E. A.—Radiative corrections to e^+e^- pair production by a high-energy photon in the field of an electron or a nucleus —E. A. Vinokurov, É. A. Kuraev, and N. P. Merenkov. **39**(6), 942–5; CPM-7507X1170

Vitlina, R. Z.—Nonresonant charge transfer in the field of an intense light wave —R. Z. Vitlina, A. V. Chaplik, and M. V. Éntin. **40**(5), 829–32; CPM-7511X0427

Vladimirov, V. V.—Theta pinch in germanium —V. V. Vladimirov, L. V. Dubovoĭ, V. A. Smirnov, and V. F. Shanskiĭ. **39**(1), 111–3; CPM-7504X0829

Volenko, A. P.—Anisotropy of linear magneto-optical effects in thulium orthoferrite —M. V. Chetkin, Yu. I. Shcherbakov, A. P. Volenko, and L. D. Shevchuk. **40**(3), 509–11; CPM-7510X0589

Volkenshteĭn, M. V.—Temperature dependence of magnetic-susceptibility anisotropy of transition-metal crystals with a hexagonal close-packed structure —M. V. Volkenshteĭn, É. V. Galoshina, and T. N. Panikovskaya. **40**(4), 730–2; CPM-7510X0922

Volkenshteĭn, N. V.—Localized spin fluctuations and singularities of the electric resistance of Ti_xV_{1-x} alloys —V. A. Rassokhin, N. V. Volkenshteĭn, E. P. Romanov, and A. F. Prekul. **39**(1), 166–8; CPM-7504X0884

—Effect of spin fluctuations on the superconducting and normal properties of alloys of Ti containing V, Nb, or Ta —A. F. Prekul, V. A. Rassokhin, and N. V. Volkenshteĭn. **40**(6), 1134–6; CPM-7512X0136

Volkov, A. F.—Theory of the current-voltage characteristics of one-dimensional S–N–S and S–N junctions —A. F. Volkov. **39**(2), 366–9; CPM-7505X0534

—Interference current in weakly coupled superconductors —A. F. Volkov and A. L. Kasatkin. **40**(4), 760–2; CPM-7510X0952

Volkov, D. I.—Anomalous Hall effect in holmium single crystal in the region of helicoidal magnetic ordering —D. I. Volkov, T. M. Kozlova, V. N. Prudnikov, N. A. Prudnikova, and N. I. Moreva. **40**(1), 98–100; CPM-7509X1588

Volkov, O. L.—Turbulent shock wave in a low-density unmagnetized plasma —O. L. Volkov, V. G. Eselevich, G. N. Kichigin, and V. L. Papernyĭ. **40**(5), 841–2; CPM-7511X0439

Vol'nov, M. I.—Spectroscopy within the radiative linewidth —V. A. Alekseev, N. G. Basov, É. M. Belenov, M. I. Vol'nov, M. A. Gubin, V. V. Nikitin, and A. N. Nikolaenko. **39**(3), 429–32; CPM-7505X1425

Vologodskiĭ, A. V.—The knot problem in statistical mechanics of polymer chains —A. V. Vologodskiĭ, A. V. Lukashin, M. D. Frank-Kamenetskiĭ, and V. V. Anshelevich. **39**(6), 1059–63; CPM-7507X1287

—Topological interaction between polymer chains —A. V. Vologodskiĭ, A. V. Lukashin, and M. D. Frank-Kamenetskiĭ. **40**(5), 932–6; CPM-7511X0530

Voloshin, I. F.—Investigation of the surface conductivity of tin in a magnetic field by a high-frequency technique —I. F. Voloshin and Yu. P. Gaĭdukov. **40**(1), 166–70; CPM-7509X1656

Volovik, G. E.—Piezopolaron energy at large momenta —G. E. Volovik and V. M. Édel'shteĭn. **40**(1), 137–8; CPM-7509X1627

Vol'skiĭ, E. P.—Effect of lead impurity on the temperature dependence of the electric resistance of indium —A. D. Bronnikov, E. P. Vol'skiĭ, V. T. Petrashov, I. I. Razgonov, and V. S. Tsoĭ. **40**(2), 357–9; CPM-7510X0307

—Dispersion equation for electromagnetic waves in a metal in a magnetic field —E. P. Vol'skiĭ. **40**(3), 546–51; CPM-7510X0626

Volyak, T. B.—Investigation of soft x-ray emission from a laser plasma in a magnetic field —T. B. Volyak, S. D. Kaĭtmazov, A. A. Medvedev, A. M. Prokhorov, and E. I. Shklovskiĭ. **40**(4), 671–3; CPM-7510X0863

Voronin, A. I.—Nonadiabatic transitions in triatomic systems —A. I. Voronin and V. I. Osherov. **39**(1), 62–6; CPM-7504X0780

Voron'ko, Yu. K.—Effect of broadening of spectral lines on the migration of electron excitation along impurity centers in crystals —T. T. Basiev, Yu. K. Voron'ko, and I. S. Shcherbakov. **39**(6), 1042–8; CPM-7507X1270

Voronov, N. A.—On the gravitational field of a massless particle —N. A. Voronov and I. Yu. Kobzarev. **39**(4), 575–8; CPM-7506X0923

Vorontsov, V. I.—Concerning the kinetics of stimulated gamma radiation in the transient regime —V. I. Vorontsov and V. I. Vysotskiĭ. **39**(5), 748–51; CPM-7507X0686

Vukstich, V. S.—Excitation function for the spectral lines of Na, K, Rb, and Cs ions in the vacuum ultraviolet —I. S. Aleksakhin, V. S. Vukstich, and I. P. Zapesochnyĭ. **39**(6), 971–4; CPM-7507X1199

Vysotskiĭ, V. I.—Concerning the kinetics of stimulated gamma radiation in the transient regime —V. I. Vorontsov and V. I. Vysotskiĭ. **39**(5), 748–51; CPM-7507X0686

Y

Yakimov, E. B.—Investigation of the nature of the diode effect on dislocations in silicon —V. G. Eremenko, V. I. Nikitenko, and E. B. Yakimov. **40**(3), 570–6; CPM-7510X0650

Yakimov, S. S.—The electron configuration of the iron ions in the $NiFe_{2-x}Cr_xO_4$ ferrites —V. A. Gordienko, V. I. Nikolaev, and S. S. Yakimov. **39**(3), 551–3; CPM-7505X1547

—Sign of conduction-electron polarization in iron —V. Ya. Gamlitskiĭ, O. A. Gurkovskiĭ, V. I. Nikolaev, I. N. Nikolaev, V. M. Cherepanov, and S. S. Yakimov. **40**(2), 374–6; CPM-7510X0324

—Effect of anisotropy on field-induced antiferromagnetism in $YFeO_3$ —V. I. Ozhogin, V. M. Cherepanov, and S. S. Yakimov. **40**(3), 517–20; CPM-7510X0597

Yakovlenko, S. I.—Optical and radiative collisions —V. S. Lisitsa and S. I. Yakovlenko. **39**(5), 759–63; CPM-7507X0697

—Resonance of discrete states against the background of a continuous spectrum —V. S. Lisitsa and S. I. Yakovlenko. **39**(6), 975–80; CPM-7507X1203

—Plasma lasers involving molecules with a dissociative ground state —L. I. Gudzenko, I. S. Lakoba, and S. I. Yakovlenko. **40**(6), 1005–10; CPM-7512X0007

Yakovlev, V. P.—Stationary states of an atom in a quantized electromagnetic field —V. P. Yakovlev. **40**(3), 457–9; CPM-7510X0537

Yakubovskiĭ, A. Yu.—Parametric pairs in antiferromagnet with easy plane anisotropy —V. I. Ozhogin and A. Yu. Yakubovskiĭ. **40**(1), 144–53; CPM-7509X1634

—Parametric excitation and relaxation of nuclear spin waves in antiferromagnetic $MnCO_3$ —A. Yu. Yakubovskiĭ. **40**(4), 766–8; CPM-7510X0958

Yang, C.—X-ray transition radiation produced in an irregular medium —G. M. Garibyan, L. A. Gevorgyan, and C. Yang. **39**(2), 265–70; CPM-7505X0433

Yanson, I. K.—Nonlinear effects in the electric conductivity of point junctions and electron–phonon interaction in normal metals —I. K. Yanson. **39**(3), 506–13; CPM-7505X1502

Yanushkevich, V. A.—Change of electric conductivity of semiconductor crystals by passage of a shock wave from a laser pulse —L. I. Ivanov, Yu. N. Nikiforov, and V. A. Yanushkevich. **40**(1), 75–6; CPM-7509X1565

Yudin, V. A.—Doppler shifted cyclotron resonance and electromagnetic waves in copper —V. V. Lavrova, C. V. Medvedev, V. G. Skobov, L. M. Fisher, A. S. Chernov, and V. A. Yudin. **39**(2), 338–44; CPM-7505X0506

—Multiple dopplerons in aluminum —V. G. Skobov, L. M. Fisher, A. S. Chernov, and V. A. Yudin. **40**(3), 605–12; CPM-7510X0685

Yurchuk, É. F.—Determination of the electron velocity distribution by the Thomson scattering method —V. A. Zhuravlev, G. D. Petrov, and É. F. Yurchuk. **39**(5), 796–7; CPM-7507X0734

Yushmanov, E. E.—Investigation of instability of a collision plasma in a mirror trap —B. I. Kanaev and E. E. Yushmanov. **40**(2), 290–7; CPM-7510X0240

—Stabilization of cone instability of collisional plasma in a mirror trap —M. S. Ioffe, B. I. Kanaev, V. P. Pastukhov, and E. E. Yushmanov. **40**(6), 1064–9; CPM-7512X0066

Z

Zaĭtsev, K. N.—Noncollinear spin ordering in a hexagonal ferrite of type W —R. A. Sizov and K. N. Zaitsev. **39**(1), 175–7; CPM-7504X0893

Zakharachenya, B. P.—Determination of the sign of the g factor and observation of deformation of epitaxial films in the transverse effect of optical orientation in semiconductors —V. L. Vekua, R. I. Dzhioev, B. P. Zakharachenya, E. L. Ivchenko, and V. G. Fleisher. **39**(5), 879–82; CPM-7507X0817

Zakharov, V. E.—Three-dimensional solitons —V. E. Zakharov and E. A. Kuznetsov. **39**(2), 285–6; CPM-7505X0453

Zalesskiĭ, A. V.—Investigation of the magnetic properties and NMR in spin–reorientation transitions in $DyFe_{0.998}Co_{0.002}O_3$ crystals —A. V. Zalesskiĭ, A. M. Kadomtseva, A. M. Savvinov, M. M. Lukina, G. L. Ovchinnikova, and A. V. Abramov. **39**(5), 883–6; CPM-7507X0821

Zalesskiĭ, V. Yu.—As discharge laser operating on the iodine 1315-nm transition —V. Yu. Zalesskiĭ. **40**(1), 14–7; CPM-7509X1504

Zapesochnyĭ, I. P.—Excitation function for the spectral lines of Na, K, Rb, and Cs ions in the vacuum ultraviolet —I. S. Aleksakhin, V. S. Vukstich, and I. P. Zapesochnyĭ. **39**(6), 971–4; CPM-7507X1199

—Resonant charge exchange of alkali-earth ions —G. S. Panev, A. N. Zavilopulo, I. P. Zapesochnyĭ, and O. B. Shpenik. **40**(1), 23–6; CPM-7509X1513

—Excitation of the resonance level of He^+ in electron–atom, electron–ion, and ion–atom collisions —A. I. Dashchenko, I. P. Zapesochnyĭ, A. I. Imre, V. S. Bukstich, F. F. Danch, and V. A. Kel'man. **40**(2), 249–51; CPM-7510X0199

Zaretskiĭ, D. F.—Resonance excitation of atomic levels in a strong electromagnetic field —D. F. Zaretskiĭ and V. P. Krainov. **39**(2), 257–9; CPM-7505X0425

—Resonance multiphoton excitation of atomic levels in a strong electromagnetic field —D. F. Zaretskiĭ and V. P. Krainov. **40**(4), 647–9; CPM-7510X0839

Zaripov, M. M.—Theory of magnetic resonance in the Ising model —G. O. Berim, M. M. Zaripov, and A. R. Kessel'. **39**(2), 355–8; CPM-7505X0523

Zaslavskiĭ, G. M.—The propagation of a nonlinear wave in a stochastic medium —G. M. Zaslavskiĭ. **39**(5), 802–4; CPM-7507X0740

—Thermodynamics of the mixing of localized and collectivized electron states —G. M. Zaslavskiĭ, E. V. Kuz'min, and I. S. Sandalov. **40**(4), 707–12; CPM-7510X0899

Zavaritskiĭ, N. V.—Investigation of the magnetic scattering in a superconductor by the tunnel-effect method —V. N. Grigor'ev and N. V. Zavaritskiĭ. **39**(4), 705–8; CPM-7506X1053

—Deformation thermomagnetic effect in tin —N. V. Zavaritskiĭ. **40**(3), 601–4; CPM-7510X0681

Zavilopulo, A. N.—Resonant charge exchange of alkali-earth ions —G. S. Panev, A. N. Zavilopulo, I. P. Zapesochnyĭ, and O. B. Shpenik. **40**(1), 23–6; CPM-7509X1513

Zav'yalov, V. V.—Determination of the properties of iron films during evaporation —A. B. Vaganov and V. V. Zav'yalov. **40**(6), 1075–80; CPM-7512X0077

Zborovskiĭ, V. A.—Nonlinear interaction between differently polarized waves traveling in opposite directions in a ring laser —V. A. Zborovskiĭ and É. E. Fradkin. **39**(4), 596–600; CPM-7506X0944

Zein, N. E.—Theory of phase transitions in solid solutions —V. G. Vaks and N. E. Zein. **40**(3), 537–45; CPM-7510X0617

Zel'dovich, Ya. B.—Quantum effects in white holes —Ya. B. Zel'dovich, I. D. Novikov, and A. A. Starobinskiĭ. **39**(6), 933–9; CPM-7507X1161

—Cosmological consequences of a spontaneous breakdown of a discrete symmetry —Ya. B. Zel'dovich, I. Yu. Kobzarev, and L. B. Okun'. **40**(1), 1–5; CPM-7509X1491

—Pseudoscalar liquid crystals —Ya. B. Zel'dovich. **40**(6), 1170–1; CPM-7512X0172

Zemtsov, Yu. K.—Gain of a CO_2 N_2 He atmospheric-pressure gas mixture excited by a quasistationary non-self-sustaining discharge —E. P. Velikhov, Yu. K. Zemtsov, A. S. Kovalev, I. G. Persantsev, V. D. Pis'mennyĭ, and A. T. Rakhimov. **40**(5), 837–40; CPM-7511X0435

Zherikhin, A. N.—Variation in the time structure of ultrashort pulses during propagation through a stable two-component medium —A. N. Zherikhin, P. G. Kryukov, E. V. Kurganova, Yu. A. Matveets, S. V. Chekalin, S. A. Churilova, and O. B. Shatberashvili. **39**(1), 52–6; CPM-7504X0770

Zhernov, A. P.—Deviations from the Matthiessen rule in the case of tin– and indium–base alloys —O. I. Lomonos, B. N. Aleksandrov, and A. P. Zhernov. **40**(3), 552–6; CPM-7510X0632

Zhevago, N. K.—Effect of the medium on the bremsstrahlung of an electron in the optical frequency range —V. A. Bazylev, A. A. Varfolomeev, and N. K. Zhevago. **39**(2), 222–7; CPM-7505X0390

—Spectral and angular distribution of bremsstrahlung produced by high energy electrons in a dense medium —A. A. Varfolomeev and N. K. Zhevago. **40**(3), 441–6; CPM-7510X0521

Zhikharev, V. A.—Theory of spin induction and conduction-electron echo in bulky metallic samples —V. A. Zhikharev and A. R. Kessel'. **40**(5), 874–7; CPM-7511X0472

Zhivotov, V. K.—Measurement of microwave scattering by low frequency turbulent plasma oscillations —V. K. Zhivotov, G. I. Kalinnikov, A. S. Kingsep, M. F. Krotov, V. V. Rusanov, and Yu. V. Tarasov. **40**(1), 43–5; CPM-7509X1533

Zhukovskiĭ, V. Ch.—Bremsstrahlung from an electron passing by a nucleus situated in a constant external field —V. Ch. Zhukovskiĭ. **39**(1), 4–6; CPM-7504X0722

Zhuravlev, V. A.—Determination of the electron velocity distribution by the Thomson scattering method —V. A. Zhuravlev, G. D. Petrov, and É. F. Yurchuk. **39**(5), 796–7; CPM-7507X0734

Zil'berman, L. A.—Mean velocity and spectrum of dislocations moving along a Peierls relief —L. A. Zil'berman. **40**(5), 929–31; CPM-7511X0527

Zimdahl, W.—The Luttinger method in the theory of thermomagnetic phenomena —V. V. Korneev, A. N. Starostin, and W. Zimdahl. **39** (6), 1104–7; CPM-7507X1332

Zimin, A. B.—Theory of the bound states of phonons with impurity centers —É. I. Rashba and A. B. Zimin. **39**(4), 726–31; CPM-7506X1074

Zinov, V. G.—Measurement of the lifetime of the positive muon — M. P. Balandin, V. M. Grebenyuk, V. G. Zinov, A. D. Konin, and A. N. Ponomarev. **40**(5), 811–4; CPM-7511X0409

Zinov'ev, A. N.—Model of intersecting bands for interaction of closely approaching atomic particles —V. V. Afrosimov, Yu. S. Gordeev, and A. N. Zinov'ev. **39**(6), 950–5; CPM-7507X1178

Zinov'ev, V. E.—Thermal properties of iron in solid solutions of silicon in iron near the Curie point —V. E. Zinov'ev, Sh. Sh. Abel'skiĭ, M. I. Sandakova, E. G. Dik, L. N. Petrova, and P. V. Gel'd. **39**(1), 169–71; CPM-7504X0887

Zon, B. A.—Resonance scattering of a powerful electromagnetic pulse by a quantum system —B. A. Zon and B. G. Katsnel'son. **40** (3), 462–6; CPM-7510X0542

Zozulya, V. N.—Viscosity of nitrogen near the liquid–vapor critical point —V. N. Zozulya and Yu. P. Blagoĭ. **39**(1), 99–105; CPM-7504X0817

Zubkov, V. G.—Magnetic phase transition in yttrium othovanadite — V. G. Zubkov, A. S. Borukhovich, G. V. Bazuev, I. I. Matveenko, and G. P. Shveĭkin. **39**(5), 896–8; CPM-7507X0834

Zubkov, V. I.—Experimental investigation of the fine structure of the instability of nonlinear ferromagnetic resonance —A. V. Vashkovskiĭ, V. I. Zubkov, and R. G. Kocharyan. **39**(1), 130–3; CPM-7504X0848

Zvezdin, A. K.—New orientational transitions induced in orthoferrites by an external field —K. P. Belov, A. K. Zvezdin, A. M. Kadomtseva, and I. B. Krynetskiĭ. **40**(5), 980–4; CPM-7511X0578

Zviadadze, M. Z.—Strong EPR saturation under phonon–bottleneck conditions —L. L. Buishvili, N. P. Giorgadze, M. Z. Zviadadze, and A. I. Ugulava. **40**(2), 330–4; CPM-7510X0280

Zvyagin, A. I.—Effect of magnetic dilution on the critical temperature of few dimensional antiferromagnetic $CuWO_4$ —A. I. Zvyagin and A. G. Anders. **40**(1), 154–7; CPM-7509X1644

Zykov, L. I.—Observation of optical inhomogeneities induced in xenon by shock-wave radiation —L. I. Zykov, G. A. Kirillov, S. B. Kormer, S. M. Kulikov, and S. A. Sukharev. **40**(3), 447–8; CPM-7510X0527

Zyryanov, G. K.—Energy spectra of helium ions scattered from the (100) surface of a PbS crystal —V. G. Matsevich and G. K. Zyryanov. **39**(1), 121–3; CPM-7504X0839